

NATIONAL BANK OF PAKISTAN
(STANDARD BIDDING DOCUMENT)

SUPPLY OF
OFFICE FURNITURE AT NBP BRANCHES IN
CENTRAL & NORTH REGIONS

(SINGLE STAGE ONE ENVELOPE PROCEDURE)
(NATIONAL COMPETITIVE BIDDING)



PROCUREMENT WING
LOGISTICS COMMUNICATIONS & MARKETING GROUP
NATIONAL BANK OF PAKISTAN
REGIONAL HEAD QUARTERS
LAHORE



STANDARD BIDDING DOCUMENTS

for

SUPPLY OF OFFICE FURNITURE

PART - A - BIDDING PROCEDURE & REQUIREMENTS

- Section I - Invitation to Bids
- Section II- Instructions to Bidders (ITB)
- Section III- Bid Data Sheet (BDS)
- Section IV - Eligible Countries
- Section V - Technical Specifications, Schedule of Requirements
- Section VI - Standard Forms

PART - B - CONDITIONS OF CONTRACT AND CONTRACT FORMS

- Section VII - General Conditions of Contract (GCC)
- Section VIII - Special Conditions of Contract (SCC)
- Section IX - Contract Forms
Integrity Pact



PART-A

BIDDING PROCEDURE & REQUIREMENTS

SECTION I: INVITATION TO BIDS

NATIONAL BANK OF PAKISTAN

SUPPLY OF OFFICE FURNITURE FOR NBP BRANCHES IN CENTRAL & NORTH REGIONS



National Bank of Pakistan (NBP) invites sealed bids from original manufacturers / authorized distributors / suppliers, registered with Income Tax and Sales Tax Departments and who are on Active Taxpayers List of the Federal Board of Revenue (FBR) for supply of Office Furniture at NBP Branches in Central & North Regions.

2. Bidding documents for each lot, containing detail terms and conditions, etc. are available at Wing Head Procurement (Central & North) NBP, RHQ Building, 26-Mcalgon Road, Lahore on any working day before 22nd August, 2023. Price of the bidding documents is Rs. 1000/- for each separate bidding document of each separate category (Non-refundable) which will be paid in form of a pay order in favor of National Bank of Pakistan (NBP). Bidding documents can also be downloaded from National Bank of Pakistan (NBP) website www.nbp.com.pk/TENDER free of cost.

3. A pre-bid meeting will be held at 10:30 AM on 10th August, 2023 at given address. The bids, prepared in accordance with the instructions in the bidding documents, must reach at Wing Head Procurement (Central & North) NBP, RHQ Building, 26-Mcalgon Road, Lahore on or before 11:00 AM, 22nd August, 2023. The bids will be opened on same day publicly at 11:30 AM. This advertisement is available on PPRA website at www.ppra.org.pk as well as on the National Bank of Pakistan website www.nbp.com.pk/TENDER.

Wing Head Procurement (Central & North)
National Bank of Pakistan
26-Mcalgon Road, RHQ Building, Lahore
Ph.042-99212695: Ext: 99210641-3509 & 3510
Email: hashim.shah@nbp.com.pk



SECTION-II: INSTRUCTIONS TO BIDDERS (ITB)

A. INTRODUCTION

1. Scope of Bid	1.1	National Bank of Pakistan, invites Bids for the supply of Office Furniture as per given Technical Specifications & Schedule of Requirements. The successful Bidder will be expected to deliver the goods within the specified period and timeline(s) as stated in the Bid Data Sheet (BDS).
2. Source of Funds	2.1	National Bank of Pakistan
3. Eligible Bidders	3.1	<ul style="list-style-type: none"> i. Company profile containing details of corporate customer's orders, warranty statement, skilled manpower profile / strength & logistic structure, arbitration history if any, design and CAD CAM facility details, list of machinery / warehouses and any other relevant information that support the scope of work of bid. ii. Bidder should be regular tax payer registered with income tax & sales tax departments and must appear on active list of FBR. iii. Firms should have average turnover of at least 10 Million over the past three years and generally sound position. (Please provide audited financial statement of last 03 years). iv. Bidder must not be blacklisted or involved in any kind of lawsuits from any Govt., Semi Govt. body or by any organization. v. Companies who have furnished two or more such supplies of each worth of three (03) Million Pak Rupees or above during last five (5) years are eligible to bid. vi. Bid Validity period 180 days.



	3.2	<p>A Bidder shall not have a conflict of interest. Any bidder found to have a conflict of interest shall be disqualified. Bidders may be considered to have a conflict of interest with one or more parties in this bidding process, if they:</p> <ol style="list-style-type: none"> are associated or have been associated in the past directly or indirectly with a firm or any of its affiliates which have been engaged by National Bank of Pakistan to provide consulting services for the preparation of the design, specifications and other documents to be used for the procurement of the Office Furniture, to be purchased under this Invitation for Bids. have controlling shareholders in common; or receive or have received any direct or indirect subsidy from any of them; or have the same legal representative for purposes of this Bid; or have a relationship with each other, directly or through common third party, that puts them in a position to have access to information about or influence the Bid of another Bidder, or influence the decisions of the National Bank of Pakistan regarding this Bidding process; or Submit more than one Bid in this Bidding process. Bidder blacklisted or involved in any kind of lawsuits from any Govt., Semi Govt. or by any organization.
	3.3	<p>A Bidder may be ineligible if –</p> <ol style="list-style-type: none"> he is declared bankrupt or, in the case of company or firm, insolvent. the bidder is blacklisted and hence debarred due to involvement in corrupt and fraudulent practices, or performance failure or due to breach of bid securing declaration. Convicted by a final judgment of any offence involving professional misconduct. Bidders shall provide evidence of their eligibility, proof of compliance with necessary legal requirements to carry out the contract effectively.
4. Eligible Goods and Related Services	4.1	Deliverables under the contract shall have their origin in eligible source countries, and all expenditures made under the contract will be limited to such goods and services. For purpose of this Bid, ineligible countries are stated in the section-4.
	4.2	For purposes of this Clause, "origin" means the place where the goods are manufactured, through 'manufacture, procession, or assembly.
5. One Bid per Bidder	5.1	A bidder shall submit only one Bid, in the same bidding process.
6. Cost of Bidding	6.1	The Bidder shall bear all costs associated with the preparation and submission of its Bid, and the National Bank of Pakistan shall in no case be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process.



B. BIDDING DOCUMENTS

7. Contents of Bidding Documents	7.1	<p>The goods required, bidding procedures, and terms and conditions of the contract are prescribed in the Bidding Documents. In addition to the Invitation to Bids, the Bidding Documents which should be read in conjunction with any addenda include:</p> <p>Section I Invitation to Bids Section II Instructions to Bidders (ITBs) Section III Bid Data Sheet (BDS) Section IV Eligible Countries Section V Technical Specifications, Schedule of Requirements Section VI Forms - Bid Section VII General Conditions of Contract (GCC) Section VIII Special Conditions of Contract (SCC) Section IX Contract Forms</p>
	7.2	<p>National Bank of Pakistan is not responsible for the completeness of the bidding documents and their addenda, if they were not downloaded from the website of National Bank of Pakistan or received from the respective office.</p>
	7.3	<p>The Bidder is expected to examine all instructions, forms, terms and specifications in the Bidding Documents. Failure to furnish all the information required in the Bidding Documents will be at the Bidder's risk and may result in the rejection of his Bid.</p>
8. Clarification of Bidding Documents	8.1	<p>A prospective bidder requiring any clarification of the bidding documents may notify National Bank of Pakistan in writing or in electronic form that provides record of the content of communication at National Bank of Pakistan's address indicated in the BDS, at least one week before the bid opening date.</p>
9. Amendment of Bidding Documents	9.1	<p>Before the deadline for submission of Bids, National Bank of Pakistan for any reason, whether at its own initiative or in response to a clarification requested by a prospective Bidder or pre-Bid meeting, may modify the Bidding Documents by issuing addenda.</p>

C. PREPARATION OF BIDS

10. Language of Bid	10.1	<p>The bid prepared by the bidder, as well as all correspondence and documents relating to the bid exchanged by the bidder and National Bank of Pakistan shall be in English language.</p>
---------------------	------	--



11. Documents and Sample(s) Constituting the Bid	11.1	<p>The Bid prepared by the Bidder shall constitute the following components: -</p> <ol style="list-style-type: none"> a) Form of bid and bid prices completed in accordance with ITB 14 & 15. b) Documentary evidence established in accordance with ITB 13 that the Bidder is eligible and/or qualified for the subject bidding process; c) Documentary evidence established in accordance with ITB 13.3(a) that the bidder has been authorized by the manufacturer to deliver the goods in Pakistan. d) Documentary evidence established in accordance with ITB 12 that the goods and related services to be supplied by the bidder are eligible goods and services, and conform to the Bidding Documents. e) Furnishing of Bid security.
12. Documents Establishing Eligibility of Office Furniture and Conformity to Bidding Documents	12.1	Bidder shall furnish, as part of its bid, all those documents establishing the eligibility, in conformity to the terms and conditions specified in the bidding documents for Office Furniture and related accessories which the bidder proposes to deliver.
	12.2	<p>The documentary evidence of conformity of the Office Furniture and related services to the bidding documents may be in the form of literature, drawings, and data, and shall consist of:</p> <ol style="list-style-type: none"> a) A detailed description of the essential technical specifications and performance parameters of the Office Furniture; b) An item-by-item confirmation on National Bank of Pakistan's technical specifications demonstrating substantial responsiveness to those specifications, or a statement of deviations and exceptions to the provisions of the specifications, if applicable.
13. Documents Establishing Eligibility and Qualification of the Bidder	13.1	Pursuant to ITB 11, the Bidder shall furnish, as part of its Bid, all those documents establishing the Bidder's eligibility to participate in the bidding process and/or its qualification to perform the contract, if its Bid is accepted.
	13.2	Documentary evidence of the Bidder's eligibility to bid for satisfaction of National Bank of Pakistan that the bidder, at the time of submission of its bid, is from an eligible country as defined in Section-4 titled as "Eligible Countries".
	13.3	<p>The documentary evidence of the Bidder's qualifications to perform the contract if its bid is accepted shall establish to the satisfaction of National Bank Of Pakistan that:</p> <ol style="list-style-type: none"> a) The Bidder has been duly authorized by the goods' Manufacturer or producer to deliver the goods in Pakistan. b) The Bidder has the financial, technical, and supply capability necessary to perform the Contract, and meets the qualification criteria specified in BDS.



		c) That the Bidder meets the qualification criteria listed in the Bid Data Sheet.
14. Form of Bid	14.1	Bidders shall fill the forms furnished in the Bidding Documents. The forms must be completed without any alterations to its format and no substitute shall be accepted. Following information / copy of documents must be provided / attached with technical offer: - a. Credentials of firm's financial capacity b. NTN/GST number be mentioned on the offer, copy of registration certificate issued by Sales Tax Department and Active Taxpayer list of FBR. c. All bid documents must be signed and stamped.
15. Bid Prices	15.1	Bid Prices quoted by the Bidder in the form of Bid and in the Price Schedules shall conform to the requirements specified below in ITB Clause 15 or exclusively mentioned hereafter in the bidding documents.
	15.2	Deliverables must be listed and priced separately in the Price Schedule(s). If a Price Schedule shows items listed but not priced, their prices shall be construed to be included in the prices of other items.
	15.3	Items not listed in the Price Schedule shall be assumed not to be included in the Bid.
	15.4	Prices quoted by the Bidder shall be fixed during the Bidder's performance of the contract and not subject to variation on any account. A Bid submitted with an adjustable price will be treated as non-responsive and shall be rejected.
	15.5	Bidder shall indicate on appropriate price schedule, the unit price and total bid price of the Office Furniture/deliverables under the contract.
16. Bid Currency	16.1	Bidders shall quote all prices in Pakistan Rupees (PKR) only.
17. Bid Validity Period	17.1	Bids shall remain valid for 180 days after the Bid submission deadline prescribed by National Bank Of Pakistan. A Bid valid for a shorter period shall be rejected as non-responsive.
	17.2	Under exceptional circumstances, prior to the expiration of the initial Bid validity period, National Bank Of Pakistan may request the Bidders consent to an extension of the period of validity of their Bids only once, for the period not more than the period of initial bid validity. NBP's request and the Bidders response shall be made in writing or in electronic form that provide record of the content of communication.



1 8. Bid Security	18.1	Bidder shall furnish as part of its Bid, a Bid Security amounting to following, in form of Bank Draft or Bank Guarantee for each lot;																																																																																																									
		<table border="1"> <thead> <tr> <th>Lot No.</th> <th>Branches</th> <th>Bid Security (PKR)</th> </tr> </thead> <tbody> <tr><td>1-C</td><td>Main Branch Lahore</td><td>116,404</td></tr> <tr><td>2-C</td><td>Civil Lines Branch Faisalabad</td><td>67,474</td></tr> <tr><td>3-C</td><td>Phalia Branch Mandi Bahuddin, R.O. Gujrat</td><td>16,322</td></tr> <tr><td>4-C</td><td>K.B Branch Mandi Bahuddin, R.O. Gujrat</td><td>23,337</td></tr> <tr><td>5-C</td><td>KB Okara Branch RO Sahiwal</td><td>20,478</td></tr> <tr><td>6-C</td><td>Abdullahpur Branch Faisalabad</td><td>15,095</td></tr> <tr><td>7-C</td><td>Main Branch Jhnag</td><td>61,840</td></tr> <tr><td>8-C</td><td>Samanabad Branch IBR Punjab Central</td><td>16,499</td></tr> <tr><td>9-C</td><td>LDA Plaza Branch Lahore East</td><td>21,460</td></tr> <tr><td>10-C</td><td>Kingra Branch Sialkot</td><td>16,529</td></tr> <tr><td>11-C</td><td>Rangpura Branch RO sialkot</td><td>17,344</td></tr> <tr><td>12-C</td><td>Wijh Branch RO Sargodha</td><td>16,080</td></tr> <tr><td>13-C</td><td>Main Branch Mianwali</td><td>43,560</td></tr> <tr><td>1-N</td><td>SSC Tank RO Bannu</td><td>15,939</td></tr> <tr><td>2-N</td><td>NBP Dilbori Br RO Mansehra</td><td>14,384</td></tr> <tr><td>3-N</td><td>Lakki Marwat Br RO Bannu</td><td>18,241</td></tr> <tr><td>4-N</td><td>Ambiri Chowk Br RO Bannu</td><td>18,265</td></tr> <tr><td>5-N</td><td>Doaba Br RO Bannu</td><td>16,235</td></tr> <tr><td>6-N</td><td>City Branch RO Mansehra</td><td>19,338</td></tr> <tr><td>7-N</td><td>Garhi Habibullah Br RO Mansehra</td><td>14,146</td></tr> <tr><td>8-N</td><td>Khuiratta Branch RO Mirpur AK</td><td>14,141</td></tr> <tr><td>9-N</td><td>Sector C04 Branch RO Mirpur AK</td><td>18,153</td></tr> <tr><td>10-N</td><td>Civil Line Branch Jhelum Region</td><td>74,633</td></tr> <tr><td>11-N</td><td>Tench Bhatta Branch Rawalpindi Region</td><td>25,000</td></tr> <tr><td>12-N</td><td>F-10 Branch FEDC Region Islamabad</td><td>25,020</td></tr> <tr><td>13-N</td><td>G.T. Road Gujjar Khan Branch, R.O. Jhelum</td><td>86,303</td></tr> <tr><td>14-N</td><td>Main Branch Chakwal, R.O. Jhelum</td><td>86,397</td></tr> <tr><td>15-N</td><td>Ball Khan Mong Branch, R.O. Rawalakot (AK)</td><td>14,330</td></tr> <tr><td>16-N</td><td>Kailer Branch, R.O. Rawalakot (AK)</td><td>13,910</td></tr> <tr><td>17-N</td><td>Kot Jamel Branch Mirpur A.K. Region</td><td>11,094</td></tr> <tr><td>18-N</td><td>IBB Grain Market Branch KP Region (830)</td><td>10,944</td></tr> <tr><td>19-N</td><td>Battagram Br RO Mansehra</td><td>25,886</td></tr> <tr><td>20-N</td><td>Darband Township Br RO Mansehra</td><td>10,701</td></tr> <tr><td>21-N</td><td>Gulpur Br RO Mirpur AK</td><td>11,049</td></tr> </tbody> </table>	Lot No.	Branches	Bid Security (PKR)	1-C	Main Branch Lahore	116,404	2-C	Civil Lines Branch Faisalabad	67,474	3-C	Phalia Branch Mandi Bahuddin, R.O. Gujrat	16,322	4-C	K.B Branch Mandi Bahuddin, R.O. Gujrat	23,337	5-C	KB Okara Branch RO Sahiwal	20,478	6-C	Abdullahpur Branch Faisalabad	15,095	7-C	Main Branch Jhnag	61,840	8-C	Samanabad Branch IBR Punjab Central	16,499	9-C	LDA Plaza Branch Lahore East	21,460	10-C	Kingra Branch Sialkot	16,529	11-C	Rangpura Branch RO sialkot	17,344	12-C	Wijh Branch RO Sargodha	16,080	13-C	Main Branch Mianwali	43,560	1-N	SSC Tank RO Bannu	15,939	2-N	NBP Dilbori Br RO Mansehra	14,384	3-N	Lakki Marwat Br RO Bannu	18,241	4-N	Ambiri Chowk Br RO Bannu	18,265	5-N	Doaba Br RO Bannu	16,235	6-N	City Branch RO Mansehra	19,338	7-N	Garhi Habibullah Br RO Mansehra	14,146	8-N	Khuiratta Branch RO Mirpur AK	14,141	9-N	Sector C04 Branch RO Mirpur AK	18,153	10-N	Civil Line Branch Jhelum Region	74,633	11-N	Tench Bhatta Branch Rawalpindi Region	25,000	12-N	F-10 Branch FEDC Region Islamabad	25,020	13-N	G.T. Road Gujjar Khan Branch, R.O. Jhelum	86,303	14-N	Main Branch Chakwal, R.O. Jhelum	86,397	15-N	Ball Khan Mong Branch, R.O. Rawalakot (AK)	14,330	16-N	Kailer Branch, R.O. Rawalakot (AK)	13,910	17-N	Kot Jamel Branch Mirpur A.K. Region	11,094	18-N	IBB Grain Market Branch KP Region (830)	10,944	19-N	Battagram Br RO Mansehra	25,886	20-N	Darband Township Br RO Mansehra	10,701	21-N	Gulpur Br RO Mirpur AK	11,049
		Lot No.	Branches	Bid Security (PKR)																																																																																																							
		1-C	Main Branch Lahore	116,404																																																																																																							
		2-C	Civil Lines Branch Faisalabad	67,474																																																																																																							
		3-C	Phalia Branch Mandi Bahuddin, R.O. Gujrat	16,322																																																																																																							
		4-C	K.B Branch Mandi Bahuddin, R.O. Gujrat	23,337																																																																																																							
		5-C	KB Okara Branch RO Sahiwal	20,478																																																																																																							
		6-C	Abdullahpur Branch Faisalabad	15,095																																																																																																							
		7-C	Main Branch Jhnag	61,840																																																																																																							
		8-C	Samanabad Branch IBR Punjab Central	16,499																																																																																																							
		9-C	LDA Plaza Branch Lahore East	21,460																																																																																																							
		10-C	Kingra Branch Sialkot	16,529																																																																																																							
		11-C	Rangpura Branch RO sialkot	17,344																																																																																																							
		12-C	Wijh Branch RO Sargodha	16,080																																																																																																							
		13-C	Main Branch Mianwali	43,560																																																																																																							
		1-N	SSC Tank RO Bannu	15,939																																																																																																							
		2-N	NBP Dilbori Br RO Mansehra	14,384																																																																																																							
		3-N	Lakki Marwat Br RO Bannu	18,241																																																																																																							
		4-N	Ambiri Chowk Br RO Bannu	18,265																																																																																																							
		5-N	Doaba Br RO Bannu	16,235																																																																																																							
		6-N	City Branch RO Mansehra	19,338																																																																																																							
		7-N	Garhi Habibullah Br RO Mansehra	14,146																																																																																																							
		8-N	Khuiratta Branch RO Mirpur AK	14,141																																																																																																							
9-N	Sector C04 Branch RO Mirpur AK	18,153																																																																																																									
10-N	Civil Line Branch Jhelum Region	74,633																																																																																																									
11-N	Tench Bhatta Branch Rawalpindi Region	25,000																																																																																																									
12-N	F-10 Branch FEDC Region Islamabad	25,020																																																																																																									
13-N	G.T. Road Gujjar Khan Branch, R.O. Jhelum	86,303																																																																																																									
14-N	Main Branch Chakwal, R.O. Jhelum	86,397																																																																																																									
15-N	Ball Khan Mong Branch, R.O. Rawalakot (AK)	14,330																																																																																																									
16-N	Kailer Branch, R.O. Rawalakot (AK)	13,910																																																																																																									
17-N	Kot Jamel Branch Mirpur A.K. Region	11,094																																																																																																									
18-N	IBB Grain Market Branch KP Region (830)	10,944																																																																																																									
19-N	Battagram Br RO Mansehra	25,886																																																																																																									
20-N	Darband Township Br RO Mansehra	10,701																																																																																																									
21-N	Gulpur Br RO Mirpur AK	11,049																																																																																																									
	18.2	Any Bid not accompanied by a Bid Security in accordance with ITB 18.1 shall be rejected as non-responsive.																																																																																																									
	18.3	Unsuccessful Bidders' Bid Security will be promptly discharged.																																																																																																									
	18.4	The successful Bidder's Bid Security will be discharged upon the Bidder signing the contract.																																																																																																									



	18.5	<p>Bid Security may be forfeited:</p> <p>a) if a Bidder:</p> <ul style="list-style-type: none"> i) Withdraws its bid during the period of Bid Validity as specified by National Bank Of Pakistan, ii) Does not accept the correction of errors <p>b) in the case of a successful Bidder, if the Bidder fails:</p> <ul style="list-style-type: none"> i) To sign the contract ii) To furnish performance security (or guarantee)
19 Alternative Bids by Bidders	19.1	Alternatives bids will not be considered.
20. Withdrawal, Substitution, and Modification of Bids	20.1	Before bid submission deadline, any bidder may withdraw, substitute, or modify its Bid after it has been submitted by sending a written notice, duly signed by an authorized representative, and the corresponding substitution or modification must accompany the respective written notice.
21 Format and Signing of Bid	21.1	The Bidder shall prepare an original and the number of copies of the Bid as indicated in the BDS, clearly marking each "ORIGINAL" and "COPY," as appropriate. In the event of any discrepancy between them, the original shall prevail: Provided that the Bid shall include only the copies of technical proposal.
	21.2	The original and the copy or copies of the Bid shall be typed or written in indelible ink and shall be signed by the Bidder or a person or persons duly authorized to sign on behalf of the Bidder. This authorization shall consist of a written confirmation as specified and shall be attached to the Bid. The name and position held by each person signing the authorization must be typed or printed below the signature. All pages of the Bid, except for un-amended printed literature, shall be initialed by the person or persons signing the Bid.
		Any interlineations, erasures, or overwriting shall be valid only if they are signed by the person or persons signing the Bid.

D. SUBMISSION OF BIDS

22. Sealing and Marking of Bids	22.1	Bidder shall seal the original and each copy of the Bid in separate envelopes, duly marking the envelopes as "ORIGINAL" and "COPY." The envelopes shall then be sealed in an outer envelope securely sealed in such a manner that opening and resealing cannot be achieved undetected in accordance with the bidding procedure given in PPRA Rules 36 (A) i.e. Single Stage One Envelope.
---------------------------------	------	---



	22.2	The inner and outer envelopes shall: a) be addressed to the Procuring Agency at the address given in the BDS; and. b) bear the title of the subject procurement or Project name, as the case may be as indicated in the BDS, the Invitation to Bids (ITB) title and number indicated in the BDS, and a statement: "DO NOT OPEN BEFORE," to be completed with the time and the date specified in the BDS, pursuant to ITB 23.1.
	22.3	If envelope is not sealed and marked as required by ITB 22.2 , or incorrectly marked, the National Bank of Pakistan will assume no responsibility for the misplacement or premature opening of Bid.
23. Deadline for Submission of Bids	23.1	Date for opening of bids and the last date for the submission of the bids, as given in the advertisement shall be the same. Bids shall be opened 30 minutes after the submission time.
	23.2	The National Bank of Pakistan may, at its discretion and as per PPRA Rules, extend this deadline for the submission of Bids by amending the Bidding documents in accordance with ITB 9, in which case all rights and obligations of the National Bank of Pakistan and Bidders previously subject to the deadline will thereafter be subject to the deadline as extended.
24. Late Bids	24.1	Any Bid received by the National Bank of Pakistan after the deadline for submission of Bids prescribed by the National Bank of Pakistan will be rejected and returned unopened to the Bidder.
25. Withdrawal of Bids	25.1	The Bidder may withdraw its Bid after the Bid's submission, provided that written notice of the withdrawal of the Bids is received by the National Bank of Pakistan, prior to the deadline prescribed for submission of Bids.
	25.2	Revised bid may be submitted, in exceptional circumstances after the withdrawal of the original bid, before the deadline for submission of Bids.

E. OPENING AND EVALUATION OF BIDS

26. Opening of Bids	26.1	The National Bank of Pakistan will open all Bids, in public, in the presence of Bidders' or their representatives who choose to attend, and other parties with a legitimate interest in the Bid proceedings at the place, on the date and at the time, specified. The Bidders' representatives present shall sign attendance sheet as proof of their attendance.
---------------------	------	--



	26.2	As in case of Single Stage One Envelope procedure, the Bidders names, the Bid prices, the total amount of each Bid, any discounts, the presence or absence of Bid Security, Bid Securing Declaration and such other details as the National Bank of Pakistan may consider appropriate, will be announced by the Tender Opening Committee.
	26.3	Bidders are advised to send in a representative with the knowledge of the content of the Bid who shall verify the information read out from the submitted documents. Failure to send a representative or to point out any un-read information by the sent Bidder's representative shall indemnify the National Bank of Pakistan against any claim or failure to read out the correct information contained in the Bidder's Bid.
	26.4	National Bank of Pakistan shall prepare minutes of the Bid opening. The record of the Bid opening shall include, as a minimum: the name of the Bidder and specs of deliverables, the Bid price if applicable, confirmation of bid security or otherwise
	26.5	The Bidders' representatives who are present shall be requested to sign the attendance sheet. The omission of a Bidder's signature on the record shall not invalidate the contents and affect the record. A copy of the record shall be distributed to all the Bidders.
	26.6	A copy of the minutes of the Bid opening shall be furnished to individual Bidders upon request.
27. Confidentiality	27.1	Information relating to the examination, clarification, evaluation and comparison of Bids and recommendation of contract award shall not be disclosed to Bidders or any other persons not officially concerned with such process until the time of the announcement of the respective evaluation report.
	27.2	Any effort by a Bidder to influence the National Bank of Pakistan processing of Bids or award decisions may result in the rejection of its Bid.
	27.3	Notwithstanding ITB Clause 27.2 from the time of Bid opening to the time of contract award, if any Bidder wishes to contact the National Bank of Pakistan on any matter related to the Bidding process, it should do so in writing or in electronic forms that provides record of the content of communication.
28. Clarification of Bids	28.1	To assist in the examination, evaluation and comparison of Bids and post-qualification of the Bidders, the National Bank of Pakistan may, at its discretion, ask any Bidder for a clarification of its Bid including breakdown of prices. Any clarification submitted by a Bidder that is not in response to a request by the National Bank of Pakistan shall not be considered.
	28.2	The request for clarification and the response shall be in writing or in electronic forms that provide record of the content of communication.



29. Preliminary Examination of Bids	29.1	Prior to the detailed evaluation of Bids, the National Bank of Pakistan will determine whether each Bid: a) meets the eligibility criteria b) has been prepared as per format and contents defined by National Bank of Pakistan in the Bidding Documents; c) has been properly signed; d) is accompanied by required securities; and e) Is responsive to requirements of the Bidding Documents.
	29.2	A substantially responsive Bid is one which conforms to all the terms and conditions of the Bidding documents without material deviations. A material deviation or reservation is one that: - a) affects in any substantial way the scope, and quality of deliverables; b) limits in any substantial way, inconsistent with the Bidding documents, National Bank Of Pakistan's rights or the Bidders obligations under the Contract; or c) if rectified, would affect unfairly the competitive position of other Bidders presenting substantially responsive Bids.
	29.3	Provided that a technical Bid is substantially responsive, National Bank Of Pakistan may request the Bidder to submit the necessary information or documentation, within a reasonable period of time, to rectify non-material ' non-conformities or omissions in the technical Bid, related to documentation requirements. Requesting information or documentation on such non-conformities shall not be related to any such aspect of the technical Proposal linked with the ranking of the bidders. Failure of the Bidder to comply with the request may result in the rejection of its Bid.
	29.4	If a Bid is not substantially responsive, it will be rejected by the National Bank of Pakistan and may not subsequently be evaluated.
30. Examination of Terms and Conditions; Technical Evaluation	30.1	The National Bank of Pakistan shall examine the Bid to confirm that all specified terms and conditions specified in the GCC and the SCC have been accepted by the Bidder without any material deviation or reservation.
	30.2	The National Bank of Pakistan shall evaluate the technical aspects of the Bid, to establish that it conforms to all requirements specified in Section V-Technical Specifications, Schedule of Requirements , without material deviation or reservation.



31. Correction of Errors	31.1	<p>i) Bids determined to be substantially responsive will be checked for any arithmetic errors. Errors will be corrected as follows: -</p> <p>a) if there is a discrepancy between unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail, and the total price shall be corrected, unless in the opinion of the National Bank of Pakistan there is an obvious misplacement of the decimal point in the unit price, in which the total price as quoted shall govern and the unit price shall be corrected;</p> <p>b) if there is an error in a total corresponding to the addition or subtraction of sub-totals, the sub-totals shall prevail and the total shall be corrected; and</p> <p>c) Where there is a discrepancy between the amounts in figures and in words, the amount in words will govern.</p> <p>d) Where there is discrepancy between grand total of price schedule and amount mentioned on the Form of Bid, the amount referred in Price Schedule shall be treated as correct subject to elimination of other errors.</p>
	31.2	<p>The amount stated in the Bid will, be adjusted by the National Bank of Pakistan, in accordance with the above procedure for the correction of errors and with the concurrence of the Bidder which shall be considered as binding upon the Bidder. If the Bidder does not accept the corrected amount, its Bid will then be rejected, and the Bid Security may be forfeited.</p>
32. Evaluation of Bids	32.1	<p>National Bank Of Pakistan shall evaluate and compare the bids with required specifications. Only the Bids determined to be substantially responsive, shall be considered for further processing.</p>
	32.2	<p>In evaluating the Bidders, the evaluation committee will, in addition to the Bid price quoted will take account of one or more of the following factors as specified in the BDS:</p> <p>a) delivery schedule offered in the Bid</p> <p>b) deviations in payment schedule from that specified in the Special Conditions of Contract</p> <p>c) the availability (in Pakistan) of spare parts and after-sales services for the equipment offered in the bid</p> <p>d) the projected operating and maintenance cost, during the life of the equipment.</p> <p>e) the performance and productivity of the equipment offered.</p>
33. Most Advantageous Bid	33.1	<p>The Bid with the lowest evaluated price from amongst those which are eligible, compliant and substantially responsive shall be the Most Advantageous Bid.</p>



34. Post Qualification of Bidder and /or Abnormally low financial proposal	34.1	<p>Where the Bid price is considered to be abnormally low, National Bank Of Pakistan shall perform price analysis either during determination of Most Advantageous Bid or as a part of the post-qualification process. The following process shall apply:</p> <ul style="list-style-type: none"> a) National Bank Of Pakistan may reject a Bid, if determined that the price in combination with other constituent elements of the Bid is abnormally low in relation to the subject matter of the procurement and raises concerns as to the capability and capacity of the respective Bidder to perform that contract; b) Before rejecting an abnormally low Bid, National Bank Of Pakistan shall request the Bidder an explanation of the Bid or of those parts which it considers contribute to the Bid being abnormally low, take account of the evidence provided in response to a request in writing; and subsequently, verify the Bid or' parts of the Bid being abnormally low; c) National Bank Of Pakistan shall not incur any Liability solely by rejecting abnormally low Bid.
--	------	--

F. AWARD OF CONTRACT

35. Criteria of Award	35.1	<p>NBP will award the Contract to the Bidder whose Bid has been determined to be substantially responsive to the Bidding Documents and who has been declared as Most Advantageous Bidder, provided that such Bidder has been determined to be:</p> <ul style="list-style-type: none"> a) eligible in accordance with the provisions of ITB 3 b) is determined to be qualified to perform the Contract satisfactorily
36. Negotiations	36.1	<p>Negotiations may be undertaken with the bidder whose bid is Most Advantageous with regards to any of the following:</p> <ul style="list-style-type: none"> (a) reduction of quantities for budgetary reasons (b) a minor amendment to the special conditions of Contract (c) finalizing payment arrangements (d) delivery arrangements (e) the methodology for provision of related services; or clarifying details that were not apparent or could not be finalized at the time of Bidding.
37. Procuring Agency's Right to reject All Bids	37.1	<p>National Bank of Pakistan reserves the right to reject all the bids, and to annul the Bidding process at any time prior to award of contract, without thereby incurring any liability to the affected Bidder or Bidders.</p>
	37.2	<p>Notice of the rejection of all Bids shall be given promptly to all Bidders who have submitted Bids</p>



	37.3	National Bank of Pakistan shall upon request communicate to any Bidder the grounds for its rejection of its Bids, but is not required to justify those grounds.
38. Procuring Agency's Right to Vary Quantities at the Time of Award	38.1	National Bank of Pakistan reserves the right at the time of contract award to increase or decrease the quantity of goods or related services originally specified in these Bidding Documents (schedule of requirements) provided this does not exceed by the percentage indicated in the BDS, without any change in unit price or other terms and conditions of the Bid and Bidding Documents.
39. Notification of Award	39.1	Prior to the award of contract, the National Bank of Pakistan shall issue a Final Evaluation Report giving justification for acceptance or rejection of the bids
	39.2	Where no complaints have been lodged, the Bidder whose Bid has been accepted will be notified of the award by the Procuring Agency prior to expiration of the Bid Validity period in writing or electronically that provide record of the content of communication. The Letter of Acceptance will state the sum that the Procuring Agency will pay the successful Bidder in consideration for the execution of the scope of deliverables as prescribed by the Contract (hereinafter and in the Contract called the "Contract Price).
	39.3	The notification of award will constitute the formation of the Contract, subject to the Bidder furnishing the Performance Security (or guarantee) and signing of the contract.
	39.4	Upon the successful Bidder's furnishing of the performance security (or guarantee) National Bank of Pakistan will promptly notify each unsuccessful Bidder, the name of the successful Bidder and the contract amount and will discharge the Bid Security of the Bidders.
40. Signing of Contract	40.1	Promptly after notification of award, National Bank of Pakistan shall send the successful Bidder the draft agreement, incorporating all terms and conditions, as agreed by the parties to the contract.
41. Performance Security (Guarantee)	41.1	After receipt of letter of Acceptance from National Bank Of Pakistan, the successful Bidder shall furnish the Performance Guarantee in accordance with the Conditions of Contract.
	41.2	If the Performance Security (or Guarantee) is provided by the successful bidder and it shall be in the form specified in the BDS and shall be in any of the following: a) Bank Draft b) Bank guarantee confirmed by a reputable local bank c) Bid Securing Bond
	41.3	Failure of the successful Bidder to ensure compliance of 41.1, same shall constitute sufficient grounds for the annulment of the award and forfeiture of the Bid security in which National Bank Of



		Pakistan may decide to award the contract to the next ranked Bidder, or call for new Bids.
42. Advance Payment	42.1	Advance payment will not be provided.
43. Arbitrator	43.1	The Arbitrator shall be appointed by mutual consent of the both parties as per the provisions specified in the documents.
44. Corrupt or Fraudulent Practices	44.1	National Bank Of Pakistan as well as Bidders/Suppliers/Contractors, observe the highest standard of ethics during the procurement and execution of this contract, and will avoid engaging in any corrupt and fraudulent practices.

G. GRIEVANCE REDRESSAL & COMPLAINT REVIEW/MECHANISM

45. Constitution of Grievance Redressal	45.1	National Bank of Pakistan has a Grievance Redressed Committee (GRC) comprising of odd number of persons with proper powers and authorization to address the complaints.
46. GRC Procedure	46.1	Any Bidder feeling aggrieved can file its written complaint against the eligibility parameters or any other terms and conditions prescribed in the Bidding documents found contrary to provision of PPRA Rules and the same shall be addressed by the GRC, well before the proposal submission deadline.
	46.2	Any Bidder feeling aggrieved by any act of National Bank Of Pakistan after the submission of his bid may lodge a written complaint concerning his grievances not later than seven days of the announcement of technical evaluation report and five days after issuance of final evaluation report.
	46.3	In case, the complaint is filed against technical evaluation report, the GRC shall suspend the procurement proceedings.
	46.4	In case, the complaint is filed after the issuance of the final evaluation report, the complainant cannot raise any objection on technical evaluation of the report.
	46.5	The GRC, in both cases shall investigate and decide upon the complaint within ten days of the receipt of the complaint.

H. MECHANISM OF BLACKLISTING

47. Mechanism of Blacklisting	47.1	National Bank Of Pakistan can bar under Rule-19 of the Public Procurement Rules, 2004, from participating in their respective procurement proceedings, bidder or contractor who either: <ul style="list-style-type: none"> a) Is Involved in corrupt and fraudulent practices as defined in Rule-2 of Public Procurement Rules; b) Fails to perform his contractual obligations; and c) Fails to abide by the securing declaration;
-------------------------------	------	--



SECTION III: BID DATA SHEET (BDS)

The following specific data for the goods to be procured shall complement, supplement, or amend the provisions in the Instructions to Bidders (ITB). Whenever there is a conflict, the provisions herein shall prevail over those in ITB.

BDS Number	Clause Number	ITB Number	Amendments of, and Supplements to, Clauses in the Instruction to Bidders
A. Introduction			
1.			<p>National Bank of Pakistan.</p> <p>Supply of Office Furniture at NBP Branches in Central & North Regions</p> <p>Period for delivery of goods: 3-8 (depend on contract value) weeks after contract signing.</p> <p>Commencement date for delivery of Goods: After signing of the contract, delivery to be completed with 3-8 weeks.</p> <p>Delivery locations (within Pakistan) will be provided by NBP at the time of delivery.</p>
2.			<p>Financial year for the operations: FY2023</p> <p>Financing institution: National Bank of Pakistan</p> <p>Name and identification number of the Contract: Supply of Office Furniture at NBP Branches in Central & North Regions</p>
4.	4.1		Maximum number of members in the joint venture, consortium or association shall be: Not Allowed.
5.	5.1		Ineligible country(s): India & Israel
6.	6.1		Bidder to provide authorization by manufacturer/supplier : Required
B. Bidding Documents			
7.			The number of documents to be submitted is one original and one copy
8.			The address for clarification of Bidding Documents is: Wing Head Procurement, 26-Mclagon Road, National Bank of Pakistan, 5 th Floor RHQ Building Lahore.
8.			<p>A pre-bid meeting will be held at 11:00 AM on 10th August, 2023 at given address. <i>Receipt of queries from Bidders in writing or through electronic means is mandatory.</i></p> <p><i>Pre-bid Meeting Date is 11:00 AM on 10th August, 2023.</i></p>
C. Preparation of Bids			

9.	10.1	The Language of all correspondences and documents related to the Bid is English.
12	11.1	Following documents must be included with the Bid: a) Manufacturer's technical brochures of Furniture as well as letter of authorization from principle to bid the tender. b) Details of manufacturer warranty c) Bid security d) Documents listed in 11.1 of ITB
13.		Other procurement specific documentation requirements are: a) Undertaking that quoted goods are brand new and as per required specs b) Provide a certification with offer that "Bidder's company is not blacklisted by any organization or involved in any kind of lawsuits in this regard. (On Judicial Stamp paper) c) Provision of valid Registration certificate for income tax and sales tax and also Active Taxpayer List of FBR. d) Should provide point to point acceptance of each Bid clause as per check list attached.
14.		Qualification Criteria/Knock down criteria: Offers are liable to be rejected if: - a. Validity of offer is not quoted as required in Invitation to tender documents. b. Any deviation from the General/ Special / Technical Instructions. c. Offers are found conditional or incomplete in any respect. d. Bid Security, if NOT attached. e. Manufacturer's relevant brochures and details are not attached in support of specifications. f. Offer received later than specified time g. Subject to restriction of export license. h. Offers containing non-initialed / unauthenticated amendments / corrections / overwriting. i. If the validity of the agency agreement has expired. j. If the offer is found to be based on cartel action in connivance with other sources/participants of the tender.
15		Firm and final price shall be quoted.
16	16.1	a) Financial Proposal will include rates of items / the quoted price in Pakistan Rupees (PKR). If any bidder quotes the bid prices other than Pak Rupees, the interbank conversation rate in Pak Rupees (as determined by NBP) on the day of bid opening will be considered for



		calculating total bid amount in Pakistan Rupees (PKR) and for evaluating their bids. b) Price Variation is not allowed during currency of Contract.																																																																																																									
17	17.1	Bid validity period after opening of the Bid is 180 days.																																																																																																									
18	18.1	<p>Bid Security for each lot is</p> <table border="1"> <thead> <tr> <th>Lot.</th> <th>Branches</th> <th>Bid Security (PKR)</th> </tr> </thead> <tbody> <tr><td>1-C</td><td>Main Branch Lahore</td><td>116,404</td></tr> <tr><td>2-C</td><td>Civil Lines Branch Faisalabad</td><td>67,474</td></tr> <tr><td>3-C</td><td>Phalia Branch Mandi Bahuddin, R.O. Gujrat</td><td>16,322</td></tr> <tr><td>4-C</td><td>K.B Branch Mandi Bahuddin, R.O. Gujrat</td><td>23,337</td></tr> <tr><td>5-C</td><td>KB Okara Branch RO Sahiwal</td><td>20,478</td></tr> <tr><td>6-C</td><td>Abdullahpur Branch Faisalabad</td><td>15,095</td></tr> <tr><td>7-C</td><td>Main Branch Jhnag</td><td>61,840</td></tr> <tr><td>8-C</td><td>Samanabad Branch IBR Punjab Central</td><td>16,499</td></tr> <tr><td>9-C</td><td>LDA Plaza Branch Lahore East</td><td>21,460</td></tr> <tr><td>10-C</td><td>Kingra Branch Sialkot</td><td>16,529</td></tr> <tr><td>11-C</td><td>Rangpura Branch RO sialkot</td><td>17,344</td></tr> <tr><td>12-C</td><td>Wijh Branch RO Sargodha</td><td>16,080</td></tr> <tr><td>13-C</td><td>Main Branch Mianwali</td><td>43,560</td></tr> <tr><td>1-N</td><td>SSC Tank RO Bannu</td><td>15,939</td></tr> <tr><td>2-N</td><td>NBP Dilbori Br RO Mansehra</td><td>14,384</td></tr> <tr><td>3-N</td><td>Lakki Marwat Br RO Bannu</td><td>18,241</td></tr> <tr><td>4-N</td><td>Ambiri Chowk Br RO Bannu</td><td>18,265</td></tr> <tr><td>5-N</td><td>Doaba Br RO Bannu</td><td>16,235</td></tr> <tr><td>6-N</td><td>City Branch RO Mansehra</td><td>19,338</td></tr> <tr><td>7-N</td><td>Garhi Habibullah Br RO Mansehra</td><td>14,146</td></tr> <tr><td>8-N</td><td>Khairatta Branch RO Mirpur AK</td><td>14,141</td></tr> <tr><td>9-N</td><td>Sector C04 Branch RO Mirpur AK</td><td>18,153</td></tr> <tr><td>10-N</td><td>Civil Line Branch Jhelum Region</td><td>74,633</td></tr> <tr><td>11-N</td><td>Tench Bhatta Branch Rawalpindi Region</td><td>25,000</td></tr> <tr><td>12-N</td><td>F-10 Branch FEDC Region Islamabad</td><td>25,020</td></tr> <tr><td>13-N</td><td>G.T. Road Gujjar Khan Branch, R.O. Jhelum</td><td>86,303</td></tr> <tr><td>14-N</td><td>Main Branch Chakwal, R.O. Jhelum</td><td>86,397</td></tr> <tr><td>15-N</td><td>Ball Khan Mong Branch, R.O. Rawalakot (AK)</td><td>14,330</td></tr> <tr><td>16-N</td><td>Kailer Branch, R.O. Rawalakot (AK)</td><td>13,910</td></tr> <tr><td>17-N</td><td>Kot Jamel Branch Mirpur A.K. Region</td><td>11,094</td></tr> <tr><td>18-N</td><td>IBB Grain Market Branch KP Region (830)</td><td>10,944</td></tr> <tr><td>19-N</td><td>Battagram Br RO Mansehra</td><td>25,886</td></tr> <tr><td>20-N</td><td>Darband Township Br RO Mansehra</td><td>10,701</td></tr> <tr><td>21-N</td><td>Gulpur Br RO Mirpur AK</td><td>11,049</td></tr> </tbody> </table>	Lot.	Branches	Bid Security (PKR)	1-C	Main Branch Lahore	116,404	2-C	Civil Lines Branch Faisalabad	67,474	3-C	Phalia Branch Mandi Bahuddin, R.O. Gujrat	16,322	4-C	K.B Branch Mandi Bahuddin, R.O. Gujrat	23,337	5-C	KB Okara Branch RO Sahiwal	20,478	6-C	Abdullahpur Branch Faisalabad	15,095	7-C	Main Branch Jhnag	61,840	8-C	Samanabad Branch IBR Punjab Central	16,499	9-C	LDA Plaza Branch Lahore East	21,460	10-C	Kingra Branch Sialkot	16,529	11-C	Rangpura Branch RO sialkot	17,344	12-C	Wijh Branch RO Sargodha	16,080	13-C	Main Branch Mianwali	43,560	1-N	SSC Tank RO Bannu	15,939	2-N	NBP Dilbori Br RO Mansehra	14,384	3-N	Lakki Marwat Br RO Bannu	18,241	4-N	Ambiri Chowk Br RO Bannu	18,265	5-N	Doaba Br RO Bannu	16,235	6-N	City Branch RO Mansehra	19,338	7-N	Garhi Habibullah Br RO Mansehra	14,146	8-N	Khairatta Branch RO Mirpur AK	14,141	9-N	Sector C04 Branch RO Mirpur AK	18,153	10-N	Civil Line Branch Jhelum Region	74,633	11-N	Tench Bhatta Branch Rawalpindi Region	25,000	12-N	F-10 Branch FEDC Region Islamabad	25,020	13-N	G.T. Road Gujjar Khan Branch, R.O. Jhelum	86,303	14-N	Main Branch Chakwal, R.O. Jhelum	86,397	15-N	Ball Khan Mong Branch, R.O. Rawalakot (AK)	14,330	16-N	Kailer Branch, R.O. Rawalakot (AK)	13,910	17-N	Kot Jamel Branch Mirpur A.K. Region	11,094	18-N	IBB Grain Market Branch KP Region (830)	10,944	19-N	Battagram Br RO Mansehra	25,886	20-N	Darband Township Br RO Mansehra	10,701	21-N	Gulpur Br RO Mirpur AK	11,049
Lot.	Branches	Bid Security (PKR)																																																																																																									
1-C	Main Branch Lahore	116,404																																																																																																									
2-C	Civil Lines Branch Faisalabad	67,474																																																																																																									
3-C	Phalia Branch Mandi Bahuddin, R.O. Gujrat	16,322																																																																																																									
4-C	K.B Branch Mandi Bahuddin, R.O. Gujrat	23,337																																																																																																									
5-C	KB Okara Branch RO Sahiwal	20,478																																																																																																									
6-C	Abdullahpur Branch Faisalabad	15,095																																																																																																									
7-C	Main Branch Jhnag	61,840																																																																																																									
8-C	Samanabad Branch IBR Punjab Central	16,499																																																																																																									
9-C	LDA Plaza Branch Lahore East	21,460																																																																																																									
10-C	Kingra Branch Sialkot	16,529																																																																																																									
11-C	Rangpura Branch RO sialkot	17,344																																																																																																									
12-C	Wijh Branch RO Sargodha	16,080																																																																																																									
13-C	Main Branch Mianwali	43,560																																																																																																									
1-N	SSC Tank RO Bannu	15,939																																																																																																									
2-N	NBP Dilbori Br RO Mansehra	14,384																																																																																																									
3-N	Lakki Marwat Br RO Bannu	18,241																																																																																																									
4-N	Ambiri Chowk Br RO Bannu	18,265																																																																																																									
5-N	Doaba Br RO Bannu	16,235																																																																																																									
6-N	City Branch RO Mansehra	19,338																																																																																																									
7-N	Garhi Habibullah Br RO Mansehra	14,146																																																																																																									
8-N	Khairatta Branch RO Mirpur AK	14,141																																																																																																									
9-N	Sector C04 Branch RO Mirpur AK	18,153																																																																																																									
10-N	Civil Line Branch Jhelum Region	74,633																																																																																																									
11-N	Tench Bhatta Branch Rawalpindi Region	25,000																																																																																																									
12-N	F-10 Branch FEDC Region Islamabad	25,020																																																																																																									
13-N	G.T. Road Gujjar Khan Branch, R.O. Jhelum	86,303																																																																																																									
14-N	Main Branch Chakwal, R.O. Jhelum	86,397																																																																																																									
15-N	Ball Khan Mong Branch, R.O. Rawalakot (AK)	14,330																																																																																																									
16-N	Kailer Branch, R.O. Rawalakot (AK)	13,910																																																																																																									
17-N	Kot Jamel Branch Mirpur A.K. Region	11,094																																																																																																									
18-N	IBB Grain Market Branch KP Region (830)	10,944																																																																																																									
19-N	Battagram Br RO Mansehra	25,886																																																																																																									
20-N	Darband Township Br RO Mansehra	10,701																																																																																																									
21-N	Gulpur Br RO Mirpur AK	11,049																																																																																																									
	18.2	Bid Security shall be in the form of Bank Draft.																																																																																																									
19	19.1	Alternative Bids are not permitted.																																																																																																									



20	20.1	Written confirmation of authorization is valid authorization letter from manufacturer to sell deliverables in Pakistan
D. Submission of Bids		
21		Bid shall be submitted to: Regional Head Quarter, 26-Mclagon Road, National Bank of Pakistan, Lahore.
22		Title: Procurement of (Prime) Office Furniture at NBP Branches in Central & North Regions.
23		The deadline for Bid submission is a) Day: Tuesday b) Date: 22nd August, 2023 c) Time: 11:00 AM
E. Opening and Evaluation of Bids		
24.		The Bid opening shall take place at: Regional Head Quarter, 26-Mclagon Road, National Bank of Pakistan, Lahore. Day: Tuesday Date: 22nd August, 2023 Time : 11:30 AM
25		Evaluation Techniques Bidding will be conducted in accordance with Rule 36 (a), Single Stage One Envelop Procedure of Public Procurement Rules 2004 (PPR 2004)
26.		Delivery schedule. 3-8 weeks (depend on contract value)
27.		Part payment for partial delivery is NOT permitted
F. Award of Contract		
28	28.1	Percentage for quantity can be increase or decrease as per PPRA rules.
29	29.1	Amount of Performance Guarantee 5% of the Contract value.
30	30.1	Arbitrator shall be appointed by mutual consent of the both parties.
G. Review of Procurement Decisions		
31		The address of National Bank of Pakistan Regional Head Quarters is; Wing Head Procurement, Logistics Communications & Marketing Group, 26-Mclagon Road, 5 th Floor, NBP Regional Head Quarters, Lahore. Ph.042-99211232: Ext: 99210641-3509 & 3510
32		The Address of PPRA to submit a copy of grievance: Grievance Redressal Appellate Committee, Public Procurement Regulatory Authority 1 st Floor, G-5 /2, Islamabad, Pakistan Tel: +92-51-9202254

SECTION IV. ELIGIBLE COUNTRIES

All the bidders are allowed to participate in the subject procurement without regard to nationality, except bidders of some nationality, prohibited in accordance with policy of the Federal Government of Pakistan.

Following countries are ineligible to participate in the procurement process:

1. India
2. Israel

Ministry of Interior, Government of Pakistan has notified List of Business Friendly Countries (BVL), information can be accessed through following link:

<http://www.ileip.sov.pk/Files/Visa%20Catesories.aspx#L>



Section V: SCHEDULE OF REQUIREMENTS, TECHNICAL SPECIFICATIONS

BIDDER QUALIFICATION CRITERIA

#	Requirements	Priority	Availability Response	Bidder Response and/or Proposal Reference (Section/Page No.)
		(High/Low)	(Y/N)	
1.00	Bidder Qualification Requirement			
1.01	Company profile containing details of corporate customer's orders, warranty statement, skilled manpower profile / strength & logistic structure, arbitration history if any, design and CAD CAM facility details, list of machinery / warehouses and any other relevant information that support the scope of work of bid.	High		
1.02	Bidder should be regular tax payer registered with income tax & sales tax departments and must appear on active list of FBR.	High		
1.03	Firms should have average turnover of at least 10 Million over the past three years and generally sound position. (Please provide audited financial statement of last 03 years).	High		
1.04	Bidder must not be blacklisted or involved in any kind of lawsuits from any Govt., Semi Govt. body or by any organization.	High		
1.05	Companies who have furnished two or more such supplies of each worth of three (03) Million Pak Rupees or above during last five (5) years are eligible to bid.	High		
1.06	Bidder should provide Bid Validity period 180 days.	High		

Note: All copies of documents must be signed & stamped. Absence of any attested copies of document will leads to Disqualification of Bidder.



SCOPE OF SUPPLY / SCHEDULE OF REQUIREMENT**PROCUREMENT OF OFFICE FURNITURE**

Lot No.	Branch Name	Region	Delivery schedule (shipment) in weeks / months
1-C	Main Branch Lahore	Central	4-8 weeks (depend on contract size)
2-C	Civil Lines Branch Faisalabad	Central	
3-C	Phalia Branch Mandi Bahuddin, R.O. Gujrat	Central	
4-C	K.B Branch Mandi Bahuddin, R.O. Gujrat	Central	
5-C	KB Okara Branch RO Sahiwal	Central	
6-C	Abdullahpur Branch Faisalabad	Central	
7-C	Main Branch Jhnag	Central	
8-C	Samanabad Branch IBR Punjab Central	Central	
9-C	LDA Plaza Branch Lahore East	Central	
10-C	Kingra Branch Sialkot	Central	
11-C	Rangpura Branch RO sialkot	Central	
12-C	Wijh Branch RO Sargodha	Central	
13-C	Main Branch Mianwali	Central	
1-N	SSC Tank RO Bannu	North	
2-N	NBP Dilbori Br RO Mansehra	North	
3-N	Lakki Marwat Br RO Bannu	North	
4-N	Ambiri Chowk Br RO Bannu	North	
5-N	Doaba Br RO Bannu	North	
6-N	City Branch RO Mansehra	North	
7-N	Garhi Habibullah Br RO Mansehra	North	
8-N	Khuiratta Branch RO Mirpur AK	North	
9-N	Sector C04 Branch RO Mirpur AK	North	
10-N	Civil Line Branch Jhelum Region	North	
11-N	Tench Bhatta Branch Rawalpindi Region	North	
12-N	F-10 Branch FEDC Region Islamabad	North	
13-N	G.T. Road Gujjar Khan Branch, R.O. Jhelum	North	
14-N	Main Branch Chakwal, R.O. Jhelum	North	
15-N	Ball Khan Mong Branch, R.O. Rawalakot (AK)	North	
16-N	Kailer Branch, R.O. Rawalakot (AK)	North	
17-N	Kot Jamel Branch Mirpur A.K. Region	North	
18-N	IBB Grain Market Branch KP Region (830)	North	
19-N	Battagram Br RO Mansehra	North	
20-N	Darband Township Br RO Mansehra	North	
21-N	Gulpur Br RO Mirpur AK	North	



SECTION VI: STANDARD FORMS

STANDARD FORMS FOR (Single Stage One Envelope Procedure)



Table of Forms

Form 1:	Form of Bid
Form 2:	Price Schedule
Form 3:	Letter of Acceptance
Form 4:	Bid Security Form
Form 5:	Bid Securing Declaration



Form 1: Form of Bid

Date:

To: Gentlemen and/or Ladies:

Having examined the Bidding Documents including Addenda Nos: *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to deliver *[description of goods and services]* in conformity with the said Bidding Documents for the sum of *[total Bid Amount in words and figures]* or such other sums as may be ascertained in accordance with the Schedule of Prices attached herewith and made part of this Bid.

We declare that our Bidding price did not involve agreements with other Bidders for the purpose of Bid suppression.

We are hereby confirming *[insert the name of the Appointing Authority]*, to be the Appointing Authority, to appoint the adjudicator in case of any arisen disputes in accordance with **ITB Clause 45.1**

We undertake, if our Bid is accepted, to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements.

If our Bid is accepted, we undertake to provide a Performance Security (or Guarantee) in the form, in the amounts, and within the times specified in the Bidding Documents.

We declare that, as Bidder(s) we do not have conflict of interest with reference to [ITB Clause 3.7](#).

We agree to abide by this Bid for the Bid Validity Period specified in **BDS 19**, and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

We are not participating, as Bidders, in more than one Bid in this Bidding process, other than alternative offers in accordance with the Bidding Documents.

Our firm, its affiliates or subsidiaries – including any subcontractors or suppliers for any part of the contract – has not been declared ineligible by the Government of Pakistan under Pakistan's laws or official regulations.

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your notification of award, shall constitute a binding Contract between us.

We understand that you are not bound to accept the lowest or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements as per **ITB Clause 3** of the Bidding Documents

Dated this _____ day of _____ 20_____.

(Name)

_____ *[signature]*

[in the capacity of]

Duly authorized to sign Bid for and on behalf of _____

Form 2: Price Schedule**LOT NO.1-C: NBP MAIN BRANCH LAHORE****STANDARD FURNITURE AT NBP MAIN BRANCH LAHORE****(BILL OF QUANTITIES)**

Sr	DESCRIPTIONS	Qty	Unit	Rate (PKR)	Amount(PKR)
1	Corporate Head Table Supply of Chief Manager Table at site, made of chipboard with approved oak veneer pressed under 100-150 kg/cm ² of air pressure and 60 C ^o of temperature and backing veneer underneath, with approved colour leatherite writing pad on top. Having solid and seasoned oak wood toothing joint between top & sides with NC lacquer polish finish. Top fixed with return table with stainless steel spacers. Including return table with two drawers. Drawers run on imported roller. Complete in all respects as per specifications. Table Size (mm): (L) 2133 x (D) 990 x (H) 762 Return Table Size (mm): (L) 1850 x (D) 900 x (H) 660.		No		
2	Revolving high back chair for Chief Manager Supply of revolving chair for Corporate Head with polish oak wood arm made in 4 piece joinery (all joint made in epoxy and two sided screws), seat and back in one piece 12mm thick malaysian imported commercial ply pasted over different size of foam (density 1052 pound per cfc), covered with approved buff neubic leather, seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base completed in all respects as per specification BUFF NEUBIC LEATHER	1.00	No		
3	Single seat sofa for Chief Manager Supply of single seat sofa base made of solid & seasoned oak wood with Nc lacquer finish internal structure made of Acacia wood. Seat & back upholstered with good quality of foam and approved buff neubic leather complete in all respects as per specification	-	No		
	Two Seat Sofa for Chief Manager Supply of single seat sofa base made of solid & seasoned oak wood with Nc lacquer finish internal structure made of Acacia wood. Seat & back upholstered with good quality of foam and approved buff neubic leather complete in all respects as per specification	-	No		
4	Visitor chairs for Chief Manager Supply of visitor chair with seat and back upholstered in approved buff neubic leather, legs made of solid & seasoned oak wood finish with lacquer polish with softwood structure, complete in all respects as per specifications.	-	No		
5	Side table for Chief Manager Chamber Side Table: sides made with 50mm thick chipboard with oak veneer pressed on both sides under 100-150 kg/cm ² of air pressure and 60 Co of temperature, with approved buff neubic leather on top, and solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. Complete in all respects as per specifications.(Size 2'x2')	-	No		



6	Center table for Chief Manager Chamber				
	Center Table: sides made with 50mm thick chipboard with oak veneer pressed on both sides under 100-150 kg/cm ² of air pressure and 60 C ^o of temperature, with approved buff neubic leather on top, and solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. Complete in all respects as per specifications.(Size 3.5'x3.5')	-	No		
7	Credenza for Chief Manager				
	Supply of Credenza , made of chipboard with approved oak veneer pressed under 100 - 150 kg/cm ² of air pressure and 60 C ^o of temperature and backing veneer on other side with oak wood toothing. Finish with clear NC lacquer polish. Having storage and drawers with imported roller runner, hinges. Complete in all respects as per specifications. Size (mm): (L) 2430 x (D) 457 x (H) 762	-	No		
8	Chief Manager Table				
7	Supply of Chief Manager Table at site, made of chipboard with approved oak veneer pressed under 100-150 kg/cm ² of air pressure and 60 C ^o of temperature and backing veneer underneath, with approved colour leatherite writing pad on top. Having solid and seasoned oak wood toothing joint between top & sides with NC lacquer polish finish. Top fixed with return table with stainless steel spacers. Including return table with two drawers. Drawers run on imported roller. Complete in all respects as per specifications. Table Size (mm): (L) 1830 x (D) 900 x (H) 762 Return Table Size (mm): (L) 1830 x (D) 457 x (H) 660	1.00	No		
9	Credenza for Chief Manager				
	Supply of Credenza , made of chipboard with approved oak veneer pressed under 100 - 150 kg/cm ² of air pressure and 60 C ^o of temperature and backing veneer on other side with oak wood toothing. Finish with clear NC lacquer polish. Having storage and drawers with imported roller runner, hinges. Complete in all respects as per specifications. Size (mm): (L) 1830 x (D) 457 x (H) 762	1.00	No		
10	Executive Table				
	Supply of Executive Table at site, made of chipboard with approved oak veneer pressed under 100-150 kg/cm ² of air pressure and 60 C ^o of temperature and backing veneer underneath. Table having solid and seasoned Oak wood toothing joint between top & sides with NC lacquer polish finish. Top fixed with return table with SS spacers. Including return table with two drawers. Drawers run on imported roller. Complete in all respects as per specifications. Table Size (mm): (L) 1525 x (D) 838 x (H) 762 Return Table Size (mm): (L) 1830 x (D) 457 x (H) 660	1.00	No		



11	Credenza For Executives				
	Supply of Credenza , made of chipboard with approved oak veneer pressed under 100 - 150 kg/cm ² of air pressure and 60 C ^o of temperature and backing veneer on other side with Oak wood toothing. Finish with clear NC lacquer polish. Having storage and drawers with imported roller runner, hinges. Complete in all respects as per specifications. Size (mm): (L) 1830 x (D) 457 x (H) 762	1.00	No		
12	Officer tables				
	supply of officer table, table and return top made of 36 mm thick chipboard with formica # 7419 pressed under 100-150 kg/cm of air pressure and 60 C of temerature and backing veneer under neath. Table having solid and seasoned oak wood edging, including two H shape piller with vanity panel in powder coated finish , complete in all respects as per specifications. TABLE SIZE (mm):(L) 1525X(D) 610 X (H) 762 RETURN TOP SIZE (mm):(L) 915X (D)457 X(H) 762	31.00	No		
13	Credenza For Officers				
	Supply of Credenza , made of 36 mm thick chipboard with formica # 7419 pressed under 100-150 kg/cm of air pressure and 60 C of temerature and backing veneer under neath. Table having solid and seasoned oak wood edging, including two H shape piller with vanity panel in powder coated finish , complete in all respects as per specifications. Size (mm): (L) 1525 x (D) 457 x (H) 762	12.00	No		
14	Officer Revolving Chair with medium back				
	Supply of Officer Revolving Chair with polished Oak wood arms made in 4 piece joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12mm thick malaysian imported commercial ply pasted over different size of foam (density 1.52 pound per cft), covered with approved Fabric . seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base. Complete in all respects as per specifications.	42.00	No		
15	Revolving Chair Manager/Executives with High Back				
	Supply of Officer Revolving Chair with polished Oak wood arms made in 4 piece joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12mm thick malaysian imported commercial ply pasted over different size of foam (density 1.52 pound per cft), covered with approved Leather/Fabric . seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base. Complete in all respects as per specifications.	2.00	No		
15	Reception Chair				
	Supply of Reception Chair , with adjustable PU arms, seat and back made of 12mm thick imported malaysian commercial ply, upholstered with approved Fabric . adjustable height with gas lift, spring loaded back, nylon base with twin caster wheels. Complete in all respects as per specification.	1.00	No		



17	Visitor Chair				
	Supply of Visitor Chair with seat and back upholstered in approved Fabric , Legs made of solid & seasoned oak wood finish with NC lacquer polish with softwood structure. Complete in all respects as per specification.	50.00	No		
18	Mini Conference Table				
	Supply of Mini Conference Table 8-Seator , four legs and top frame made of solid and seasoned Oak wood with NC lacquer polish finish and stainless steel fitting. Top made of 12mm thick clear tempered glass with sand blasted and polished edges. Including vacum rubber spacer. Complete in all respects as per specifications. Size (mm): Dia 1372 x 762		No		
19	Side Table				
	Supply of Side Table , sides made with 50mm thick chipboard with oak veneer pressed on both sides under 100-150 kg/cm2 of air pressure and 60 Co of temperature, having approved colour leather on top, having solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. Complete in all respects as per specifications. Size (mm): W: 600 x D: 600 x H: 457	4.00	No		
20	Centre Table				
	Supply of Centre Table , sides made with 50mm thick chipboard with oak veneer pressed on both sides under 100-150 kg/cm2 of air pressure and 60 Co of temperature, having approved colour leather on top, having solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. Complete in all respects as per specifications. Size (mm): W: 915 x D: 915 x H: 457	7.00	No		
21	Centre Table				
	Supply of Centre Table , structure made of solid and seasoned oak wood finished with clear NC lacquer polish. Including 8mm thick clear tempered glass. Complete in all respects as per specification. Size(mm): (W)1067 x (D)1067 x (H)460	7.00	No		
22	Side Table				
	Supply of Side Table , structure made of solid and seasoned oak wood finished with clear NC lacquer polish. Including 8mm thick clear tempered glass. Complete in all respects as per specification. Size(mm): (W)508 x (D)508 x (H)460	4.00	No		
23	Workstation for Four Persons				
	Supply of Workstation For Four Persons , made of chipboard with approved oak veneer pressed under 100 - 150 kg/cm2 of air pressure and 60 CO of temperature and backing formica underneath with solid & seasoned oak wood edging finish with clear NC lacquer polish. Structure made of stainless steel pipe. Including all necessary joinery detail. Complete in all respects as per specifications and drawing. Size (mm) (L 1525 X W 1525 X H 762) including drawer pedestal. Size (mm): (W) 508 x (D) 457 x (H) 665		No		




24	WORK STATION FOR FOUR PERSONS Supply of work station for four persons made of chipboard with approved formica #7419 pressed under 100-150 kg/cm ² of air pressure and 60 C Of tempareture and backing formica under neath with solid & seasoned oak wood edging finish with clear NC lacquer polish .structure made of milde steel pipi including uppper partition upholstered with approved fabric and 8 mm thick clear tempered glass .complete in all respect as per specifications. Size (mm) (L 1525 X W 1525 X H 762) INCLUSIVE DRAWER PEDESTAL Size (mm): (W) 508 x (D) 457 x (H) 665				No
25	Visitor Sofa with Wooden Ledge Supply of Visitor Sofa with Wooden Ledge , base made of stainless steel with wooden ledge made of chipboard with oak veneer pressed under 100-150 kg/cm ² of air pressure and 60 degree of temperature on both sides with solid & seasoned oak wood invisible edging all around with NC lacquer finish, internal structure made of Acacia wood. Seat & back upholstered with good quality of foam and approved Fabric/Leatherite Complete in all respects as per specifications.				No
26	Supply of Visitor Sofa with Wooden Ledge , base made of stainless steel with wooden ledge made of chipboard with oak veneer pressed under 100-150 kg/cm ² of air pressure and 60 degree of temperature on both sides with solid & seasoned oak wood invisible edging all around with NC lacquer finish, internal structure made of Acacia wood, Seat & back upholstered with good quality of foam and approved Fabric/Leatherite Complete in all respects as per specifications.				No
27	Filling Cabinet Supply of Full Height/Low Height Filling Cabinet of required depth & height made of chipboard with approved oak veneer pressed on both sides under 100-150 kg/cm ² of air pressure and 60 degree of temperature. Internal carcass in 16mm thick lamination chipboard # 7056 with 3mm Oak wood edging all-round, finish with clear NC lacquer polish, including approved handle, hinges. Complete in all respects as per specifications.				Sft
28	Conference Table Supply of Conference Table , structure made of solid and seasoned oak wood with NC lacquered polish finish and stainless steel fitting. Top made of 12mm thick clear tempered glass with sand blasted and polished edges. Including vacum rubber spacer. Complete in all respects as per specifications.				No
	Corporate Office [L:25'-0" x W:5'-0" for 24 Persons]				
29	Writing Desk Supply of Writing Desk , structure made of solid and seasoned oak wood with upper box made of chipboard with oak veneer pressed under 100-150 kg/cm ² of air pressure and 60 degree of temperature with solid & seasoned Oak wood lipping. NC lacquer polish finish. Top in approved Corian. Complete in all respect as per specifications and drawing. Size (mm): (W) 1830 x (D) 600 x (H) 1295				1.00 No



30	Table for Tech Station				
	Supply of Table for Tech Station , top made of chipboard with oak veneer pressed and backing veneer underneath. Fixed with mild steel brackets in powder coated finish. Complete in all respects as per specification. (L)3650x(D)610x(H)762 Inclusive drawer pedestal.	-	No		
31	Table for Tech Station				
	Supply of Table for Tech Station , top made of chipboard with oak veneer pressed and backing veneer underneath. Fixed with mild steel brackets in powder coated finish. Complete in all respects as per specification. (L)2430x(D)610x(H)762 Inclusive drawer pedestal.	-	No		
32	Dinning Counter				
	Supply of Dinning Counter , top made of approved marble pasted on chipboard with white laminate underneath with solid and seasoned oak wood lipping. Having mild steel pillar with deco black paint finish and aluminum casted base. Complete in all respect as per specifications and drawing. Size (mm): (W) 2430 x (D) 686 x (H) 762	-	No		
33	Dinning Chair				
	Supplying of Dinning Chair without arms , structure, Seat & back made of solid and seasoned Oak wood, finished with clear NC lacquer polish. Complete in all respects as per drawings and specifications.	-	No		
34	Single Seat Sofa				
	Supply of Single Seat Sofa , base made of solid & seasoned oak wood with NC lacquer finish, internal structure made of Acacia wood. Seat & back upholstered with good quality of foam and approved Fabric/Leatherite . Complete in all respects as per specifications.	2.00	No		
35	Three Seat Sofa				
	Supply of Three Seat Sofa , with low height armrest, having 25mm thick solid & seasoned Oak wood armrest cladding with wooden glide in lacquer polish finish. Seat and back upholstered with approved Fabric/leatherite . Complete in all respects as per specifications.	8.00	No		
36	Two Seat Sofa				
	Supply of Two Seat Sofa , with low height armrest, having 25mm thick solid & seasoned Oak wood armrest cladding with wooden glide in lacquer polish finish. Seat and back upholstered with approved Fabric/leatherite . Complete in all respects as per specifications.	8.00	No		
37	CONFERENCE ROOM CHAIRS				
	Supply of officer revolving chair with polishes oak wood arms made in 4 piece joinery (all joints are made in epoxy and two sided screws), seat and back in one piece 12mm thick malaysian imported commercial ply pasted over different size of foam (density 1.52) pound per cft) covered with approved leatherite, seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base. Complete in all respects as per specification. (Leatherite/fabric)		No		



38	REVOLING HIGH BACK CHAIR FOR CONFERENCE ROOM				
	Supply of revolving high back chair for GM with polished oak wood arms made in 4 piece joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick malaysian imported commercail ply pasted over differrent size of foam (density 1.52 pound per cft),coverd with approved fabric/ leatherite, seat and back recieling having , five spoke nylon base with twin caster wheel ,adjustable hieght with hydraulic base complete in all respects as per specification Leatherite /fabric		No		
39	CPU Trolley				
	Supply of CPU Trolley made of mild steel sheet with deco black paint finish. Complete in all respects as per specifications and drawings.	32.00	No		
40	Trash Bin				
	Supply of Trash Bin made of mild steel sheet with deco black paint finish. Complete in all respects as per specifications and drawings.	10.00	No		
41	Planter				
	Supply of Planter (400mm Ø), made with 16 swg mild steel perforated sheet finish with silver sparkle deco paint with 25mm wide chrome plated strips, 9mm mild steel chrome plated spacers. Complete in all respect as per specifications.	10.00	No		
42	WAITING BENCH THREE SEAT (VS-3)				
	Supply of 3 Seater Waiting Bench, structure amd armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specification and drawings.	8	Each		
43	Coat Hanger made of wooden of executive design & style	2.00	No		
<i>Total(Rs.)</i>					
Adding GST {					
<i>G. Total</i>					
<i>Transportation</i>					
<i>Total(Rs.)</i>					
 FOR NATIONAL BANK OF PAKISTAN			CONTRACTOR		



LOT NO.2-C: NBP CIVIL LINES BRANCH FAISALABAD**STANDARD FURNITURE AT NBP CIVIL LINES BRANCH FAISALABAD****(BILL OF QUANTITIES)**

Sr	DESCRIPTIONS	Qty	Unit	Rate (PKR)	Amount(PKR)
1	Corporate Head Table Supply of Chief Manager Table at site, made of chipboard with approved oak veneer pressed under 100-150 kg/cm ² of air pressure and 60 C° of temperature and backing veneer underneath, with approved colour leatherite writing pad on top. Having solid and seasoned oak wood tothing joint between top & sides with NC lacquer polish finish. Top fixed with return table with stainless steel spacers. Including return table with two drawers. Drawers run on imported roller. Complete in all respects as per specifications. Table Size (mm): (L) 2133 x (D) 990 x (H) 762 Return Table Size (mm): (L) 1850 x (D) 900 x (H) 660		No		
2	Revolving high back chair for Chief Manager Supply of revolving chair for Corporate Head with polish oak wood arm made in 4 piece joinery (all joint made in epoxy and two sided screws), seat and back in one piece 12mm thick malaysian imported commercail ply pasted over different size of foam (density 1052 pound per cfc) ,covered with approved buff neubic leather, seat and back recilining ,having five spoke nylon base with twin caster wheel ,adjustable hieght with hydraulic base completed in all respects as per specification BUFF NEUBIC LEATHER	1.00	No		
3	Single seat sofa for Chief Manager Supply of single seat sofa base made of solid & seasoned oak wood with Nc lacquer finish interanal stracture made of Acacia wood . Seat & back upholsrerted with good quality of foam and approved buff neubic leather complete in all respects as per specification	-	No		
	Two Seat Sofa for Chief Manager Supply of single seat sofa base made of solid & seasoned oak wood with Nc lacquer finish interanal stracture made of Acacia wood . Seat & back upholsrerted with good quality of foam and approved buff neubic leather complete in all respects as per specification	3.00	No		
4	Visitor chairs for Chief Manager Supply of visitor chair with seat and back upholstered in approved buff neubic leather ,legs made of solid &seasoned oak wood finish with lacqure polish with softwood stracture, complete in all respects as pe specifications.	2.00	No		
5	Side table for Chief Manager Chamber Side Table: sides made with 50mm thick chipboard with oak veneer pressed on both sides under 100-150 kg/cm ² of air pressure and 60 Co of temperature, with approved buff neubic leather on top, and solid and seasoned Oak wood tothing joint between top & sides. Finish with NC lacquer polish. Complete in all respects as per specifications.(Size 2'x2')	1.00	No		



6	Center table for Chief Manager Chamber				
	Center Table: sides made with 50mm thick chipboard with oak veneer pressed on both sides under 100-150 kg/cm ² of air pressure and 60 C ^o of temperature, with approved buff neubic leather on top, and solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. Complete in all respects as per specifications.(Size 3.5'x3.5')	1.00	No		
7	Credenza for Chief Manager				
	Supply of Credenza , made of chipboard with approved oak veneer pressed under 100 - 150 kg/cm ² of air pressure and 60 C ^o of temperature and backing veneer on other side with oak wood toothing. Finish with clear NC lacquer polish. Having storage and drawers with imported roller runner, hinges. Complete in all respects as per specifications. Size (mm): (L) 2430 x (D) 457 x (H) 762	1.00	No		
8	Chief Manager Table				
	Supply of Chief Manager Table at site, made of chipboard with approved oak veneer pressed under 100-150 kg/cm ² of air pressure and 60 C ^o of temperature and backing veneer underneath, with approved colour leatherite writing pad on top. Having solid and seasoned oak wood toothing joint between top & sides with NC lacquer polish finish. Top fixed with return table with stainless steel spacers. Including return table with two drawers. Drawers run on imported roller. Complete in all respects as per specifications. Table Size (mm): (L) 1830 x (D) 900 x (H) 762 Return Table Size (mm): (L) 1830 x (D) 457 x (H) 660	1.00	No		
9	Credenza for Chief Manager				
	Supply of Credenza , made of chipboard with approved oak veneer pressed under 100 - 150 kg/cm ² of air pressure and 60 C ^o of temperature and backing veneer on other side with oak wood toothing. Finish with clear NC lacquer polish. Having storage and drawers with imported roller runner, hinges. Complete in all respects as per specifications. Size (mm): (L) 1830 x (D) 457 x (H) 762	1.00	No		
10	Executive Table				
	Supply of Executive Table at site, made of chipboard with approved oak veneer pressed under 100-150 kg/cm ² of air pressure and 60 C ^o of temperature and backing veneer underneath. Table having solid and seasoned Oak wood toothing joint between top & sides with NC lacquer polish finish. Top fixed with return table with SS spacers. Including return table with two drawers. Drawers run on imported roller. Complete in all respects as per specifications. Table Size (mm): (L) 1525 x (D) 838 x (H) 762 Return Table Size (mm): (L) 1830 x (D) 457 x (H) 660	2.00	No		



11	Credenza For Executives				
	Supply of Credenza , made of chipboard with approved oak veneer pressed under 100 - 150 kg/cm ² of air pressure and 60 C ^o of temperature and backing veneer on other side with Oak wood tooting. Finish with clear NC lacquer polish. Having storage and drawers with imported roller runner, hinges. Complete in all respects as per specifications. Size (mm): (L) 1830 x (D) 457 x (H) 762	2.00	No		
12	Officer tables				
	supply of officer table, table and return top made of 36 mm thick chipboard with formica # 7419 pressed under 100-150 kg/cm of air pressure and 60 C of temperature and backing veneer under neath. Table having solid and seasoned oak wood edging. including two H shape pillar with vanity panel in powder coated finish . complete in all respects as per specifications. TABLE SIZE (mm):(L) 1525X(D) 610 X (H) 762 RETURN TOP SIZE (mm):(L) 915X (D)457 X(H) 762	11.00	No		
13	Credenza For Officers				
	Supply of Credenza , made of 36 mm thick chipboard with formica # 7419 pressed under 100-150 kg/cm of air pressure and 60 C of temperature and backing veneer under neath. Table having solid and seasoned oak wood edging. including two H shape pillar with vanity panel in powder coated finish . complete in all respects as per specifications. Size (mm): (L) 1525 x (D) 457 x (H) 762		No		
14	Officer Revolving Chair with medium back				
	Supply of Officer Revolving Chair with polished Oak wood arms made in 4 piece joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12mm thick malaysian imported commercial ply pasted over different size of foam (density 1.52 pound per cft), covered with approved Fabric , seat and back reclining. having five spoke nylon base with twin caster wheel. adjustable height with hydraulic base. Complete in all respects as per specifications.	19.00	No		
15	Revolving Chair Manager/Executives with High Back				
	Supply of Officer Revolving Chair with polished Oak wood arms made in 4 piece joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12mm thick malaysian imported commercial ply pasted over different size of foam (density 1.52 pound per cft), covered with approved Leather/Fabric , seat and back reclining. having five spoke nylon base with twin caster wheel. adjustable height with hydraulic base. Complete in all respects as per specifications.	2.00	No		
16	Reception Chair				
	Supply of Reception Chair , with adjustable PU arms, seat and back made of 12mm thick imported malaysian commercial ply, upholstered with approved Fabric adjustable height with gas lift, spring loaded back, nylon base with twin caster wheels. Complete in all respects as per specification.	1.00	No		



17	Visitor Chair Supply of Visitor Chair with seat and back upholstered in approved Fabric , Legs made of solid & seasoned oak wood finish with NC lacquer polish with softwood structure. Complete in all respects as per specification.	24.00	No		
18	Mini Conference Table Supply of Mini Conference Table 8-Seator , four legs and top frame made of solid and seasoned Oak wood with NC lacquer polish finish and stainless steel fitting. Top made of 12mm thick clear tempered glass with sand blasted and polished edges. Including vacuum rubber spacer. Complete in all respects as per specifications. Size (mm): Dia 1372 x 762		No		
19	Side Table Supply of Side Table , sides made with 50mm thick chipboard with oak veneer pressed on both sides under 100-150 kg/cm ² of air pressure and 60 Co of temperature, having approved colour leather on top, having solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. Complete in all respects as per specifications. Size (mm): W: 600 x D: 600 x H: 457	2.00	No		
20	Centre Table Supply of Centre Table , sides made with 50mm thick chipboard with oak veneer pressed on both sides under 100-150 kg/cm ² of air pressure and 60 Co of temperature, having approved colour leather on top, having solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. Complete in all respects as per specifications. Size (mm): W: 915 x D: 915 x H: 457	5.00	No		
21	Centre Table Supply of Centre Table , structure made of solid and seasoned oak wood finished with clear NC lacquer polish. Including 8mm thick clear tempered glass. Complete in all respects as per specification. Size(mm): (W)1067 x (D)1067 x (H)460	2.00	No		
22	Side Table Supply of Side Table , structure made of solid and seasoned oak wood finished with clear NC lacquer polish. Including 8mm thick clear tempered glass. Complete in all respects as per specification. Size(mm): (W)508 x (D)508 x (H)460	2.00	No		
23	Workstation for Four Persons Supply of Workstation For Four Persons , made of chipboard with approved oak veneer pressed under 100 - 150 kg/cm ² of air pressure and 60 CO of temperature and backing formica underneath with solid & seasoned oak wood edging finish with clear NC lacquer polish. Structure made of stainless steel pipe. Including all necessary joinery detail. Complete in all respects as per specifications and drawing. Size (mm)(L 1525 X W 1525 X H 762) including drawer pedestal. Size (mm): (W) 508 x (D) 457 x (H) 665		No		



24	WORK STATION FOR FOUR PERSONS			
	Supply of work station for four persons made of chipboard with approved formica #7419 pressed under 100-150 kg/cm ² of air pressure and 60 C Of tempareture and backing formica under neath with solid & seasoned oak wood edging finish with clear NC lacquer polish .structure made of milde steel pipi including uppper partition upholstered with approved fabric and 8 mm thick clear tempered glass .complete in all respect as per specifications. Size (mm) (L 1525 X W 1525 X H 762) INCLUSIVE DRAWER PEDESTAL Size (mm): (W) 508 x (D) 457 x (H) 665	No		
25	Visitor Sofa with Wooden Ledge			
	Supply of Visitor Sofa with Wooden Ledge , base made of stainless steel with wooden ledge made of chipboard with oak veneer pressed under 100-150 kg/cm ² of air pressure and 60 degree of temperature on both sides with solid & seasoned oak wood invisible edging all around with NC lacquer finish, internal structure made of Acacia wood. Seat & back upholstered with good quality of foam and approved Fabric/Leatherite Complete in all respects as per specifications.	No		
26	Visitor Sofa with Wooden Ledge , base made of stainless steel with wooden ledge made of chipboard with oak veneer pressed under 100-150 kg/cm ² of air pressure and 60 degree of temperature on both sides with solid & seasoned oak wood invisible edging all around with NC lacquer finish, internal structure made of Acacia wood. Seat & back upholstered with good quality of foam and approved Fabric/Leatherite Complete in all respects as per specifications.	No		
27	Filling Cabinet			
	Supply of Full Height/Low Height Filling Cabinet of required depth & height made of chipboard with approved oak veneer pressed on both sides under 100-150 kg/cm ² of air pressure and 60 degree of temperature. Internal carcass in 16mm thick lamination chipboard # 7056 with 3mm Oak wood edging all-round, finish with clear NC lacquer polish, including approved handle, hinges. Complete in all respects as per specifications.	Sft		
28	Conference Table			
	Supply of Conference Table , structure made of solid and seasoned oak wood with NC lacquered polish finish and stainless steel fitting. Top made of 12mm thick clear tempered glass with sand blasted and polished edges. Including vacum rubber spacer. Complete in all respects as per specifications.	No		
	Corporate Office (L:25'-0" x W:5'-0" for 24 Persons)			
29	Writing Desk			
	Supply of Writing Desk , structure made of solid and seasoned oak wood with upper box made of chipboard with oak veneer pressed under 100-150 kg/cm ² of air pressure and 60 degree of temperature with solid & seasoned Oak wood lipping. NC lacquer polish finish. Top In approved Corian. Complete in all respect as per specifications and drawing. Size (mm): (W) 1830 x (D) 600 x (H) 1295	1.00 No		



30	Table for Tech Station				
	Supply of Table for Tech Station , top made of chipboard with oak veneer pressed and backing veneer underneath. Fixed with mild steel brackets in powder coated finish. Complete in all respects as per specification. (L)3650x(D)610x(H)762 Inclusive drawer pedestal.	-	No		
31	Table for Tech Station				
	Supply of Table for Tech Station , top made of chipboard with oak veneer pressed and backing veneer underneath. Fixed with mild steel brackets in powder coated finish. Complete in all respects as per specification. (L)2430x(D)610x(H)762 Inclusive drawer pedestal.	-	No		
32	Dinning Counter				
	Supply of Dinning Counter , top made of approved marble pasted on chipboard with white laminate underneath with solid and seasoned oak wood lipping. Having mild steel pillar with deco black paint finish and aluminum casted base. Complete in all respect as per specifications and drawing. Size (mm): (W) 2430 x (D) 686 x (H) 762	-	No		
33	Dinning Chair				
	Supplying of Dinning Chair without arms , structure, Seat & back made of solid and seasoned Oak wood, finished with clear NC lacquer polish. Complete in all respects as per drawings and specifications.	-	No		
34	Single Seat Sofa				
	Supply of Single Seat Sofa , base made of solid & seasoned oak wood with NC lacquer finish, internal structure made of Acacia wood. Seat & back upholstered with good quality of foam and approved Fabric/Leatherite . Complete in all respects as per specifications.	2.00	No		
35	Three Seat Sofa				
	Supply of Three Seat Sofa , with low height armrest, having 25mm thick solid & seasoned Oak wood armrest cladding with wooden glide in lacquer polish finish. Seat and back upholstered with approved Fabric/leatherite Complete in all respects as per specifications.	1.00	No		
36	Two Seat Sofa				
	Supply of Two Seat Sofa , with low height armrest, having 25mm thick solid & seasoned Oak wood armrest cladding with wooden glide in lacquer polish finish. Seat and back upholstered with approved Fabric/leatherite Complete in all respects as per specifications.	6.00	No		
37	CONFERENCE ROOM CHAIRS				
	Supply of officer revolving chair with polishes oak wood arms made in 4 piece joinery (all joints are made in epoxy and two sided screws), seat and back in one piece 12mm thick malaysian imported commercial ply pasted over different size of foam (density 1.52)pound per cft) covered with approved leatherite ,seat and back reclining ,having five spoke nylon base with twin caster wheel ,adjustable height with hydraulic base . Complete in all respects as per specification. (Leatherite/fabric)		No		




38	REVOLING HIGH BACK CHAIR FOR CONFERENCE ROOM				
	Supply of revolving high back chair for GM with polished oak wood arms made in 4 piece joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick malaysian imported commercial ply pasted over different size of foam (density 1.52 pound per cft), coverd with approved fabric/ leatherite, seat and back reclining having , five spoke nylon base with twin caster wheel , adjustable hieght with hydraulic base complete in all respects as per specification Leatherite /fabric		No		
39	CPU Trolley				
	Supply of CPU Trolley made of mild steel sheet with deco black paint finish. Complete in all respects as per specifications and drawings.	15.00	No		
40	Trash Bin				
	Supply of Trash Bin made of mild steel sheet with deco black paint finish. Complete in all respects as per specifications and drawings.	5.00	No		
41	WAITING BENCH THREE SEAT (VS-3)				
	Supply of 3 Seater Waiting Bench, structure and armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specification and drawings.	8	Each		
42	Planter				
	Supply of Planter (400mm Ø), made with 16 swg mild steel perforated sheet finish with silver sparkle deco paint with 25mm wide chrome plated strips, 9mm mild steel chrome plated spacers. Complete in all respect as per specifications.	5.00	No		
43	Coat Hanger made of wooden of executive design & style	2.00	No		
Total(Rs.)					

Adding GST

G. Total

					Transportation
					Total(Rs.)


 FOR NATIONAL BANK OF PAKISTAN

CONTRACTOR

6	<p>* MANAGER REVOLVING CHAIR (HIGH Back) C-2 Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (denisty 1.52 pound per cft), covered with approved Fabric, seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base, complete in all respect as per specification & drawings.</p>	1	Each		
7	<p>MANAGER VISITOR'S CHAIR (VC- 2) Supply of officer Visitor's Chair, structure made of solid & seasoned Oak wood all joints made in epoxy and two sided screw, seat and back upholstered with foam and approved leatherite/Fabric. Wood parts finished with NC lacquer polish. Complete in all respect as per specification and drawings.</p>	2	Each		
8	<p>OFFICER VISITOR'S CHAIR (VC- 4) Supply of officer Visitor's Chair, structure made of solid & seasoned Oak wood all joints made in epoxy and two sided screw, seat and back upholstered with foam and approved leatherite. Wood parts finished with NC lacquer polish. Complete in all respect as per specification and drawings.</p>	8	Each		
9	<p>WAITING BENCH THREE SEAT (VS-3) Supply of 3 Seater Waiting Bench, structure amd armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specification and drawings.</p>	3	Each		
10	<p>WAITING BENCH TWO SEAT (VS-2) Supply of 2 Seater Waiting Bench, structure amd armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specification and drawings.</p>	1	Each		
11	<p>SINGLE SEAT SOFA (S-10) Supply of single seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back uphoistered with good qulaity foam and approved Fabric. Complete in all respect as per drawing and Specification.</p>	4	Each		
12	<p>CENTER TABLE (CT-5A-A8) Size: W 3'-6" X D 2'-0" X H 1'-6" Supply of Center Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm2 of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. Complete in all respect as per specification and drawings.</p>	2	Each		




13	SIDE TABLE (CT-5A-A9) Size: W 1'-6" X D1'-6" X H 1'-6" Supply of Side Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm2 of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. Complete in all respect as per specification and drawings.	2	Each		
				Total Rs.	
				GST	
				Grand Total Rs.	



LOT NO.4-C: NBP K.B BRANCH MANDI BAHUDDIN, R.O. GUJRAT**SUPPLY OF STANDARD FURNITURE AT NBP KB BRANCH MANDI BAHUDDIN R.O GUJRAT****BILL OF QUANTITIES**

Composite Schedule rate Ref No.	DESCRIPTION/SPECIFICATION	QTY	UNIT	RATE (Rs)	AMOUNT (Rs)
1	BRANCH MANAGER TABLE (BMT-1) Table Size: L 5'-0" X D 3'-0" X H 2'-6". Return Table size: L 5'-0" X D 1'-6" X H 2'-0" Supply of Branch Manager Table made of chipboard with formica # 7419 (Formite) pressed under 100-150 Kg/Cm2 of air pressure and 60 C of temperature and backing formica underneath, with approved color leatherite writing pad on top. Having solid and seasoned Oak wood toothing joint between top & Sides with NC lacqure polish finish. Top fixed with return (Side) table with stainless steel spacers, including return table with two drawers. Drawers run on imported roller. CComplete in all respect as per Drawing & specification	1	Each		
2	OFFICER TABLE (T-30) Size: L 4'-6" X D 2'-6" X H 2'-6" Return Table size: L 4'-6"x D1'-6"x H 2'-0" Supply of Office Wooden Table. Table top made of Chipboard with farmica #7419 (Farmite) pressed under 100-150 Kg/Cm2 of air pressure and 60 degree of temprature on front side and backing formica underneath with solid Oak wood edging in N.C lacquer polish finish. Including non-megnetic stainless steel vanity panel with supported S.S brackets and 'H' shape pillar both sides with silver sparkle deco paint. Completed in all respect	6	Each		
3	CREDENZA FOR MANAGER (CR-2) Size (5'-0" X 1'-6" X 2'-6") Supply of Credenza made of Chipboard with formica # 7419 (Formite) with approved Oak Veneer pressed under 100-150 Kg/ Cm2 of air pressure and 60 C of tempessure and backing veneer on other side with Oak wood toothing. Finish with clear NC lacquer polish, Having storage and drawers with imported roller runner,hinges, complete in all respect as per specification and drawing.	1	Each		
4	DRAWER PEDESTAL (DP-1) Size (1'-8" X 1'-6" X 2'-2") Suppy of Drawer Pedestal made of Chipboard with formica # 7419 (Framite) pressed under 100-150 Kg/Cm2 air pressur and 60 C of temperature and backing formica underneath. Drawer pedestal having three drawer on imported roller runners including lokcs, pull and footing / glide. Complete in all respect as per specification and drawings.	6	Each		
5	CPU TROLLEY (CPU-1) Size (Standard Size) Supply of CPU Trolley made of mild steel sheet with deco black paint finish. Complete in all respect and drawing	6	Each		



6	OFFICER REVOLVING CHAIR (LOW BACK) C-1 Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (denisty 1.52 pound per cft), covered with approved Fabric,seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base, complete in all respect as per specification & drawings.	10	Each		
7	MANAGER REVOLVING CHAIR (HIGH Back) C-2 Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (denisty 1.52 pound per cft), covered with approved Fabric,seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base, complete in all respect as per specification & drawings.	1	Each		
8	MANAGER VISITOR'S CHAIR (VC- 2) Supply of officer Visitor's Chair, structure made of solid & seasoned Oak wood all joints made in epoxy and two sided screw, seat and back upholstered with foam and approved leatherite/Fabric. Wood parts finished with NC lacquer polish. Complete in all respect as per specification and drawings.	2	Each		
8	OFFICER VISITOR'S CHAIR (VC- 4) Supply of officer Visitor's Chair, structure made of solid & seasoned Oak wood all joints made in epoxy and two sided screw, seat and back upholstered with foam and approved leatherite. Wood parts finished with NC lacquer polish. Complete in all respect as per specification and drawings.	14	Each		
9	WAITING BENCH THREE SEAT (VS-3) Supply of 3 Seater Waiting Bench, structure amd armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specification and drawings.	4	Each		
10	WAITING BENCH TWO SEAT (VS-2) Supply of 2 Seater Waiting Bench, structure amd armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specification and drawings.	2	Each		
11	RECEPTION CHAIR C-3 Supply of Reception Chair with adjustable PU arm, seat and back made of 12mm thick imported commercial ply, upholstered with approved Fabric., adjustable height with gas lift, spring loaded back, nylon base with twin caster wheels, complete in all respect as per drawing and specification.	0	Each		




12	SINGLE SEAT SOFA (S-10) Supply of single seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good quality foam and approved Fabric. Complete in all respect as per drawing and Specification.	4	Each		
13	TWO SEAT SOFA (S-10) Supply of Two seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good quality foam and approved Fabric. Complete in all respect as per drawing and Specification.	1	Each		
14	CENTER TABLE (CT-5A-A8) Size: W 3'-6" X D 2'-0" X H 1'-6" Supply of Center Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm2 of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. Complete in all respect as per specification and drawings.	3	Each		
15	SIDE TABLE (CT-5A-A9) Size: W 1'-6" X D 1'-6" X H 1'-6" Supply of Side Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm2 of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. Complete in all respect as per specification and drawings.	3	Each		
16	WRITTING DESK (WD-1) Size: (W) 6'-0" X (D) 2'-0" X (H) 4'-0" Structure made of solid & seasoned Oak wood with wood stopper. Upper partition & shelf made of MDF board with oak veneer pressed under 100-150 Kg/cm2 of air pressure and 60 degree of Temperature with solid & seasoned Oak wood lipping. NC laquor polish finish. Top in approved Corian complete in all respect as per specification & drawing.	0	Each		
				Total Rs.	
				GST	
				Grand Total Rs.	



For National Bank of Pakistan


Contractor



LOT NO.5-C: NBP KB OKARA BRANCH RO SAHIWAL**NATIONAL BANK OF PAKISTAN
SUPPLY OF STANDARD FURNITURE AT NBP KB OKARA BR SAHIWAL REGION**

TENDER / BOQ					
S.NO	DESCRIPTION/SPECIFICATION	QTY	UNIT	RATE (Rs)	AMOUNT (Rs)
1	BRANCH MANAGER TABLE (BMT-1) Table Size: L 5'-0" X D 3'-0" X H 2'-6" Return Table size: L 5'-0" X D 1'-6" X H 2'-0" Supply of Branch Manager Table made of chipboard with formica # 7419 (Formite) pressed under 100-150 Kg/Cm2 of air pressure and 60 C of temperature and backing formica underneath, with approved color leatherite writing pad on top. Having solid and seasoned Oak wood toothing joint between top & Sides with NC lacure polish finish. Top fixed with return (Side) table with stainless steel spacers, including return table with two drawers. Drawers run on imported roller. CComplete in all respect as per Drawing & specification.	1	Each		
2	OFFICER TABLE (T-30) Size: L 4'-6" X D 2'-6" X H 2'-6" Return Table size: L 4'-6" X D 1'-6" X H 2'-0" Supply of Office Wooden Table. Table top made of Chipboard with farmica #7419 (Farmite) pressed under 100-150 Kg/Cm2 of air pressure and 60 degree of temprature on front side and backing formica underneath with solid Oak wood edging in N.C lacquer polish finish. Including non-magnetic stainless steel vanity panel with supported S.S brackets and 'H' shape pillar both sides with silver sparkle deco paint. Completed in all respect.	6	Each		
3	CREDENZA FOR MANAGER (CR-2) Size (5'-0" X 1'-6" X 2'-6") Supply of Credenza made of Chipboard with formica # 7419 (Formite) with approved Oak Veneer pressed under 100-150 Kg/ Cm2 of air pressure and 60 C of temprature and backing veneer on other side with Oak wood toothing. Finish with clear NC lacquer polish, Having storage and drawers with imported roller runner,hinges, complete in all respect as per specification and drawing.	1	Each		
4	DRAWER PEDESTAL (DP-1) Size (1'-8" X 1'-6" X 2'-2") Suppy of Drawer Pedestal made of Chipboard with formica # 7419 (Framite) pressed under 100-150 Kg/Cm2 air pressur and 60 C of temperature and backing formica underneath. Drawer pedestal having three drawer on imported roller runners including locks, pull and footing / glide. Complete in all respect as per specification and drawings.	11	Each		
5	CPU TROLLEY (CPU-1) Size (Standard Size) Supply of CPU Trolley made of mild steel sheet with deco black paint finish. Complete in all respect and drawing.	11	Each		
6	OFFICER REVOLVING CHAIR (LOW BACK) C-1 Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (denisty 1.52 pound per cft), covered with approved Fabric,seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base, complete in all respect as per specification & drawings.	10	Each		


Engr. Tariq Hameed
AMD / XEN (C)
National Bank of Pakistan
Engg. Wing (Central) Lahore




NATIONAL BANK OF PAKISTAN
SUPPLY OF STANDARD FURNITURE AT NBP KB OKARA BR SAHIWAL REGION

7	MANAGER REVOLVING CHAIR (HIGH Back) C-2 Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (denisty 1.52 pound per cft), covered with approved Fabric, seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base, complete in all respect as per specification & drawings.	✓ 1	Each		
8	MANAGER VISITOR'S CHAIR (VC- 2) Supply of officer Visitor's Chair, structure made of solid & seasoned Oak wood all joints made in epoxy and two sided screw, seat and back upholstered with foam and approved leatherite/Fabric. Wood parts finished with NC lacquer polish. Complete in all respect as per specification and drawings.	✓ 2	Each		
9	OFFICER VISITOR'S CHAIR (VC- 4) Supply of officer Visitor's Chair, structure made of solid & seasoned Oak wood all joints made in epoxy and two sided screw, seat and back upholstered with foam and approved leatherite. Wood parts finished with NC lacquer polish. Complete in all respect as per specification and drawings.	✓ 12	Each		
10	WAITING BENCH THREE SEAT (VS-3) Supply of 3 Seater Waiting Bench, structure amd armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specification and drawings.	✓ 2	Each		
11	WAITING BENCH TWO SEAT (VS-2) Supply of 2 Seater Waiting Bench, structure amd armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specification and drawings.	✓ 0	Each		
12	RECEPTION CHAIR C-3 Supply of Reception Chair with adjustable PU arm, seat and back made of 12mm thick imported commercial ply, upholstered with approved Fabric., adjustable height with gas lift, spring loaded back, nylon base with twin caster wheels, complete in all respect as per drawing and specification.	✓ 0	Each		
13	SINGLE SEAT SOFA (S-10) Supply of single seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back uphoistered with good qulaity foam and approved Fabric. Complete in all respect as per drawing and Specification.	✓ 0	Each		
14	TWO SEAT SOFA (S-10) Supply of Two seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back uphoistered with good qulaity foam and approved Fabric. Complete in all respect as per drawing and Specification.	✓	Each		

Engr. Tariq Hameed
 ACP / XEN (C)
 National Bank of Pakistan
 Engg. Wing (Central) Lahore





NATIONAL BANK OF PAKISTAN
SUPPLY OF STANDARD FURNITURE AT NBP KB OKARA BR SAHIWAL REGION

15	<p>CENTER TABLE (CT-5A-A8) Size: W 3'-6" X D 2'-0" X H 1'-6" Supply of Center Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm2 of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. Complete in all respect as per specification and drawings.</p>	✓ 1	Each		
16	<p>SIDE TABLE (CT-5A-A9) Size: W 1'-6" X D1'-6" X H 1'-6" Supply of Side Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm2 of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. Complete in all respect as per specification and drawings.</p>	✓ 0	Each		
17	<p>WRITTING DESK (WD-1) Size: (W) 6'-0" X (D) 2'-0" X (H) 4'-0" Structure made of solid & seasoned Oak wood with wood stopper. Upper partition & shelf made of MDF board with oak veneer pressed under 100-150 Kg/cm2 of air pressure and 60 degree of Temperature with solid & seasoned Oak wood lipping. NC laquor polish finish. Top in approved Corian complete in all respect as per specification & drawing.</p>	✓ 1	Each		
				Total Rs.	
				GST	
				Transportation	
				Grand Total Rs.	

FOR NATIONAL BANK OF PAKISTAN

CONTRACTOR


Engr. Tariq Hameed
 AVP / XEN (C)
 National Bank of Pakistan
 Engr. Wing (Central) Lahore



LOT NO.6-C: NBP ABDULLAHPUR BRANCH FAISALABAD**SUPPLY OF STANDARD FURNITURE AT NBP ABDULLAHPUR BRANCH, FAISALABAD****TICKET NO. 52809**

BOQ					
S.NO	DESCRIPTION/SPECIFICATION	QTY	UNIT	RATE (Rs)	AMOUNT (Rs)
1	<p><u>BRANCH MANAGER TABLE (BMT-1)</u> Table Size: L 5'-0" X D 3'-0" X H 2'-6". Return Table size: L 5'-0" X D 1'-6" X H 2'-0" Supply of Branch Manager Table made of chipboard with formica # 7419 (Formite) pressed unde 100-150 Kg/Cm2 of air pressure and 60 C of temperature and backing formica underneath, with approved color leatherite writing pad on top. Having solid and seasoned Oak wood toothing joint between top & Sides with NC lacure polish finish. Top fixed with return (Side) table with stainless steel spacers, including return table with two drawers. Drawers run on imported roller. Complete in all respect as per Drawing & specification.</p>		Each		
2	<p><u>OFFICER TABLE (T-30)</u> Size: L 4'-6" X D 2'-6" X H 2'-6" Return Table size: L 4'-6" X D 1'-6" X H 2'-0" Supply of Office Wooden Table. Table top made of Chipboard with farmica #7419 (Farmite) pressed under 100-150 Kg/Cm2 of air pressure and 60 degree of temprature on front side and backing formica underneath with solid Oak wood edging in N.C lacquer polish finish. Including non-megnetic stainless steel vanity panel with supported S.S brackets and 'H' shape pillar both sides with silver sparkle deco paint. Completed in all respect</p>		Each		
3	<p><u>CREDENZA FOR MANAGER (CR-2)</u> Size (5'-0" X 1'-6" X 2'-6") Supply of Credenza made of Chipboard with formica # 7419 (Formite) with approved Oak Veneer pressed under 100-150 Kg/ Cm2 of air pressure and 60 C of temprature and backing veneer on other side with Oak wood toothing. Finish with clear NC lacquer polish, Having storage and drawers with imported roller runner,hinges, complete in all respect as per specification and drawing.</p>		Each		
4	<p><u>DRAWER PEDESTAL (DP-1)</u> Size (1'-8" X 1'-6" X 2'-2") Suppy of Drawer Pedestal made of Chipboard with formica # 7419 (Framite) pressed under 100-150 Kg/Cm2 air pressur and 60 C of temperature and backing formica underneath. Drawer pedestal having three drawer on imported roller runners including lokcs, pull and footing / glide. Complete in all respect as per specification and drawings.</p>		Each		



SUPPLY OF STANDARD FURNITURE AT NBP ABDULLAHPUR BRANCH, FAISALABAD**TICKET NO. 52809****BOQ**

5	CPU TROLLEY (CPU-1) Size (Standard Size) Supply of CPU Trolley made of mild steel sheet with deco black paint finish. Complete in all respect and drawing		Each	
6	OFFICER REVOLVING CHAIR (LOW BACK) C-1 Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (denisty 1.52 pound per cft), covered with approved Fabric,seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base, complete in all respect as per specification & drawings.		Each	
7	MANAGER REVOLVING CHAIR (HIGH Back) C-2 Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (denisty 1.52 pound per cft), covered with approved Fabric,seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base, complete in all respect as per specification & drawings.	✓ 10	Each	
8	MANAGER VISITOR'S CHAIR (VC- 2) Supply of officer Visitor's Chair, structure made of solid & seasoned Oak wood all joints made in epoxy and two sided screw, seat and back upholstered with foam and approved leatherite/Fabric. Wood parts finished with NC lacquer polish. Complete in all respect as per specification and drawings.		Each	
9	OFFICER VISITOR'S CHAIR (VC- 4) Supply of officer Visitor's Chair, structure made of solid & seasoned Oak wood all joints made in epoxy and two sided screw, seat and back upholstered with foam and approved leatherite. Wood parts finished with NC lacquer polish. Complete in all respect as per	✓ 6	Each	
10	WAITING BENCH THREE SEAT (VS-3) Supply of 3 Seater Waiting Bench, structure amd armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specification and drawings.	✓ 2	Each	



SUPPLY OF STANDARD FURNITURE AT NBP ABDULLAHPUR BRANCH, FAISALABAD**TICKET NO. 52809**

BOQ				
11	WAITING BENCH TWO SEAT (VS-2) Supply of 2 Seater Waiting Bench, structure and armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specification and drawings.		Each	
12	RECEPTION CHAIR C-3 Supply of Reception Chair with adjustable PU arm, seat and back made of 12mm thick imported commercial ply, upholstered with approved Fabric., adjustable height with gas lift, spring loaded back, nylon base with twin caster wheels, complete in all respect as per drawing and specification.		Each	
13	SINGLE SEAT SOFA (S-10) Supply of single seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good quality foam and approved Fabric. Complete in all respect as per drawing and Specification.	10	Each	
14	TWO SEAT SOFA (S-10) Supply of two seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good quality foam and approved Fabric. Complete in all respect as per drawing and Specification.		Each	
15	THREE SEAT SOFA (S-10) Supply of Three seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good quality foam and approved Fabric. Complete in all respect as per drawing and Specification.		Each	
16	CENTER TABLE (CT-5A-A8) Size: W 3'-6" X D 2'-0" X H 1'-6" Supply of Center Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm ² of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. Complete in all respect as per specification and drawings.	2	Each	



SUPPLY OF STANDARD FURNITURE AT NBP ABDULLAHPUR BRANCH, FAISALABAD

TICKET NO. 52809

BOQ

17	<p>SIDE TABLE (CT-5A-A9) Size: W 1'-6" X D1'-6" X H 1'-6" Supply of Side Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm2 of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. Complete in all respect as per specification and drawings.</p>	2	Each	
17	<p>WRITTING DESK (WD-1) Size: (W) 6'-0"X (D) 2'-0"X (H) 4'-0" Structure made of solid & seasoned Oak wood with wood stopper. Upper partition & shelf made of MDF board with oak veneer pressed under 100-150 Kg/cm2 of air pressure and 60 degree of Temperature with solid & seasoned Oak wood lipping. NC laquor polish finish. Top in approved Corian complete in all respect as per specification & drawing.</p>		Each	
				Total Rs.
				GST
				Transportation
				Grand Total Rs.

For NATIONAL BANK OF PAKISTAN

CONTRACTOR



LOT NO.7-C: NBP MAIN BRANCH JHNAG**SUPPLY OF STANDARD FURNITURE AT NBP MAIN BRANCH, JHANG****TICKET NO. 57953****BOQ**

S.NO	DESCRIPTION/SPECIFICATION	QTY	UNIT	RATE (Rs)	AMOUNT (Rs)
1	BRANCH MANAGER TABLE (BMT-1) Table Size: L 5'-0" X D 3'-0" X H 2'-6". Return Table size: L 5'-0" X D 1'-6" X H 2'-0" Supply of Branch Manager Table made of chipboard with formica # 7419 (Formite) pressed unde 100-150 Kg/Cm2 of air pressure and 60 C of temperature and backing formica underneath, with approved color leatherite writing pad on top. Having solid and seasoned Oak wood toothing joint between top & Sides with NC lacure polish finish. Top fixed with return (Side) table with stainless steel spacers, including return table with two drawers. Drawers run on imported roller. Complete in all respect as per Drawing & specification.	1	Each		
2	OFFICER TABLE (T-30) Size: L 4'-6" X D 2'-6" X H 2'-6" Return Table size: L 4'-6" X D 1'-6" X H 2'-0" Supply of Office Wooden Table. Table top made of Chipboard with farmica #7419 (Farmite) pressed under 100-150 Kg/Cm2 of air pressure and 60 degree of temprature on front side and backing formica underneath with solid Oak wood edging in N.C lacquer polish finish. Including non-megnetic stainless steel vanity panel with supported S.S brackets and 'H' shape pillar both sides with silver sparkle deco paint. Completed in all respect	10	Each		
3	GREDEZA FOR MANAGER (CR-2) Size (5'-0" X 1'-6" X 2'-6") Supply of gredenza made of Chipboard with formica # 7419 (Formite) with approved Oak Veneer pressed under 100-150 Kg/ Cm2 of air pressure and 60 C of temprature and backing veneer on other side with Oak wood toothing. Finish with clear NC lacquer polish, Having storage and drawers with imported roller runner,hinges, complete in all respect as per specification and drawing.	1	Each		
4	DRAWER PEDESTAL (DP-1) Size (1'-8" X 1'-6" X 2'-2") Suppy of Drawer Pedestal made of Chipboard with formica # 7419 (Framite) pressed under 100-150 Kg/Cm2 air pressur and 60 C of temperature and backing formica underneath. Drawer pedestal having three drawer on imported roller runners including lokcs, pull and footing / glide. Complete in all respect as per specification and drawings.	10	Each		



SUPPLY OF STANDARD FURNITURE AT NBP MAIN BRANCH, JHANG**TICKET NO. 57953****BOQ**

5	CPU TROLLEY (CPU-1) Size (Standard Size) Supply of CPU Trolley made of mild steel sheet with deco black paint finish. Complete in all respect and drawing.	✓ 10	Each		
6	OFFICER REVOLVING CHAIR (LOW BACK) C-1 Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (denisty 1.52 pound per cft), covered with approved Fabric,seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base, complete in all respect as per specification & drawings.	✓ 10	Each		
7	MANAGER REVOLVING CHAIR (HIGH Back) C-2 Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (denisty 1.52 pound per cft), covered with approved Fabric,seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base, complete in all respect as per specification & drawings.	✓ 10	Each		
8	MANAGER VISITOR'S CHAIR (VC- 2) Supply of officer Visitor's Chair, structure made of solid & seasoned Oak wood all joints made in epoxy and two sided screw, seat and back upholstered with foam and approved leatherite/Fabric. Wood parts finished with NC lacquer polish. Complete in all respect as per specification and drawings.		Each		
9	OFFICER VISITOR'S CHAIR (VC- 4) Supply of officer Visitor's Chair, structure made of solid & seasoned Oak wood all joints made in epoxy and two sided screw, seat and back upholstered with foam and approved leatherite. Wood parts finished with NC lacquer polish. Complete in all respect as per	✓ 20	Each		
10	WAITING BENCH THREE SEAT (VS-3) Supply of 3 Seater Waiting Bench, structure amd armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specification and drawings.	✓ 5	Each		



SUPPLY OF STANDARD FURNITURE AT NBP MAIN BRANCH, JHANG**TICKET NO. 57953****BOQ**

11	WAITING BENCH TWO SEAT (VS-2) Supply of 2 Seater Waiting Bench, structure and armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specification and drawings.	✓ 5	Each		
12	RECEPTION CHAIR C-3 Supply of Reception Chair with adjustable PU arm, seat and back made of 12mm thick imported commercial ply, upholstered with approved Fabric., adjustable height with gas lift, spring loaded back, nylon base with twin caster wheels, complete in all respect as per drawing and specification.	✓ 1	Each		
13	SINGLE SEAT SOFA (S-10) Supply of single seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good quality foam and approved Fabric. Complete in all respect as per drawing and Specification.	✓ 10	Each		
14	TWO SEAT SOFA (S-10) Supply of two seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good quality foam and approved Fabric. Complete in all respect as per drawing and Specification.	✓ 5	Each		
15	THREE SEAT SOFA (S-10) Supply of Three seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good quality foam and approved Fabric. Complete in all respect as per drawing and Specification.	✓ 5	Each		
16	CENTER TABLE (CT-5A-A8) Size: W 3'-6" X D 2'-0" X H 1'-6" Supply of Center Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm ² of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood tothing joint between top & sides. Finish with NC lacquer polish. Complete in all respect as per specification and drawings.	✓ 5	Each		



SUPPLY OF STANDARD FURNITURE AT NBP MAIN BRANCH, JHANG**TICKET NO. 57953****BOQ**

17	SIDE TABLE (CT-5A-A9) Size: W 1'-6" X D1'-6" X H 1'-6" Supply of Side Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm2 of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. Complete in all respect as per specification and drawings.	✓ 10	Each		
17	WRITTING DESK (WD-1) Size: (W) 6'-0"X (D) 2'-0"X (H) 4'-0" Structure made of solid & seasoned Oak wood with wood stopper. Upper partition & shelf made of MDF board with oak veneer pressed under 100-150 Kg/cm2 of air pressure and 60 degree of Temperature with solid & seasoned Oak wood lipping. NC laquor polish finish. Top in approved Corian complete in all respect as per specification & drawing.	✓ 1	Each		

Total Rs.

GST J

Transportation

Grand Total Rs.

For NATIONAL BANK OF PAKISTAN

CONTRACTOR



SUPPLY OF STANDARD FURNITURE AT NBP ISLAMIC BANKING BRANCH, SAMANABAD, LAHORE**TICKET NO. 65193****BOQ**

5	CPU TROLLEY (CPU-1) Size (Standard Size) Supply of CPU Trolley made of mild steel sheet with deco black paint finish. Complete in all respect and drawing.	6	Each		
6	OFFICER REVOLVING CHAIR (LOW BACK) C-1 Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (denisty 1.52 pound per cft), covered with approved Fabric,seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydralic base, complete in all respect as per specification & drawings.		Each		
7	MANAGER REVOLVING CHAIR (HIGH Back) C-2 Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (denisty 1.52 pound per cft), covered with approved Fabric,seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydralic base, complete in all respect as per specification & drawings,		Each		
8	MANAGER VISITOR'S CHAIR (VC- 2) Supply of officer Visitor's Chair, structure made of solid & seasoned Oak wood all joints made in epoxy and two sided screw, seat and back upholstered with foam and approved leatherite/Fabric. Wood parts finished with NC lacquer polish. Complete in all respect as per specification and drawings.		Each		
9	OFFICER VISITOR'S CHAIR (VC- 4) Supply of officer Visitor's Chair, structure made of solid & seasoned Oak wood all joints made in epoxy and two sided screw, seat and back upholstered with foam and approved leatherite. Wood parts finished with NC lacquer polish. Complete in all respect as per	8	Each		
10	WAITING BENCH THREE SEAT (VS-3) Supply of 3 Seater Waiting Bench, structure amd armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specification and drawings.	2	Each		



SUPPLY OF STANDARD FURNITURE AT NBP ISLAMIC BANKING BRANCH, SAMANABAD, LAHORE**TICKET NO. 65193****BOQ**

11	WAITING BENCH TWO SEAT (VS-2) Supply of 2 Seater Waiting Bench, structure and armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specification and drawings.	2	Each		
12	RECEPTION CHAIR C-3 Supply of Reception Chair with adjustable PU arm, seat and back made of 12mm thick imported commercial ply, upholstered with approved Fabric., adjustable height with gas lift, spring loaded back, nylon base with twin caster wheels, complete in all respect as per drawing and specification.		Each		
13	SINGLE SEAT SOFA (S-10) Supply of single seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good quality foam and approved Fabric. Complete in all respect as per drawing and Specification.		Each		
14	TWO SEAT SOFA (S-10) Supply of two seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good quality foam and approved Fabric. Complete in all respect as per drawing and Specification.		Each		
15	THREE SEAT SOFA (S-10) Supply of Three seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good quality foam and approved Fabric. Complete in all respect as per drawing and Specification.		Each		
16	CENTER TABLE (CT-5A-A8) Size: W 3'-6" X D 2'-0" X H 1'-6" Supply of Center Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm ² of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. Complete in all respect as per specification and drawings.		Each		



SUPPLY OF STANDARD FURNITURE AT NBP ISLAMIC BANKING BRANCH, SAMANABAD, LAHORE

TICKET NO. 65193

BOQ

17	<p>SIDE TABLE (CT-5A-A9) Size: W 1'-6" X D1'-6" X H 1'-6" Supply of Side Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm2 of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood tothing joint between top & sides. Finish with NC lacquer polish. COMplete in all respect as per specification and drawings.</p>	Each		
17	<p>WRITTING DESK (WD-1) Size: (W) 6'-0"X (D) 2'-0"X (H) 4'-0" Structure made of solid & seasoned Oak wood with wood stopper. Upper partition & shelf made of MDF board with oak veneer pressed under 100-150 Kg/cm2 of air pressure and 60 degree of Temperature with solid & seasoned Oak wood lipping. NC laquor polish finish. Top in approved Corian complete in all respect as per specification & drawing.</p>	Each		
			Total Rs.	
			GST	
			Transportation	
			Grand Total Rs.	

For NATIONAL BANK OF PAKISTAN

CONTRACTOR



LOT NO.9-C: NBP LDA PLAZA BRANCH LAHORE EAST**SUPPLY OF STANDARD FURNITURE AT NBP LDA PLAZA BRANCH, LAHORE****TICKET NO. 62611****BOQ**

S.NO	DESCRIPTION/SPECIFICATION	QTY	UNIT	RATE (Rs)	AMOUNT (Rs)
1	BRANCH MANAGER TABLE (BMT-1) Table Size: L 5'-0" X D 3'-0" X H 2'-6". Return Table size: L 5'-0" X D 1'-6" X H 2'-0" Supply of Branch Manager Table made of chipboard with formica # 7419 (Formite) pressed under 100-150 Kg/Cm2 of air pressure and 60 C of temperature and backing formica underneath, with approved color leatherite writing pad on top. Having solid and seasoned Oak wood toothing joint between top & Sides with NC lacure polish finish. Top fixed with return (Side) table with stainless steel spacers, including return table with two drawers. Drawers run on imported roller. Complete in all respect as per Drawing & specification.	2	Each		
2	OFFICER TABLE (T-30) Size: L 4'-6" X D 2'-6" X H 2'-6" Return Table size: L 4'-6" X D 1'-6" X H 2'-0" Supply of Office Wooden Table. Table top made of Chipboard with farmica #7419 (Farmite) pressed under 100-150 Kg/Cm2 of air pressure and 60 degree of temprature on front side and backing formica underneath with solid Oak wood edging in N.C lacquer polish finish. Including non-megnetic stainless steel vanity panel with supported S.S brackets and 'H' shape pillar both sides with silver sparkle deco paint. Completed in all respect.	4	Each		
3	GREDEZA FOR MANAGER (CR-2) Size (5'-0" X 1'-6" X 2'-6") Supply of Credenza made of Chipboard with formica # 7419 (Formite) with approved Oak Veneer pressed under 100-150 Kg/ Cm2 of air pressure and 60 C of temprature and backing veneer on other side with Oak wood toothing. Finish with clear NC lacquer polish, Having storage and drawers with imported roller runner,hinges, complete in all respect as per specification and drawing.	2	Each		
4	DRAWER PEDESTAL (DP-1) Size (1'-8" X 1'-6" X 2'-2") Suppy of Drawer Pedestal made of Chipboard with formica # 7419 (Framite) pressed under 100-150 Kg/Cm2 air pressur and 60 C of temperature and backing formica underneath. Drawer pedestal having three drawer on imported roller runners including lokcs, pull and footing / glide. Complete in all respect as per specification and drawings.	6	Each		



SUPPLY OF STANDARD FURNITURE AT NBP LDA PLAZA BRANCH, LAHORE**TICKET NO. 62611**

BOQ				
5	CPU TROLLEY (CPU-1) Size (Standard Size) Supply of CPU Trolley made of mild steel sheet with deco black paint finish. Complete in all respect and drawing		Each	
6	OFFICER REVOLVING CHAIR (LOW BACK) C-1 Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (denisty 1.52 pound per cft), covered with approved Fabric,seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base, complete in all respect as per specification & drawings.		Each	
7	MANAGER REVOLVING CHAIR (HIGH Back) C-2 Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (denisty 1.52 pound per cft), covered with approved Fabric,seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base, complete in all respect as per specification & drawings.	✓ 9	Each	
8	MANAGER VISITOR'S CHAIR (VC- 2) Supply of officer Visitor's Chair, structure made of solid & seasoned Oak wood all joints made in epoxy and two sided screw, seat and back upholstered with foam and approved leatherite/Fabric. Wood parts finished with NC lacquer polish. Complete in all respect as per specification and drawings.		Each	
9	OFFICER VISITOR'S CHAIR (VC- 4) Supply of officer Visitor's Chair, structure made of solid & seasoned Oak wood all joints made in epoxy and two sided screw, seat and back upholstered with foam and approved leatherite. Wood parts finished with NC lacquer polish. Complete in all respect as per	✓ 10	Each	
10	WAITING BENCH THREE SEAT (VS-3) Supply of 3 Seater Waiting Bench, structure amd armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specification and drawings.		Each	



SUPPLY OF STANDARD FURNITURE AT NBP LDA PLAZA BRANCH, LAHORE**TICKET NO. 62611****BOQ**

11	WAITING BENCH TWO SEAT (VS-2) Supply of 2 Seater Waiting Bench, structure and armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specification and drawings.		Each		
12	RECEPTION CHAIR C-3 Supply of Reception Chair with adjustable PU arm, seat and back made of 12mm thick imported commercial ply, upholstered with approved Fabric., adjustable height with gas lift, spring loaded back, nylon base with twin caster wheels, complete in all respect as per drawing and specification.		Each		
13	SINGLE SEAT SOFA (S-10) Supply of single seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good quality foam and approved Fabric. Complete in all respect as per drawing and Specification.		Each		
14	TWO SEAT SOFA (S-10) Supply of two seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good quality foam and approved Fabric. Complete in all respect as per drawing and Specification.		Each		
15	THREE SEAT SOFA (S-10) Supply of Three seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good quality foam and approved Fabric. Complete in all respect as per drawing and Specification.		Each		
16	CENTER TABLE (CT-5A-A8) Size: W 3'-6" X D 2'-0" X H 1'-6" Supply of Center Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm ² of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood tooting joint between top & sides. Finish with NC lacquer polish. Complete in all respect as per specification and drawings.	✓ 1	Each		



SUPPLY OF STANDARD FURNITURE AT NBP LDA PLAZA BRANCH, LAHORE

TICKET NO. 62611

BOQ

17	<p>SIDE TABLE (CT-5A-A9) Size: W 1'-6" X D1'-6" X H 1'-6" Supply of Side Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm2 of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. Complete in all respect as per specification and drawings.</p>		Each									
17	<p>WRITTING DESK (WD-1) Size: (W) 6'-0"X (D) 2'-0"X (H) 4'-0" Structure made of solid & seasoned Oak wood with wood stopper. Upper partition & shelf made of MDF board with oak veneer pressed under 100-150 Kg/cm2 of air pressure and 60 degree of Temperature with solid & seasoned Oak wood lipping. NC laquor polish finish. Top in approved Corian complete in all respect as per specification & drawing.</p>		Each									
				<table border="1"> <tr> <td data-bbox="986 891 1220 952">Total Rs.</td> <td data-bbox="1220 891 1434 952"></td> </tr> <tr> <td data-bbox="986 952 1220 1008">GST :</td> <td data-bbox="1220 952 1434 1008"></td> </tr> <tr> <td data-bbox="986 1008 1220 1064">Transportation</td> <td data-bbox="1220 1008 1434 1064"></td> </tr> <tr> <td data-bbox="986 1064 1220 1158">Grand Total Rs.</td> <td data-bbox="1220 1064 1434 1158"></td> </tr> </table>	Total Rs.		GST :		Transportation		Grand Total Rs.	
Total Rs.												
GST :												
Transportation												
Grand Total Rs.												

For NATIONAL BANK OF PAKISTAN

CONTRACTOR



LOT NO.10-C: KINGRA BRANCH SIALKOT**SUPPLY OF STANDARD FURNITURE AT NBP KINGRA BRANCH, SIALKOT
TICKET NO. 52847****BOQ**

S.NO	DESCRIPTION/SPECIFICATION	QTY	UNIT	RATE (Rs)	AMOUNT (Rs)
1	BRANCH MANAGER TABLE (BMT-1) Table Size: L 5'-0" X D 3'-0" X H 2'-6". Return Table size: L 5'-0" X D 1'-6" X H 2'-0" Supply of Branch Manager Table made of chipboard with formica # 7419 (Formite) pressed under 100-150 Kg/Cm2 of air pressure and 60 C of temperature and backing formica underneath, with approved color leatherite writing pad on top. Having solid and seasoned Oak wood toothing joint between top & Sides with NC lacure polish finish. Top fixed with return (Side) table with stainless steel spacers, including return table with two drawers. Drawers run on imported roller. Complete in all respect as per Drawing & specification.	1	Each		
2	OFFICER TABLE (T-30) Size: L 4'-6" X D 2'-6" X H 2'-6" Return Table size: L 4'-6" X D 1'-6" X H 2'-0" Supply of Office Wooden Table. Table top made of Chipboard with farmica #7419 (Farmite) pressed under 100-150 Kg/Cm2 of air pressure and 60 degree of temprature on front side and backing formica underneath with solid Oak wood edging in N.C lacquer polish finish. Including non-megnetic stainless steel vanity panel with supported S.S brackets and 'H' shape pillar both sides with silver sparkle deco paint. Completed in all respect.	3	Each		
3	CREDENZA FOR MANAGER (CR-2) Size (5'-0" X 1'-6" X 2'-6") Supply of Credenza made of Chipboard with formica # 7419 (Formite) with approved Oak Veneer pressed under 100-150 Kg/ Cm2 of air pressure and 60 C of temprature and backing veneer on other side with Oak wood toothing. Finish with clear NC lacquer polish, Having storage and drawers with imported roller runner,hinges, complete in all respect as per specification and drawing.	1	Each		
4	DRAWER PEDESTAL (DP-1) Size (1'-8" X 1'-6" X 2'-2") Suppy of Drawer Pedestal made of Chipboard with formica # 7419 (Framite) pressed under 100-150 Kg/Cm2 air pressur and 60 C of temperature and backing formica underneath. Drawer pedestal having three drawer on imported roller runners including lokcs, pull and footing / glide. Complete in all respect as per specification and drawings.		Each		



Page 1



SUPPLY OF STANDARD FURNITURE AT NBP KINGRA BRANCH, SIALKOT**TICKET NO. 52847****BOQ**

5	CPU TROLLEY (CPU-1) Size (Standard Size) Supply of CPU Trolley made of mild steel sheet with deco black paint finish. Complete in all respect and drawing		Each	
6	OFFICER REVOLVING CHAIR (LOW BACK) C-1 Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (denisty 1.52 pound per cft), covered with approved Fabric,seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydralic base, complete in all respect as per specification & drawings.	✓ 5	Each	
7	MANAGER REVOLVING CHAIR (HIGH Back) C-2 Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (denisty 1.52 pound per cft), covered with approved Fabric,seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydralic base, complete in all respect as per specification & drawings.	✓ 1	Each	
8	MANAGER VISITOR'S CHAIR (VC- 2) Supply of officer Visitor's Chair, structure made of solid & seasoned Oak wood all joints made in epoxy and two sided screw, seat and back upholstered with foam and approved leatherite/Fabric. Wood parts finished with NC lacquer polish. Complete in all respect as per specification and drawings.		Each	
9	OFFICER VISITOR'S CHAIR (VC- 4) Supply of officer Visitor's Chair, structure made of solid & seasoned Oak wood all joints made in epoxy and two sided screw, seat and back upholstered with foam and approved leatherite. Wood parts finished with NC lacquer polish. Complete in all respect as per	✓ 10	Each	
10	WAITING BENCH THREE SEAT (VS-3) Supply of 3 Seater Waiting Bench, structure amd armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specification and drawings.	✓ 4	Each	



SUPPLY OF STANDARD FURNITURE AT NBP KINGRA BRANCH, SIALKOT**TICKET NO. 52847****BOQ**

11	WAITING BENCH TWO SEAT (VS-2) Supply of 2 Seater Waiting Bench, structure and armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specification and drawings.		Each		
12	RECEPTION CHAIR C-3 Supply of Reception Chair with adjustable PU arm, seat and back made of 12mm thick imported commercial ply, upholstered with approved Fabric., adjustable height with gas lift, spring loaded back, nylon base with twin caster wheels, complete in all respect as per drawing and specification.		Each		
13	SINGLE SEAT SOFA (S-10) Supply of single seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good quality foam and approved Fabric. Complete in all respect as per drawing and Specification.		Each		
14	TWO SEAT SOFA (S-10) Supply of two seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good quality foam and approved Fabric. Complete in all respect as per drawing and Specification.		Each		
15	THREE SEAT SOFA (S-10) Supply of Three seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good quality foam and approved Fabric. Complete in all respect as per drawing and Specification.		Each		
16	CENTER TABLE (CT-5A-A8) Size: W 3'-6" X D 2'-0" X H 1'-6" Supply of Center Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm2 of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood tothing joint between top & sides. Finish with NC lacquer polish. Complete in all respect as per specification and drawings.		Each		



SUPPLY OF STANDARD FURNITURE AT NBP KINGRA BRANCH, SIALKOT
TICKET NO. 52847

BOQ

17	SIDE TABLE (CT-5A-A9) Size: W 1'-6" X D1'-6" X H 1'-6" Supply of Side Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm2 of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. Complete in all respect as per specification and drawings.	Each		
17	WRITTING DESK (WD-1) Size: (W) 6'-0"X (D) 2'-0"X (H) 4'-0" Structure made of solid & seasoned Oak wood with wood stopper. Upper partition & shelf made of MDF board with oak veneer pressed under 100-150 Kg/cm2 of air pressure and 60 degree of Temperature with solid & seasoned Oak wood lipping. NC laquor polish finish. Top in approved Corian complete in all respect as per specification & drawing.	Each		
		Total Rs.		
		GST 17%		
		Transportation		
		Grand Total Rs.		

For NATIONAL BANK OF PAKISTAN

CONTRACTOR



LOT NO.11-C: RANGPURA BRANCH RO SIALKOT**SUPPLY OF STANDARD FURNITURE AT NBP RANGPURA BRANCH, REGIONAL OFFICE SIALKOT****BOQ**

S.NO	DESCRIPTION/SPECIFICATION	QTY	UNIT	RATE (Rs)	AMOUNT (Rs)
1	BRANCH MANAGER TABLE (BMT-1) Table Size: L 5'-0" X D 3'-0" X H 2'-6". Return Table size: L 5'-0" X D 1'-6" X H 2'-0" Supply of Branch Manager Table made of chipboard with formica # 7419 (Formite) pressed unde 100-150 Kg/Cm2 of air pressure and 60 C of temperature and backing formica underneath, with approved color leatherite writing pad on top. Having solid and seasoned Oak wood toothing joint between top & Sides with NC lacure polish finish. Top fixed with return (Side) table with stainless steel spacers, including return table with two drawers. Drawers run on imported roller. COmplete in all respect as per Drawing & specification	1	Each		
2	OFFICER TABLE (T-30) Size: L 4'-6" X D 2'-6" X H 2'-6" Return Table size: L 4'-6" X D 1'-6" X H 2'-0" Supply of Office Wooden Table. Table top made of Chipboard with farmica #7419 (Farmite) pressed under 100-150 Kg/Cm2 of air pressure and 60 degree of temprature on front side and backing formica underneath with solid Oak wood edging in N.C lacquer polish finish. Including non-megnetic stainless steel vanity panel with supported S.S brackets and 'H' shape pillar both sides with silver sparkle deco paint. Completed in all respect	2	Each		
3	CREDENZA FOR MANAGER (CR-2) Size (5'-0" X 1'-6" X 2'-6") Supply of Credenza made of Chipboard with formica # 7419 (Formite) with approved Oak Veneer pressed under 100-150 Kg/ Cm2 of air pressure and 60 C of tempessure and backing veneer on other side with Oak wood toothing. Finish with clear NC lacquer polish, Having storage and drawers with imported roller runner,hinges, complete in all respect as per specification and drawing.	1	Each		
4	DRAWER PEDESTAL (DP-1) Size (1'-8" X 1'-6" X 2'-2") Suppy of Drawer Pedestal made of Chipboard with formica # 7419 (Framite) pressed under 100-150 Kg/Cm2 air pressur and 60 C of temperature and backing formica underneath. Drawer pedestal having three drawer on imported roller runners including lokcs, pull and footing / glide. Complete in all respect as per specification and drawings.	3	Each		
5	CPU TROLLEY (CPU-1) Size (Standard Size) Supply of CPU Trolley made of mild steel sheet with deco black paint finish. Complete in all respect and drawing	5	Each		



SUPPLY OF STANDARD FURNITURE AT NBP RANGPURA BRANCH, REGIONAL OFFICE SIALKOT

BOQ				
6	<u>OFFICER REVOLVING CHAIR (LOW BACK) C-1</u> Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (denisty 1.52 pound per cft), covered with approved Fabric,seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base, complete in all respect as per specification & drawings.	✓ 4	Each	
7	<u>MANAGER REVOLVING CHAIR (HIGH Back) C-2</u> Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (denisty 1.52 pound per cft), covered with approved Fabric,seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base, complete in all respect as per specification & drawings.	✓ 1	Each	
8	<u>MANAGER VISITOR'S CHAIR (VC- 2)</u> Supply of officer Visitor's Chair, structure made of solid & seasoned Oak wood all joints made in epoxy and two sided screw, seat and back upholstered with foam and approved leatherite/Fabric. Wood parts finished with NC lacquer polish. Complete in all respect as per specification and drawings.	✓ 2	Each	
9	<u>OFFICER VISITOR'S CHAIR (VC- 4)</u> Supply of officer Visitor's Chair, structure made of solid & seasoned Oak wood all joints made in epoxy and two sided screw, seat and back upholstered with foam and approved leatherite. Wood parts finished with NC lacquer polish. Complete in all respect as per specification and drawings.	✓ 4	Each	
10	<u>WAITING BENCH THREE SEAT (VS-3)</u> Supply of 3 Seater Waiting Bench, structure amd armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specification and drawings.	✓ 3	Each	
11	<u>WAITING BENCH TWO SEAT (VS-2)</u> Supply of 2 Seater Waiting Bench, structure amd armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specification and drawings.	✓ 0	Each	
12	<u>RECEPTION CHAIR C-3</u> Supply of Reception Chair with adjustable PU arm, seat and back made of 12mm thick imported commercial ply, upholstered with approved Fabric., adjustable height with gas lift, spring loaded back, nylon base with twin caster wheels, complete in all respect as per drawing and specification.		Each	



SUPPLY OF STANDARD FURNITURE AT NBP RANGPURA BRANCH, REGIONAL OFFICE SIALKOT**BOQ**

13	SINGLE SEAT SOFA (S-10) Supply of single seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good quality foam and approved Fabric. Complete in all respect as per drawing and Specification.		Each		
14	TWO SEAT SOFA (S-10) Supply of Two seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good quality foam and approved Fabric. Complete in all respect as per drawing and Specification.	1	Each		
15	CENTER TABLE (CT-5A-A8) Size: W 3'-6" X D 2'-0" X H 1'-6" Supply of Center Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm ² of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. Complete in all respect as per specification and drawings.	2	Each		
16	SIDE TABLE (CT-5A-A9) Size: W 1'-6" X D 1'-6" X H 1'-6" Supply of Side Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm ² of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. Complete in all respect as per specification and drawings.		Each		
17	WRITTING DESK (WD-1) Size: (W) 6'-0" X (D) 2'-0" X (H) 4'-0" Structure made of solid & seasoned Oak wood with wood stopper. Upper partition & shelf made of MDF board with oak veneer pressed under 100-150 Kg/cm ² of air pressure and 60 degree of Temperature with solid & seasoned Oak wood lipping. NC laquor polish finish. Top in approved Corian complete in all respect as per specification & drawing.	1	Each		




SUPPLY OF STANDARD FURNITURE AT NBP RANGPURA BRANCH, REGIONAL OFFICE SIALKOT

BOQ

18	CONFERENCE TABLE				
	Presentation Room Table (PRS-I), table top & oval shaped legs made with 18+18mm thick sandwich chipboard with Ash wood veneer and other side formica both pressed under 100-150 Kg/cm2 of air pressure and 60 degree of temperature and 5mm solid ash wood edging, vanity panel made of 18mm thick chipboard with ash wood veneer on both sides with 5mm thick solid seasoned ash wood edging all finish with clear NC lacquer polish as per stain shade including mild steel joining brackets of 3mm thickness of approved finish ducts/cable management system and approved Extron make or approved equivalent hideaway surface access enclosure (model HSA-300C) with AV connectivity A.C. power USB ports, complete with all respects as per drawing. (For 8 Persons)				
	Each				
	Total Rs.				
	GST				
	Total				
Transportation					
Grand Total Rs.					

FOR NATIONAL BANK OF PAKISTAN



CONTRACTOR



LOT NO.12-C: WIJH BRANCH RO SARGODHA**SUPPLY OF STANDARD FURNITURE AT NBP WIJH BRANCH, REGIONAL OFFICE SARGODHA**

S.NO	DESCRIPTION/SPECIFICATION	QTY	UNIT	RATE (Rs)	AMOUNT (Rs)
1	BRANCH MANAGER TABLE (BMT-1) Table Size: L 5'-0" X D 3'-0" X H 2'-6". Return Table size: L 5'-0" X D 1'-6" X H 2'-0" Supply of Branch Manager Table made of chipboard with formica # 7419 (Formite) pressed unde 100-150 Kg/Cm2 of air pressure and 60 C of temperature and backing formica underneath, with approved color leatherite writing pad on top. Having solid and seasoned Oak wood toothing joint between top & Sides with NC lacure polish finish. Top fixed with return (Side) table with stainless steel spacers, including return table with two drawers. Drawers run on imported roller. COMplete in all respect as per Drawing & snerification	1	Each		
2	OFFICER TABLE (T-30) Size: L 4'-6" X D 2'-6" X H 2'-6" Return Table size: L 4'-6" X D 1'-6" X H 2'-0" Supply of Office Wooden Table. Table top made of Chipboard with farmica #7419 (Farmite) pressed under 100-150 Kg/Cm2 of air pressure and 60 degree of temprature on front side and backing formica underneath with solid Oak wood edging in N.C lacquer polish finish. Including non-megnetic stainless steel vanity panel with supported S.S brackets and 'H' shape pillar both sides with silver sparkle deco paint. Completed in all respect	2	Each		
3	CREDENZA FOR MANAGER (CR-2) Size (5'-0" X 1'-6" X 2'-6") Supply of Credenza made of Chipboard with formica # 7419 (Formite) with approved Oak Veneer pressed under 100-150 Kg/ Cm2 of air pressure and 60 C of temprature and backing veneer on other side with Oak wood toothing. Finish with clear NC lacquer polish, Having storage and drawers with imported roller runner,hinges, complete in all respect as per specification and drawing.	1	Each		
4	DRAWER PEDESTAL (DP-1) Size (1'-8" X 1'-6" X 2'-2") Suppy of Drawer Pedestal made of Chipboard with formica # 7419 (Framite) pressed under 100-150 Kg/Cm2 air pressur and 60 C of temperature and backing formica underneath. Drawer pedestal having three drawer on imported roller runners including lokcs, pull and footing / glide. Complete in all respect as per specification and drawings.	3	Each		
5	CPU TROLLEY (CPU-1) Size (Standard Size) Supply of CPU Trolley made of mild steel sheet with deco black paint finish. Complete in all respect and drawing	4	Each		



SUPPLY OF STANDARD FURNITURE AT NBP WIJH BRANCH, REGIONAL OFFICE SARGODHA**BOQ**

6	OFFICER REVOLVING CHAIR (LOW BACK) C-1 Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (denisty 1.52 pound per cft), covered with approved Fabric,seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base, complete in all respect as per specification & drawings.	4	Each		
7	MANAGER REVOLVING CHAIR (HIGH Back) C-2 Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (denisty 1.52 pound per cft), covered with approved Fabric,seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base, complete in all respect as per specification & drawings.	1	Each		
8	MANAGER VISITOR'S CHAIR (VC- 2) Supply of officer Visitor's Chair, structure made of solid & seasoned Oak wood all joints made in epoxy and two sided screw, seat and back upholstered with foam and approved leatherite/Fabric. Wood parts finished with NC lacquer polish. Complete in all respect as per specification and drawings.	2	Each		
9	OFFICER VISITOR'S CHAIR (VC- 4) Supply of officer Visitor's Chair, structure made of solid & seasoned Oak wood all joints made in epoxy and two sided screw, seat and back upholstered with foam and approved leatherite. Wood parts finished with NC lacquer polish. Complete in all respect as per specification and drawings.	4	Each		
10	WAITING BENCH THREE SEAT (VS-3) Supply of 3 Seater Waiting Bench, structure amd armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specification and drawings.	2	Each		
11	WAITING BENCH TWO SEAT (VS-2) Supply of 2 Seater Waiting Bench, structure amd armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specification and drawings.	0	Each		
12	RECEPTION CHAIR C-3 Supply of Reception Chair with adjustable PU arm, seat and back made of 12mm thick imported commercial ply, upholstered with approved Fabric., adjustable height with gas lift, spring loaded back, nylon base with twin caster wheels, complete in all respect as per drawing and specification.		Each		



SUPPLY OF STANDARD FURNITURE AT NBP WIJH BRANCH, REGIONAL OFFICE SARGODHA**BOQ**

13	SINGLE SEAT SOFA (S-10) Supply of single seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good quality foam and approved Fabric. Complete in all respect as per drawing and Specification.		Each	
14	TWO SEAT SOFA (S-10) Supply of Two seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good quality foam and approved Fabric. Complete in all respect as per drawing and Specification.	✓ 1	Each	
15	CENTER TABLE (CT-5A-A8) Size: W 3'-6" X D 2'-0" X H 1'-6" Supply of Center Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm ² of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood tothing joint between top & sides. Finish with NC lacquer polish. Complete in all respect as per specification and drawings.	✓ 1	Each	
16	SIDE TABLE (CT-5A-A9) Size: W 1'-6" X D1'-6" X H 1'-6" Supply of Side Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm ² of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood tothing joint between top & sides. Finish with NC lacquer polish. Complete in all respect as per specification and drawings.		Each	
17	WRITING DESK (WD-1) Size: (W) 6'-0"X (D) 2'-0"X (H) 4'-0" Structure made of solid & seasoned Oak wood with wood stopper. Upper partition & shelf made of MDF board with oak veneer pressed under 100-150 Kg/cm ² of air pressure and 60 degree of Temperature with solid & seasoned Oak wood lipping. NC laquor polish finish. Top in approved Corian complete in all respect as per specification & drawing.	1	Each	



SUPPLY OF STANDARD FURNITURE AT NBP WIJH BRANCH, REGIONAL OFFICE SARGODHA**BOQ**

18	CONFERENCE TABLE Presentation Room Table (PRS-I), table top & oval shaped legs made with 18+18mm thick sandwich chipboard with Ash wood veneer and other side formica both pressed under 100-150 Kg/cm ² of air pressure and 60 degree of temperature and 5mm solid ash wood edging, vanity panel made of 18mm thick chipboard with ash wood veneer on both sides with 5mm thick solid seasoned ash wood edging all finish with clear NC lacquer polish as per stain shade including mild steel joining brackets of 3mm thickness of approved finish ducts/cable management system and approved Extron make or approved equivalent hideaway surface access enclosure (model HSA-300C) with AV connectivity A.C. power USB ports, complete with all respects as per drawing. (For 8 Persons)	Each		
		Total Rs.		
		GST		
		TOTAL		
		Transportation		
		Grand Total Rs.		



FOR NATIONAL BANK OF PAKISTAN

CONTRACTOR



LOT NO.13-C: NBP MAIN BRANCH MIANWALI**SUPPLY OF STANDARD FURNITURE AT NBP MAIN BRANCH MIANWALI, R.O. MIANWALI**

Bill of Quantities

S.NO	DESCRIPTION/SPECIFICATION	QTY	UNIT	RATE (Rs)	AMOUNT (Rs)
1	BRANCH MANAGER TABLE (BMT-1) Table Size: L 5'-0" X D 3'-0" X H 2'-6". Return Table size: L 5'-0" X D 1'-6" X H 2'-0" Supply of Branch Manager Table made of chipboard with formica # 7419 (Formite) pressed under 100-150 Kg/Cm2 of air pressure and 60 C of temperature and backing formica underneath, with approved color leatherite writing pad on top. Having solid and seasoned Oak wood toothing joint between top & Sides with NC lacque polish finish. Top fixed with return (Side) table with stainless steel spacers, including return table with two drawers. Drawers run on imported roller. Complete in all respect as per Drawing & specification.	1	Each		0
2	OFFICER TABLE (T-30) Size: L 4'-6" X D 2'-6" X H 2'-6" Supply of Office Wooden Table. Table top made of Chipboard with farmica #7419 (Farmite) pressed under 100-150 Kg/Cm2 of air pressure and 60 degree of temprature on front side and backing formica underneath with solid Oak wood edging in N.C lacquer polish finish. Including non-megnetic stainless steel vanity panel with supported S.S brackets and 'H' shape pillar both sides with silver sparkle deco paint. Completed in all respect.	10	Each		0
3	CREDENZA FOR MANAGER (CR-2) Size (5'-0" X 1'-6" X 2'-6") Supply of Credenza made of Chipboard with formica # 7419 (Formite) with approved Oak Veneer pressed under 100-150 Kg/ Cm2 of air pressure and 60 C of tempessure and backing veneer on other side with Oak wood toothing. Finish with clear NC lacquer polish, Having storage and drawers with imported roller runner,hinges, complete in all respect as per specification and drawing.	1	Each		0
4	DRAWER PEDESTAL (DP-1) Size (1'-8" X 1'-6" X 2'-2") Suppy of Drawer Pedestal made of Chipboard with formica # 7419 (Framite) pressed under 100-150 Kg/Cm2 air pressur and 60 C of temperature and backing formica underneath. Drawer pedestal having three drawer on imported roller runners including lokcs, pull and footing / glide. Complete in all respect as per specification and drawings.	11	Each		0



SUPPLY OF STANDARD FURNITURE AT NBP MAIN BRANCH MIANWALI, R.O. MIANWALI

Bill of Quantities					
5	CPU TROLLEY (CPU-1) Size (Standard Size) Supply of CPU Trolley made of mild steel sheet with deco black paint finish. Complete in all respect and drawing.	11	Each		
6	OFFICER REVOLVING CHAIR (LOW BACK) C-1 Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (denisty 1.52 pound per cft), covered with approved Fabric,seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base, complete in all respect as per specification & drawings.	23	Each		
7	MANAGER REVOLVING CHAIR (HIGH Back) C-2 Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (denisty 1.52 pound per cft), covered with approved Fabric,seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base, complete in all respect as per specification & drawings.	1	Each		
8	MANAGER VISITOR'S CHAIR (VC- 2) Supply of officer Visitor's Chair, structure made of solid & seasoned Oak wood all joints made in epoxy and two sided screw, seat and back upholstered with foam and approved leatherite/Fabric. Wood parts finished with NC lacquer polish. Complete in all respect as per specification and drawings.	6	Each		
9	OFFICER VISITOR'S CHAIR (VC- 4) Supply of officer Visitor's Chair, structure made of solid & seasoned Oak wood all joints made in epoxy and two sided screw, seat and back upholstered with foam and approved leatherite. Wood parts finished with NC lacquer polish. Complete in all respect as per	30	Each		
10	WAITING BENCH THREE SEAT (VS-3) Supply of 3 Seater Waiting Bench, structure amd armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specification and drawings.	10	Each		




SUPPLY OF STANDARD FURNITURE AT NBP MAIN BRANCH MIANWALI, R.O. MIANWALI


Bill of Quantities

11	WAITING BENCH TWO SEAT (VS-2) Supply of 2 Seater Waiting Bench, structure and armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specification and drawings.	0	Each		
12	RECEPTION CHAIR C-3 Supply of Reception Chair with adjustable PU arm, seat and back made of 12mm thick imported commercial ply, upholstered with approved Fabric., adjustable height with gas lift, spring loaded back, nylon base with twin caster wheels, complete in all respect as per drawing and specification.	1	Each		
13	SINGLE SEAT SOFA (S-10) Supply of single seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good quality foam and approved Fabric. Complete in all respect as per drawing and Specification.	4	Each		
14	TWO SEAT SOFA (S-10) Supply of Two seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good quality foam and approved Fabric. Complete in all respect as per drawing and Specification.	0	Each		




SUPPLY OF STANDARD FURNITURE AT NBP MAIN BRANCH MIANWALI, R.O. MIANWALI**Bill of Quantities**

15	CENTER TABLE (CT-5A-A8) Size: W 3'-6" X D 2'-0" X H 1'-6" Supply of Center Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm2 of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. CComplete in all respect as per specification and drawings.	5	Each		
16	SIDE TABLE (CT-5A-A9) Size: W 1'-6" X D1'-6" X H 1'-6" Supply of Side Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm2 of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. CComplete in all respect as per specification and drawings.	5	Each		
17	WRITTING DESK (WD-1) Size: (W) 6'-0"X (D) 2'-0"X (H) 4'-0" Structure made of solid & seasoned Oak wood with wood stopper. Upper partition & shelf made of MDF board with oak veneer pressed under 100-150 Kg/cm2 of air pressure and 60 degree of Temperature with solid & seasoned Oak wood iipping. NC laquor polish finish. Top in approved Corian complete in all respect as per specification & drawing.	1	Each		
	Total				
	Add 17% G.S.T.				
	Total amount (after GST)				


 FOR NATIONAL BANK OF PAKISTAN

CONTRACTOR



LOT NO.1-N: NBP SSC TANK RO BANNU

National Bank of Pakistan
SUPPLY OF STANDARD FURNITURE AT NBP SSC TANK BRANCH BANNU R.O BANNU
UNDER TICKET NO 48923

Estimate					
Composite Schedule rate Ref No.	DESCRIPTION/SPECIFICATION	QTY	UNIT	RATE (Rs)	AMOUNT (Rs)
1	BRANCH MANAGER TABLE (BMT-1) Table Size: L 5'-0" X D 3'-0" X H 2'-6" Return Table size: L 5'-0" X D 1'-6" X H 2'-0" Supply of Branch Manager Table made of chipboard with formica # 7419 (Formite) pressed under 100-150 Kg/Cm2 of air pressure and 60 C of temperature and backing formica underneath, with approved color leatherite writing pad on top. Having solid and seasoned Oak wood toothing joint between top & Sides with NC lacure polish finish. Top fixed with return (Side) table with stainless steel spacers, including return table with two drawers. Drawers run on imported roller. CComplete in all respect as per Drawing & specification		Each		-
2	OFFICER TABLE (T-30) Size: L 4'-0" X D 2'-6" X H 2'-6" Return Table size: L 4'-6" X D 1'-6" X H 2'-0" Supply of Office Wooden Table. Table top made of Chipboard with formica #7419 (Farmite) pressed under 100-150 Kg/Cm2 of air pressure and 60 degree of temprature on front side and backing formica underneath with solid Oak wood edging in N.C lacquer polish finish. Including non-megnetic stainless steel vanity panel with supported S.S brackets and 'H' shape pillar both sides with silver sparkle deco paint. Completed in all respect	3	Each		-
3	CREDENZA FOR MANAGER (CR-2) Size (5'-0" X 1'-6" X 2'-6") Supply of Credenza made of Chipboard with formica # 7419 (Formite) with approved Oak Veneer pressed under 100-150 Kg/ Cm2 of air pressure and 60 C of temprature and backing veneer on other side with Oak wood toothing. Finish with clear NC lacquer polish, Having storage and drawers with imported roller runner,hinges, complete in all respect as per specification and drawing.	2	Each		-
4	DRAWER PEDESTAL (DP-1) Size (1'-8" X 1'-6" X 2'-2") Supply of Drawer Pedestal made of Chipboard with formica # 7419 (Framite) pressed under 100-150 Kg/Cm2 air pressur and 60 C of temperature and backing formica underneath. Drawer pedestal having three drawer on imported roller runners including lokcs, pull and footing / glide. Complete in all respect as per specification and drawings.	3	Each		-
5	CPU TROLLEY (CPU-1) Size (Standard Size) Supply of CPU Trolley made of mild steel sheet with deco black paint finish. Complete in all respect and drawing		Each		-
6	OFFICER REVOLVING CHAIR (LOW BACK) C-1 Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (denisty 1.52 pound per cft), covered with approved Fabric,seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base, complete in all respect as per specification & drawings.	10	Each		-
7	MANAGER REVOLVING CHAIR (HIGH Back) C-2 Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (denisty 1.52 pound per cft), covered with approved Fabric,seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base, complete in all respect as per specification & drawings.	2	Each		-



8	MANAGER VISITOR'S CHAIR (VC- 2) Supply of officer Visitor's Chair, structure made of solid & seasoned Oak wood all joints made in epoxy and two sided screw, seat and back upholstered with foam and approved leatherite/Fabric. Wood parts finished with NC lacquer polish. Complete in all respect as per specification and drawings.		Each		-
9	OFFICER VISITOR'S CHAIR (VC- 4) Supply of officer Visitor's Chair, structure made of solid & seasoned Oak wood all joints made in epoxy and two sided screw, seat and back upholstered with foam and approved leatherite. Wood parts finished with NC lacquer polish. Complete in all respect as per specification and drawings.	6	Each		-
10	WAITING BENCH THREE SEAT (VS-3) Supply of 3 Seater Waiting Bench, structure and armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specification and drawings.		Each		-
11	WAITING BENCH TWO SEAT (VS-2) Supply of 2 Seater Waiting Bench, structure and armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specification and drawings.	2	Each		-
12	SINGLE SEAT SOFA (S-10) Supply of single seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good quality foam and approved Fabric. Complete in all respect as per drawing and Specification.		Each		-
13	TWO SEAT SOFA (S-10) Supply of Two seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good quality foam and approved Fabric. Complete in all respect as per drawing and Specification.		Each		-
14	THREE SEAT SOFA (S-10) Supply of three seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good quality foam and approved Fabric. Complete in all respect as per drawing and Specification.		Each		-
15	CENTER TABLE (CT-5A-A8) Size: W 3'-6" X D 2'-0" X H 1'-6" Supply of Center Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm2 of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. Complete in all respect as per specification and drawings.		Each		-
16	SIDE TABLE (CT-5A-A9) Size: W 1'-6" X D 1'-6" X H 1'-6" Supply of Side Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm2 of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. Complete in all respect as per specification and drawings.		Each		-
17	WRITTING DESK (WD-1) Size: (W) 6'-0" X (D) 2'-0" X (H) 4'-0" Structure made of solid & seasoned Oak wood with wood stopper. Upper partition & shelf made of MDF board with oak veneer pressed under 100-150 Kg/cm2 of air pressure and 60 degree of Temperature with solid & seasoned Oak wood lipping. NC lacquer polish finish. Top in approved Corian complete in all respect as per specification & drawing.		Each		-
Total Rs.					
GST					
Transportation					
Grand Total Rs.					


 ENGR. AKHTAR SHAD
 SR. RESIDENT ENGINEER PESHAWAR



LOT NO.2-N: NBP DILBORI BR RO MANSEHRA**NATIONAL BANK OF PAKISTAN
SUPPLY OF STANDARD FURNITURE AT NBP DILBORI BRANCH MANSHERA(13460)**

Ref: Ticket No. 44097

BILL OF QUANTITIES

S.NO	DESCRIPTION/SPECIFICATION	QTY	UNIT	RATE (Rs)	AMOUNT (Rs)
1	BRANCH MANAGER TABLE (BMT-1) Table Size: L 5'-0" X D 3'-0" X H 2'-6" Return Table size: L 5'-0" X D 1'-6" X H 2'-0" Supply of Branch Manager Table made of chipboard with formica # 7419 (Formite) pressed under 100-150 Kg/Cm2 of air pressure and 60 C of temperature and backing formica underneath, with approved color leatherite writing pad on top. Having solid and seasoned Oak wood toothing joint between top & Sides with NC lacqure polish finish. Top fixed with return (Side) table with stainless steel spacers, including return table with two drawers. Drawers run on imported roller. Complete in all respect as per Drawing & specification.	1	Each		
2	OFFICER TABLE (T-30) Size: L 4'-6" X D 2'-6" X H 2'-6" Return Table size: L 4'-6" X D 1'-6" X H 2'-0" Supply of Office Wooden Table. Table top made of Chipboard with farmica #7419 (Farmite) pressed under 100-150 Kg/Cm2 of air pressure and 60 degree of temprature on front side and backing formica underneath with solid Oak wood edging in N.C lacquer polish finish. Including non-megnetic stainless steel vanity panel with supported S.S brackets and 'H' shape pillar both sides with silver sparkle deco paint. Completed in all respect.	4	Each		
3	CREDENZA FOR MANAGER (CR-2) Size (5'-0" X 1'-6" X 2'-6") Supply of Credenza made of Chipboard with formica # 7419 (Formite) with approved Oak Veneer pressed under 100-150 Kg/ Cm2 of air pressure and 60 C of tempessure and backing veneer on other side with Oak wood toothing. Finish with clear NC lacquer polish, Having storage and drawers with imported roller runner,hinges, complete in all respect as per specification and drawing.	0	Each		
4	DRAWER PEDESTAL (DP-1) Size (1'-8" X 1'-6" X 2'-2") Suppy of Drawer Pedestal made of Chipboard with formica # 7419 (Framite) pressed under 100-150 Kg/Cm2 air pressur and 60 C of temperature and backing formica underneath. Drawer pedestal having three drawer on imported roller runners including lokcs, pull and footing / glide. Complete in all respect as per specification and drawings.	0	Each		
	CPU TROLLEY (CPU-1) Size (Standard Size) Supply of CPU Trolley made of mild steel sheet with deco black paint finish. Complete in all respect and drawing.	0	Each		



NATIONAL BANK OF PAKISTAN				
6	<p>OFFICER REVOLVING CHAIR (LOW BACK) C-1 Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (denisty 1.52 pound per cft), covered with approved Fabric,seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base, complete in all respect as per specification & drawings.</p>	2	Each	
7	<p>MANAGER REVOLVING CHAIR (HIGH Back) C-2 Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (denisty 1.52 pound per cft), covered with approved Fabric,seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base, complete in all respect as per specification & drawings.</p>	1	Each	
8	<p>MANAGER VISITOR'S CHAIR (VC- 2) Supply of officer Visitor's Chair, structure made of solid & seasoned Oak wood all joints made in epoxy and two sided screw, seat and back upholstered with foam and approved leatherite/Fabric. Wood parts finished with NC lacquer polish. Complete in all respect as per specification and drawings.</p>	2	Each	
8	<p>OFFICER VISITOR'S CHAIR (VC- 4) Supply of officer Visitor's Chair, structure made of solid & seasoned Oak wood all joints made in epoxy and two sided screw, seat and back upholstered with foam and approved leatherite. Wood parts finished with NC lacquer polish. Complete in all respect as per</p>	6	Each	
9	<p>WAITING BENCH THREE SEAT (VS-3) Supply of 3 Seater Waiting Bench, structure amd armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specification and drawings.</p>	3	Each	
10	<p>WAITING BENCH TWO SEAT (VS-2) Supply of 2 Seater Waiting Bench, structure amd armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specification and drawings.</p>	0	Each	
11	<p>RECEPTION CHAIR C-3 Supply of Reception Chair with adjustable PU arm, seat and back made of 12mm thick imported commercial ply, upholstered with approved Fabric., adjustable height with gas lift, spring loaded back, nylon base with twin caster wheels, complete in all respect as per drawing and specification.</p>	0	Each	



NATIONAL BANK OF PAKISTAN				
12	<p><u>SINGLE SEAT SOFA (S-10)</u> Supply of single seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good quality foam and approved Fabric. Complete in all respect as per drawing and Specification.</p>	0	Each	
13	<p><u>THREE SEAT SOFA (S-10)</u> Supply of Two seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good quality foam and approved Fabric. Complete in all respect as per drawing and Specification.</p>	2	Each	
14	<p><u>CENTER TABLE (CT-SA-A8)</u> Size: W 3'-6" X D 2'-0" X H 1'-6" Supply of Center Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm2 of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. Complete in all respect as per specification and drawings.</p>	2	Each	
15	<p><u>SIDE TABLE (CT-SA-A9)</u> Size: W 1'-6" X D 1'-6" X H 1'-6" Supply of Side Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm2 of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. Complete in all respect as per specification and drawings.</p>	1	Each	
16	<p><u>WRITTING DESK (WD-1)</u> Size: (W) 6'-0" X (D) 2'-0" X (H) 4'-0" Structure made of solid & seasoned Oak wood with wood stopper. Upper partition & shelf made of MDF board with oak veneer pressed under 100-150 Kg/cm2 of air pressure and 60 degree of Temperature with solid & seasoned Oak wood lipping. NC laquor polish finish. Top in approved Corian complete in all respect as per specification & drawing.</p>	0	Each	
			Total Rs.	
			GST <input type="text"/>	
			Transportation	
			Grand Total Rs.	
 FOR NATIONAL BANK OF PAKISTAN			CONTRACTOR	



LOT NO.3-N: NBP LAKKI MARWAT BR RO BANNU

National Bank of Pakistan
SUPPLY OF STANDARD FURNITURE AT NBP LAKKI MARWAT BRANCH BANNU R.O BANNU
AGAINST TICKET NO 65333

Estimate

Composite Schedule rate Ref No.	DESCRIPTION/SPECIFICATION	QTY	UNIT	RATE (Rs)	AMOUNT (Rs)
1	BRANCH MANAGER TABLE (BMT-1) Table Size: L 5'-0" X D 3'-0" X H 2'-6" Return Table size: L 5'-0" X D 1'-6" X H 2'-0" Supply of Branch Manager Table made of chipboard with formica # 7419 (Formite) pressed unde 100-150 Kg/Cm2 of air pressure and 60 C of temperature and backing formica underneath, with approved color leatherite writing pad on top. Having solid and seasoned Oak wood toothing joint between top & Sides with NC lacqure polish finish. Top fixed with return (Side) table with stainless steel spacers, including return table with two drawers. Drawers run on imported roller. CComplete in all respect as per Drawing & specification	1	Each		-
2	OFFICER TABLE (T-30) Size: L 4'-0" X D 2'-6" X H 2'-6" Return Table size: L 4'-6" X D 1'-6" X H 2'-0" Supply of Office Wooden Table. Table top made of Chipboard with farmica #7419 (Farmite) pressed under 100-150 Kg/Cm2 of air pressure and 60 degree of temperature on front side and backing formica underneath with solid Oak wood edging in N.C lacquer polish finish. Including non-magnetic stainless steel vanity panel with supported S.S brackets and 'H' shape pillar both sides with silver sparkle deco paint. Completed in all respect	2	Each		-
3	CREDENZA FOR MANAGER (CR-2) Size (5'-0" X 1'-6" X 2'-6") Supply of Credenza made of Chipboard with formica # 7419 (Formite) with approved Oak Veneer pressed under 100-150 Kg/ Cm2 of air pressure and 60 C of temperssure and backing veneer on other side with Oak wood toothing. Finish with clear NC lacquer polish. Having storage and drawers with imported roller runner,hinges, complete in all respect as per specification and drawing.	1	Each		-
4	WAITING BENCH TWO SEAT (VS-2) Supply of 2 Seater Waiting Bench, structure amd armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specifications.	3.00	Each		
5	WAITING BENCH THREE SEAT (VS-3) Supply of 3 Seater Waiting Bench, structure amd armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specification and drawings.	3	Each		-
6	OFFICER REVOLVING CHAIR (HIGH Back) C-2 Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (denisty 1.52 pound per cft), covered with approved Fabric,seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base, complete in all respect as per specification & drawings.	2	Each		-



7	OFFICER REVOLVING CHAIR (LOW BACK) C-1 Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (denisty 1.52 pound per cft), covered with approved Fabric, seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base, complete in all respect as per specification & drawings.	6	Each		
8	OFFICER VISITOR'S CHAIR (VC- 4) Supply of officer Visitor's Chair, structure made of solid & seasoned Oak wood all joints made in epoxy and two sided screw, seat and back upholstered with foam and approved leatherite. Wood parts finished with NC lacquer polish. Complete in all respect as per specification and drawings.	8	Each		
9	TWO SEAT SOFA (S-10) Supply of Two seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good qulaity foam and approved Fabric. Complete in all respect as per drawing and Specification.	1	Each		
10	THREE SEAT SOFA (S-10) Supply of three seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good qulaity foam and approved Fabric. Complete in all respect as per drawing and Specification.	1	Each		
11	CENTER TABLE (CT-5A-A8) Size: W 3'-6" X D 2'-0" X H 1'-6" Supply of Center Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm2 of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. Complete in all respect as per specification and drawings.	1	Each		
12	SIDE TABLE (CT-5A-A9) Size: W 1'-6" X D 1'-6" X H 1'-6" Supply of Side Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm2 of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. Complete in all respect as per specifications.	2.00	Each		-
				Total Rs.	
				GST 18%	
				Transportation	
				Grand Total Rs.	-


 ENGR. M. ASHTAR SHAD
 JR. RESIDENT ENGINEER PESHAWAR



LOT NO.4-N: NBP AMBIRI CHOWK BR RO BANNU

National Bank of Pakistan
SUPPLY OF STANDARD FURNITURE AT NBP AMBIRI CHOWK KARAK BRANCH R.O BANNU UNDER MAJOR
RENOVATION PLAN-2022 & AGAINST TICKET NO 65083

Composite Schedule rate Ref No.	DESCRIPTION/SPECIFICATION	QTY	UNIT	RATE (Rs)	AMOUNT (Rs)
1	BRANCH MANAGER TABLE (BMT-1) Table Size: L 5'-0" X D 3'-0" X H 2'-6" Return Table size: L 5'-0" X D 1'-6" X H 2'-0" Supply of Branch Manager Table made of chipboard with formica # 7419 (Formite) pressed under 100-150 Kg/Cm2 of air pressure and 60 C of temperature and backing formica underneath, with approved color leatherite writing pad on top. Having solid and seasoned Oak wood toothing joint between top & Sides with NC lacqure polish finish. Top fixed with return (Side) table with stainless steel spacers, including return table with two drawers. Drawers run on imported roller. COmplete in all respect as per Drawing & specification	1	Each		-
2	OFFICER TABLE (T-30) Size: L 4'-0" X D 2'-6" X H 2'-6" Return Table size L 4'-6" X D 1'-6" X H 2'-0" Supply of Office Wooden Table. Table top made of Chipboard with farmica #7419 (Farmite) pressed under 100-150 Kg/Cm2 of air pressure and 60 degree of temperature on front side and backing formica underneath with solid Oak wood edging in N.C lacquer polish finish. Including non-megnetic stainless steel vanity panel with supported S.S brackets and 'H' shape pillar both sides with silver sparkle deco paint. Completed in all respect	3	Each		-
3	CREDENZA FOR MANAGER (CR-2) Size (5'-0" X 1'-6" X 2'-6") Supply of Credenza made of Chipboard with formica # 7419 (Formite) with approved Oak Veneer pressed under 100-150 Kg/ Cm2 of air pressure and 60 C of tempessure and backing veneer on other side with Oak wood toothing. Finish with clear NC lacquer polish. Having storage and drawers with imported roller runner,hinges, complete in all respect as per specification and drawing.	1	Each		-
4	DRAWER PEDESTAL (DP-1) Size (1'-8" X 1'-6" X 2'-2") Suppy of Drawer Pedestal made of Chipboard with formica # 7419 (Framite) pressed under 100-150 Kg/Cm2 air pressur and 60 C of temperature and backing formica underneath. Drawer pedestal having three drawer on imported roller runners including lokcs, pull and footing / glide. Complete in all respect as per specification and drawings.	4	Each		-
5	OFFICER REVOLVING CHAIR (LOW BACK) C-1 Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (denisty 1.52 pound per cft). covered with approved Fabric.seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base. complete in all respect as per specification & drawings.	5	Each		-
6	WAITING BENCH THREE SEAT (VS-3) Supply of 3 Seater Waiting Bench, structure amd armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specification and drawings.	3	Each		-




7	OFFICER REVOLVING CHAIR (HIGH Back) C-2 Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (denisty 1.52 pound per cft), covered with approved Fabric, seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base, complete in all respect as per specification & drawings.	1	Each	-
8	MANAGER VISITOR'S CHAIR (VC- 2) Supply of officer Visitor's Chair, structure made of solid & seasoned Oak wood all joints made in epoxy and two sided screw, seat and back upholstered with foam and approved leatherite/Fabric. Wood parts finished with NC lacquer polish. Complete in all respect as per specification and drawings.	2	Each	-
9	OFFICER VISITOR'S CHAIR (VC- 4) Supply of officer Visitor's Chair, structure made of solid & seasoned Oak wood all joints made in epoxy and two sided screw, seat and back upholstered with foam and approved leatherite. Wood parts finished with NC lacquer polish. Complete in all respect as per specification and drawings.	6	Each	-
10	TWO SEAT SOFA (S-10) Supply of Two seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back uphoistered with good qulaity foam and approved Fabric. Complete in all respect as per drawing and Specification.	1	Each	-
11	THREE SEAT SOFA (S-10) Supply of three seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back uphoistered with good qulaity foam and approved Fabric. Complete in all respect as per drawing and Specification.	1	Each	-
12	SINGLE SEAT SOFA (S-10) Supply of single seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back uphoistered with good qulaity foam and approved Fabric. Complete in all respect as per drawing and Specification.	1	Each	-
13	SIDE TABLE (CT-5A-A9) Size: W 1'-6" X D1'-6" X H 1'-6" Supply of Side Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm2 of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. CComplete in all respect as per specification and drawings.	3	Each	-
Total Rs.				-
GST 18%				
Transportation				
Grand Total Rs.				-


 ENGR. M. AKHTAR SHAD
 SR. RESIDENT ENGINEER PESHAWAR



LOT NO.5-N: NBP DOABA BR RO BANNU

National Bank of Pakistan
SUPPLY OF STANDARD FURNITURE AT NBP DOABA BRANCH BANNU R.O BANNU
AGAINST TICKET NO 65186

Composite Schedule rate Ref No.	DESCRIPTION/SPECIFICATION	QTY	UNIT	RATE (Rs)	AMOUNT (Rs)
1	BRANCH MANAGER TABLE (BMT-1) Table Size: L 5'-0" X D 3'-0" X H 2'-6" Return Table size: L 5'-0" X D 1'-6" X H 2'-0" Supply of Branch Manager Table made of chipboard with formica # 7419 (Formite) pressed under 100-150 Kg/Cm2 of air pressure and 60 C of temperature and backing formica underneath, with approved color leathente writing pad on top. Having solid and seasoned Oak wood toothing joint between top & Sides with NC lacqure polish finish. Top fixed with return (Side) table with stainless steel spacers, including return table with two drawers. Drawers run on imported roller. CComplete in all respect as per Drawing & specification	1	Each		
2	OFFICER TABLE (T-30) Size: L 4'-0" X D 2'-6" X H 2'-6" Return Table size: L 4'-6" X D 1'-6" X H 2'-0" Supply of Office Wooden Table. Table top made of Chipboard with farmica #7419 (Farmite) pressed under 100-150 Kg/Cm2 of air pressure and 60 degree of temperature on front side and backing formica underneath with solid Oak wood edging in N.C lacquer polish finish. Including non-megnetic stainless steel vanity panel with supported S.S brackets and 'H' shape pillar both sides with silver sparkle deco paint. Completed in all respect	3	Each		-
3	CENTER TABLE (CT-5A-A8) Size: W 3'-6" X D 2'-0" X H 1'-6" Supply of Center Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm2 of air pressure and 60 C of temperature. with approved colour leather on top & solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. Complete in all respect as per specification and drawings.	2	Each		-
4	CREDENZA FOR MANAGER (CR-2) Size (5'-0" X 1'-6" X 2'-6") Supply of Credenza made of Chipboard with formica # 7419 (Formite) with approved Oak Veneer pressed under 100-150 Kg/ Cm2 of air pressure and 60 C of tempessure and backing veneer on other side with Oak wood toothing. Finish with clear NC lacquer polish. Having storage and drawers with imported roller runner,hinges, complete in all respect as per specification and drawing.	2	Each		-
5	DRAWER PEDESTAL (DP-1) Size (1'-8" X 1'-6" X 2'-2") Suppy of Drawer Pedestal made of Chipboard with formica # 7419 (Framite) pressed under 100-150 Kg/Cm2 air pressur and 60 C of temperature and backing formica underneath. Drawer pedestal having three drawer on imported roller runners including lokcs, pull and footing / glide. Complete in all respect as per specification and drawings.	1	Each		-



6	OFFICER REVOLVING CHAIR (LOW BACK) C-1 Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (denisty 1.52 pound per cft), covered with approved Fabric,seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base, complete in all respect as per specification & drawings.	3	Each	-
7	WAITING BENCH THREE SEAT (VS-3) Supply of 3 Seater Waiting Bench, structure amd armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specification and drawings.	3	Each	-
8	OFFICER REVOLVING CHAIR (HIGH Back) C-2 Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (denisty 1.52 pound per cft), covered with approved Fabric,seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base, complete in all respect as per specification & drawings.	2	Each	-
9	OFFICER VISITOR'S CHAIR (VC- 4) Supply of officer Visitor's Chair, structure made of solid & seasoned Oak wood all joints made in epoxy and two sided screw, seat and back upholstered with foam and approved leatherite. Wood parts finished with NC lacquer polish. Complete in all respect as per specification and drawings.	6	Each	-
10	SINGLE SEAT SOFA (S-10) Supply of single seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back uphoistered with good qulaity foam and approved Fabric. Complete in all respect as per drawing and Specification.	4	Each	-
Total Rs.				-
GST 18%				-
Transportation				-
Grand Total Rs.				-



 ENGR. M. AKHTAR SHAD
 SR. RESIDENT ENGINEER PESHAWAR



LOT NO.6-N: NBP IBB CITY BRANCH RO MANSEHRA

National Bank of Pakistan
SUPPLY OF STANDARD FURNITURE AT NBP CITY BRANCH MANSEHRA R.O MANSEHRA
AGAINST TICKET NO 62122

Estimate					
Composite Schedule rate Ref No.	DESCRIPTION/SPECIFICATION	QTY	UNIT	RATE (Rs)	AMOUNT (Rs)
1	BRANCH MANAGER TABLE (BMT-1) Table Size: L 5'-0" X D 3'-0" X H 2'-6" Return Table size: L 5'-0" X D 1'-6" X H 2'-0" Supply of Branch Manager Table made of chipboard with formica # 7419 (Formite) pressed unde 100-150 Kg/Cm2 of air pressure and 60 C of temperature and backing formica underneath, with approved color leatherite writing pad on top. Having solid and seasoned Oak wood toothing joint between top & Sides with NC lacure polish finish. Top fixed with return (Side) table with stainless steel spacers, including return table with two drawers. Drawers run on imported roller. CComplete in all respect as per Drawing & specification	2	Each		-
2	OFFICER TABLE (T-30) Size: L 4'-0" X D 2'-6" X H 2'-6" Return Table size: L 4'-6" X D 1'-6" X H 2'-0" Supply of Office Wooden Table. Table top made of Chipboard with farmica #7419 (Farmite) pressed under 100-150 Kg/Cm2 of air pressure and 60 degree of temprature on front side and backing formica underneath with solid Oak wood edging in N.C lacquer polish finish. Including non-magnetic stainless steel vanity panel with supported S.S brackets and 'H shape pillar both sides with silver sparkle deco paint. Completed in all respect	2	Each		-
3	CREDENZA FOR MANAGER (CR-2) Size (5'-0" X 1'-6" X 2'-6") Supply of Credenza made of Chipboard with formica # 7419 (Formite) with approved Oak Veneer pressed under 100-150 Kg/ Cm2 of air pressure and 60 C of temprature and backing veneer on other side with Oak wood toothing. Finish with clear NC lacquer polish, Having storage and drawers with imported roller runner,hinges, complete in all respect as per specification and drawing.	1	Each		-
4	DRAWER PEDESTAL (DP-1) Size (1'-8" X 1'-6" X 2'-2") Suppy of Drawer Pedestal made of Chipboard with formica # 7419 (Framite) pressed under 100-150 Kg/Cm2 air pressur and 60 C of temperature and backing formica underneath. Drawer pedestal having three drawer on imported roller runners including lokcs, pull and footing / glide. Complete in all respect as per specification and drawings.	1	Each		-
5	RECEPTION COUNTER (REC-5) Reception Counter made of MDF with oak veneer pressed under 100-150 kg/cm2 of air pressure and 60degree of temperature and backing veneer underneath with solid partial wood framing and solid & seasoned oak wood lipping .NC lacquer polish finish including three drawers, rolling on drawer runners, having handle, nails, screws, glue etc. customer top and skirting in approved corian, comple in all respect as per specifications. size (mm):(w) 2590 x (D) 762 x (H) 990	1	NO		-
6	RECEPTION CHAIR C-3 Supply of Reception Chair with adjustable PU arm, seat and back made of 12mm thick imported commercial ply, upholstered with approved Fabric., adjustable height with gas lift, spring loaded back, nylon base with twin caster wheels, complete in all respect as per drawing and specification.	1	Each		-
7	WAITING BENCH THREE SEAT (VS-3) Supply of 3 Seater Waiting Bench, structure amd armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specification and drawings.	2	Each		-



8	TWO SEAT SOFA (S-10) Supply of Two seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good quality foam and approved Fabric. Complete in all respect as per drawing and Specification.	6	Each		-
9	THREE SEAT SOFA (S-10) Supply of three seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good quality foam and approved Fabric. Complete in all respect as per drawing and Specification.	3	Each		-
10	CENTER TABLE (CT-5A-A8) Size: W 3'-6" X D 2'-0" X H 1'-6" Supply of Center Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm2 of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. Complete in all respect as per specification and drawings.	2	Each		-
10	CPU TROLLEY (CPU-1) Size (Standard Size) Supply of CPU Trolley made of mild steel sheet with deco black paint finish. Complete in all respect and drawing.	6	Each		-
Total Rs.					-
GST 18%					
Transportation					
Grand Total Rs.					-


 ENGR. M. AKHTAR SHAD
 R. RESIDENT ENGINEER PESHAWAR



LOT NO.7-N: NBP GARHI HABIBULLAH BR RO MANSEHRA

National Bank of Pakistan
SUPPLY OF STANDARD FURNITURE AT NBP GARHI HABIBULLAH BRANCH MANSEHRA R.O MANSEHRA
AGAINST TICKET NO 62799

Estimate					
Composite Schedule rate Ref No.	DESCRIPTION/SPECIFICATION	QTY	UNIT	RATE (Rs)	AMOUNT (Rs)
1	BRANCH MANAGER TABLE (BMT-1) Table Size: L 5'-0" X D 3'-0" X H 2'-6" Return Table size: L 5'-0" X D 1'-6" X H 2'-0" Supply of Branch Manager Table made of chipboard with formica # 7419 (Formite) pressed under 100-150 Kg/Cm2 of air pressure and 60 C of temperature and backing formica underneath, with approved color leatherite writing pad on top. Having solid and seasoned Oak wood toothing joint between top & Sides with NC lacquer polish finish. Top fixed with return (Side) table with stainless steel spacers, including return table with two drawers. Drawers run on imported roller. Complete in all respect as per Drawing & specification	1	Each		-
2	OFFICER TABLE (T-30) Size: L 4'-0" X D 2'-6" X H 2'-6" Return Table size: L 4'-6" X D 1'-6" X H 2'-0" Supply of Office Wooden Table. Table top made of Chipboard with formica #7419 (Formite) pressed under 100-150 Kg/Cm2 of air pressure and 60 degree of temperature on front side and backing formica underneath with solid Oak wood edging in N.C lacquer polish finish. Including non-magnetic stainless steel vanity panel with supported S.S brackets and 'H' shape pillar both sides with silver sparkle deco paint. Completed in all respect	2	Each		-
3	OFFICER REVOLVING CHAIR (LOW BACK) C-1 Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (density 1.52 pound per cft), covered with approved Fabric, seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base, complete in all respect as per specification & drawings.	5	Each		-
4	WAITING BENCH THREE SEAT (VS-3) Supply of 3 Seater Waiting Bench, structure and armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specification and drawings.	2	Each		-
5	TWO SEAT SOFA (S-10) Supply of Two seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good quality foam and approved Fabric. Complete in all respect as per drawing and Specification.	2	Each		-
6	THREE SEAT SOFA (S-10) Supply of three seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good quality foam and approved Fabric. Complete in all respect as per drawing and Specification.	3	Each		-
7	CENTER TABLE (CT-5A-A8) Size: W 3'-6" X D 2'-0" X H 1'-6" Supply of Center Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm2 of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. Complete in all respect as per specification and drawings.	2	Each		-
Total Rs.					-
GST 18%					
Transportation					
Grand Total Rs.					-


ENGR. M. ARIF SHAD
SR. RESIDENT ENGINEER PESHAWAR



LOT NO.8-N: NBP KHUIRATTA BRANCH RO MIRPUR AK

BOQ FOR
SUPPLYING OF FURNITURE ITEMS AT NBP, KHUIRATTA BRANCH (1465) R.O MIRPUR
(A.K.)

TICKET NO. 62715

No	SPECIFICATION	QTY	UNIT	RATE	AMOUNT
1	BRANCH MANAGER TABLE Manager Table made of chipboard with approved formica # 7419 pressed under 100-150 kg/cm ² of air pressure and 60 Co of temperature and backing formica underneath. Table having solid and seasoned Oak wood toothing joint between top & sides with NC lacquer polish finish. Top fixed with return table with SS spacers. Including return table with two drawers. Drawers run on imported roller. Complete in all respects as per specifications. Table Size (mm): (L) 1525 x (D) 838 x (H) 762 Return Table Size (mm): (L) 1830 x (D) 457 x (H) 660	1.00	Each		
2	CREDENZA FOR MANAGER (CR-2) Size (5'-0" X 1'-6" X 2'-6") Supply of Credenza made of Chipboard with formica # 7419 (Formite) with approved Oak Veneer pressed under 100-150 Kg/ Cm ² of air pressure and 60 C of temprature and backing veneer on other side with Oak wood toothing. Finish with clear NC lacquer polish. Having storage and drawers with imported roller runner,hinges, complete in all respect	1.00	Each		
3	OFFICER REVOLVING CHAIR (LOW BACK) Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (denisty 1.52 pound per cft), covered with approved Fabric,seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base, complete in all respect	4.00	Each		
4	OFFICER TABLE (T-30) Supply of Office Wooden Table. Table top made of Chipboard with farmica #7419 (Farmite) pressed under 100-150 Kg/Cm ² of air pressure and 60 degree of temprature on front side and backing formica underneath with solid Oak wood edging in N.C lacquer polish finish. Including non-megnetic stainless steel vanity panel with supported S.S brackets and 'H' shape pillar both sides with silver sparkle deco paint. Completed in all respect Size: L 4'-6" X D 6'-0" X H 2'-6"	3.00	Each		



BOQ FOR
SUPPLYING OF FURNITURE ITEMS AT NBP, KHUIRATTA BRANCH (1465) R.O MIRPUR
(A.K).

TICKET NO. 62715

No	SPECIFICATION	QTY	UNIT	RATE	AMOUNT
5	VISITOR CHAIR VC-9 Visitor's Chair Structure made of solid & seasoned Oak wood, all joints made in epoxy and two sided screws. seat and back upholstered with foam and approved Fabric/Leatherite. Wood parts finished with NC lacquer. Complete in all respects	6.00	Each		
6	THREE SEAT SOFA (S-10) Supply of three seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good quality foam and approved Fabric. Complete in all respect.	1.00	Each		
7	TWO SEAT SOFA (S-10) Supply of two seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good quality foam and approved Fabric. Complete in all respect.	1.00	Each		
8	WAITING BENCH THREE SEATER Structure and armrest made of Stainless steel pipes. Seat & back upholstered with good quality of foam and approved Fabric/Leatherite. Complete in all respects as per specifications.	2.00	Each		
9	WAITING BENCH TWO SEATER Structure and armrest made of Stainless steel pipes. Seat & back upholstered with good quality of foam and approved Fabric/Leatherite. Complete in all respects as per specifications.	2.00	Each		
10	CENTER TABLE Size (mm): (W) 1067 x (D)1067 x (H)460 Supply of Center Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm2 of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. Complete in all respect as per specification.	1.00	Each		



**SUPPLYING OF FURNITURE ITEMS AT NBP, KHUIRATTA BRANCH (1465) R.O MIRPUR
(A.K.)**

TICKET NO. 62715

No	SPECIFICATION	QTY	UNIT	RATE	AMOUNT
11	SIDE TABLE (ST-10) Side Table: structure made of solid and seasoned oak wood finished with clear NC lacquer polish. Including 8mm thick clear tempered glass. Complete in all respects as per specification. Size (mm): (W) 508 x (D) 508 x (H) 460	1.00	Each		
12	CPU TROLLEY (CPU-1) Supply of CPU Trolley made of mild steel sheet with deco black paint finish. Complete in all respect	4.00	Each		
				Sub Total	
				GST 18%	
				Carriage Rs.	
				Total Rs.	

Note: All furniture items as per approved sample/design available at NBP G-5/1 building Islamabad.

FOR NATIONAL BANK OF PAKISTAN



CONTRACTOR



LOT NO.9-N: NBP SECTOR C04 BRANCH RO MIRPUR AK**SUPPLYING OF FURNITURE ITEMS AT NBP, SECTOR C/04 BRANCH R.O MIRPUR (A.K).****TICKET NO. 62417**

No	SPECIFICATION	QTY	UNIT	RATE	AMOUNT
1	BRANCH MANAGER TABLE Manager Table made of chipboard with approved formica # 7419 pressed under 100-150 kg/cm2 of air pressure and 60 Co of temperature and backing formica underneath. Table having solid and seasoned Oak wood tothing joint between top & sides with NC lacquer polish finish. Top fixed with return table with SS spacers. Including return table with two drawers. Drawers run on imported roller. Complete in all respects as per specifications. Table Size (mm): (L) 1525 x (D) 838 x (H) 762 Return Table Size (mm): (L) 1830 x (D) 457 x (H) 660	1.00	Each		
2	OFFICER REVOLVING CHAIR (LOW BACK) Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (denisty 1.52 pound per cft), covered with approved Fabric,seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base, complete in all respect	4.00	Each		
3	OFFICER TABLE (T-30) Supply of Office Wooden Table. Table top made of Chipboard with farmica #7419 (Farmite) pressed under 100-150 Kg/Cm2 of air pressure and 60 degree of temprature on front side and backing formica underneath with solid Oak wood edging in N.C lacquer polish finish. Including non-megnetic stainless steel vanity panel with supported S.S brackets and 'H' shape pillar both sides with silver sparkle deco paint. Completed in all respect Size: L 4'-6" X D 6'-0" X H 2'-6"	3.00	Each		
4	VISITOR CHAIR VC-9 Visitor's Chair Structure made of solid & seasoned Oak wood, all joints made in epoxy and two sided screws. seat and back upholstered with foam and approved Fabric/Leatherite. Wood parts finished with NC lacquer. Complete in all respects	8.00	Each		



BOQ FOR**SUPPLYING OF FURNITURE ITEMS AT NBP, SECTOR C/04 BRANCH R.O MIRPUR (A.K).****TICKET NO. 62417**

No	SPECIFICATION	QTY	UNIT	RATE	AMOUNT
5	THREE SEAT SOFA (S-10) Supply of three seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good quality foam and approved Fabric. Complete in all respect.	3.00	Each		
6	TWO SEAT SOFA (S-10) Supply of two seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good quality foam and approved Fabric. Complete in all respect.	2.00	Each		
7	WAITING BENCH THREE SEATER Structure and armrest made of Stainless steel pipes. Seat & back upholstered with good quality of foam and approved Fabric/Leatherite. Complete in all respects as per specifications.	2.00	Each		
8	WAITING BENCH TWO SEATER Structure and armrest made of Stainless steel pipes. Seat & back upholstered with good quality of foam and approved Fabric/Leatherite. Complete in all respects as per specifications.	3.00	Each		
9	CENTER TABLE Size (mm): (W) 1067 x (D)1067 x (H)460 Supply of Center Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm ² of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. Complete in all respect as per specification.	2.00	Each		
10	SIDE TABLE (ST-10) Side Table: structure made of solid and seasoned oak wood finished with clear NC lacquer polish. Including 8mm thick clear tempered glass. Complete in all respects as per specification. Size (mm): (W) 508 x (D) 508 x (H) 460	3.00	Each		



SUPPLYING OF FURNITURE ITEMS AT NBP, SECTOR C/04 BRANCH R.O MIRPUR (A.K).**TICKET NO. 62417**

No	SPECIFICATION	QTY	UNIT	RATE	AMOUNT
11	CPU TROLLEY (CPU-1) Supply of CPU Trolley made of mild steel sheet with deco black paint finish. Complete in all respect	3.00	Each		
				Sub Total	
				GST 18%	
				Carriage Rs.	
				Total Rs.	

Note: All furniture items as per approved sample/design available at NBP G-5/1 building Islamabad.

FOR NATIONAL BANK OF PAKISTAN



CONTRACTOR



LOT NO.10-N: NBP CIVIL LINE BRANCH JHELUM REGION**MANUFACTURING & SUPPLYING OF FURNITURE ITEMS AT NBP CIVIL LINES BRANCH(0344),JHELUM, R.O
JHELUM,****(BILL OF QUANTITIES)**

Sr	DESCRIPTIONS	Qty	Unit	Rate (PKR)	Amount(PKR)
1	Executive Table Supply of Executive Table at site, made of chipboard with approved oak veneer pressed under 100-150 kg/cm ² of air pressure and 60 C ^o of temperature and backing veneer underneath. Table having solid and seasoned Oak wood tothing joint between top & sides with NC lacquer polish finish. Top fixed with return table with SS spacers. Including return table with two drawers. Drawers run on imported roller. Complete in all respects as per specifications. Table Size (mm): (L) 1525 x (D) 838 x (H) 762 Return Table Size (mm): (L)1830 x(D)457x(H)660	1.00	Nos.		
2	Two Seat Sofa Supply of Two Seat Sofa , base made of solid & seasoned oak wood with NC lacquer finish, internal structure made of Acacia wood. Seat & back upholstered with good quality of foam and approved Fabric/Leatherite . Complete in all respects as per specifications.	3.00	Nos.		
3	WAITING BENCH THREE SEAT (VS-3) WAITING BENCH THREE SEAT (VS-3) Supply of 3 Seater Waiting Bench, structure and armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specifications.	10.00	Each		
4	WAITING BENCH TWO SEATER (VS-2) Supply of 2 Seater Waiting Bench, structure and armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specifications	6.00	Each		
5	Centre Table CENTER TABLE (CT-5A-A8) Size: W 3'-6" X D 2'-0" X H 1'-6" Supply of Center Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm ² of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood tothing joint between top & sides. Finish with NC lacquer polish. Complete in all respect as per specifications.	3.00	Nos.		
6	Side Table Supply of Side Table , sides made with 50mm thick chipboard with oak veneer pressed on both sides under 100-150 kg/cm ² of air pressure and 60 Co of temperature, having approved colour leather on top, having solid and seasoned Oak wood tothing joint between top & sides. Finish with NC lacquer polish. Complete in all respects as per specifications. Size (mm): W: 600 x D: 600 x H: 457	4.00	Nos.		
7	Credenza for Manager Supply of Credenza , made of chipboard with approved oak veneer pressed under 100 - 150 kg/cm ² of air pressure and 60 C ^o of temperature and backing veneer on other side with oak wood tothing. Finish with clear NC lacquer polish. Having storage and drawers with imported roller runner, hinges. Complete in all respects as per specifications. Size (mm): (L) 1830 x (D) 457 x (H) 762	1.00	Nos.		



**MANUFACTURING & SUPPLYING OF FURNITURE ITEMS AT NBP CIVIL LINES BRANCH(0344),JHELUM, R.O
JHELUM.**

(BILL OF QUANTITIES)

Sr	DESCRIPTIONS	Qty	Unit	Rate (PKR)	Amount(PKR)
8	Revolving Chair Manager/Executives with High Back Supply of Officer Revolving Chair with polished Oak wood arms made in 4 piece joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12mm thick malaysian imported commercial ply pasted over different size of foam (density 1.52 pound per cft), covered with approved Leather/Fabric , seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base. Complete in all respects as per specifications.	2.00	Nos.		
9	OFFICER TABLE (T-30) Supply of Office Wooden Table. Table top made of Chipboard with formica #7419 (Farmite) pressed under 100-150 Kg/Cm ² of air pressure and 60 degree of temprature on front side and backing formica underneath with solid Oak wood edging in N.C lacquer polish finish, including non-magnetic stainless steel vanity panel with supported S.S brackets and 'H' shape pillar both sides with silver sparkle deco paint. Completed in all respect including drawer pedestal. Size: L 4'-6" X D 6'-0" X H 2'-6"	6.00	Each		
10	Mini Conference Table Supply of Mini Conference Table 6-Seator , four legs and top frame made of solid and seasoned Oak wood with NC lacquer polish finish and stainless steel fitting. Top made of 12mm thick clear tempered glass with sand blasted and polished edges. Including vacum rubber spacer. Complete in all respects as per specifications. Size (mm): Dia. 1372 x 762	1.00	No		
11	Credenza For Officers Supply of Credenza , made of 36 mm thick chipboard with formica # 7419 pressed under 100-150 kg/cm of air pressure and 60 C of temerature and backing veneer underneath. Table having solid and seasoned oak wood edging, including two H shape pillar with vanity panel in powder coated finish . complete in all respects as per specifications. Size (mm): (L) 1525 x (D) 457 x (H) 762	7.00	Nos.		
12	Officer Revolving Chair with medium back Supply of Officer Revolving Chair with polished Oak wood arms made in 4 piece joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12mm thick malaysian imported commercial ply pasted over different size of foam (density 1.52 pound per cft), covered with approved Fabric , seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base. Complete in all respects as per specifications.	25.00	Nos.		
13	Visitor Chair Supply of Visitor Chair with seat and back upholstered in approved Fabric , Legs made of solid & seasoned oak wood finish with NC lacquer polish with softwood structure. Complete in all respects as per specification.	16.00	Nos.		

[Handwritten signature]



**MANUFACTURING & SUPPLYING OF FURNITURE ITEMS AT NBP CIVIL LINES BRANCH(0344),JHELUM, R.O
JHELUM.**

(BILL OF QUANTITIES)

Sr	DESCRIPTIONS	Qty	Unit	Rate (PKR)	Amount(PKR)
14	Conference Table For 22 Persons Supply of Conference Table 22-Seator , twelve legs and top frame made of solid and seasoned Oak wood with NC lacquer polish finish and stainless steel fliting. Top made of 12mm thick clear tempered glass with sand blasted and polished edges. Including vacuum rubber spacer. Complete in all respects as per specifications. Size : 22'00 x 5'00	1.00	Nos.		
15	CONFERENCE ROOM CHAIRS Supply of officer revolving chair with polishes oak wood arms made in 4 piece joinery (all joints are made in epoxy and two sided screws),seat and back in one piece 12mm thick malaysian imported commercial ply pasted over different size of foam (density 1.52)pound per cft) covered with approved leatherite ,seat and back recieling ,having five spoke nylon base with twin caster wheel ,adjustabkle hieght with hydraulic base . Complete in all respects as per specification. (Leatherite/fabric)	21.00	Nos.		
16	Writing Desk Supply of Writing Desk , structure made of solid and seasoned oak wood with upper box made of chipboard with oak veneer pressed under 100-150 kg/cm2 of air pressure and 60 degree of temperature with solid & seasoned Oak wood flipping. NC lacquer polish finish. Top in approved Corian. Complete in all respect as per specifications and drawing. Size (mm): (W) 1830 x (D) 600 x (H) 1295	2.00	Nos.		
17	Reception Chair Supply of Reception Chair , with adjustable PU arms, seat and back made of 12mm thick imported malaysian commercial ply, upholstered with approved Fabric adjustable height with gas lift, spring loaded back, nylon base with twin caster wheels. Complete in all respects as per specification	1.00	Nos.		
18	REVOLVING HIGH BACK CHAIR FOR CONFERENCE ROOM Supply of revolving high back chair for GM with polished oak wood arms made in 4 piece joinery (all joints made in opoxy and and two sided screws),seat and back in one piece 12 mm thick malaysian imported commercail ply pasted over different size of foam (density 1.52 pound per cft),covered with approved fabric/ leatherite, seat and back recieling having . five spoke nylone base with twin caster wheel ,adjustable hieght with hydraulic base complete in all respees as per specification Leatherite /fabric	1.00	No		
19	CPU Trolley Supply of CPU Trolley made of mild steel sheet with deco black paint finish. Complete in all respects as per specifications and drawines.	16.00	No		
20	Trash Bin Supply of Trash Bin made of mild steel sheet with deco black paint finish. Complete in all respects as per specifications and drawines.	10.00	No		

JK



**MANUFACTURING & SUPPLYING OF FURNITURE ITEMS AT NBP CIVIL LINES BRANCH(0344),JHELUM, R.O
JHELUM.**

(BILL OF QUANTITIES)

Sr	DESCRIPTIONS	Qty	Unit	Rate (PKR)	Amount(PKR)
21	Planter Supply of Planter (400mm Ø), made with 16 swg mild steel perforated sheet finish with silver sparkle deco paint with 25mm wide chrome plated strips, 9mm mild steel chrome plated spacers. Complete in all respect as per specifications.	20.00	No		
				<i>Total(Rs.)</i>	
<p align="center">Note: All furniture items as per approved sample/design available at NBP G-5/1 building Islamabad.</p>				Adding GST @ 18%	
				Amount I/c GST	
				CARRIAGE CHARGES	
				<i>G. Total</i>	

FOR NATIONAL BANK OF PAKISTAN

CONTRACTOR



LOT NO.11-N: NBP TENCH BHATTA BRANCH RAWALPINDI REGION**Supply of Standard Furniture at NBP Tench Bhatta Branch (1407), R.O Rawapindi****BILL OF QUANTITIES**

S.NO	DESCRIPTION/SPECIFICATION	QTY	UNIT	RATE (Rs)	AMOUNT (Rs)
1	<p>BRANCH MANAGER TABLE (BMT-1) Table Size: L 5'-0" X D 3'-0" X H 2'-6". Return Table size: L 5'-0" X D 1'-6" X H 2'-0" Supply of Branch Manager Table made of chipboard with formica # 7419 (Formite) pressed under 100-150 Kg/Cm2 of air pressure and 60 C of temperature and backing formica underneath, with approved color leatherite writing pad on top. Having solid and seasoned Oak wood toothing joint between top & Sides with NC lacure polish finish. Top fixed with return (Side) table with stainless steel spacers, including return table with two drawers. Drawers run on imported roller. COMplete in all respect as per specifications.</p>	2.00	Each		
2	<p>OFFICER TABLE (T-30) Size: L 4'-6" X D 6'-0" X H 2'-6" Supply of Office Wooden Table. Table top made of Chipboard with formica #7419 (Formite) pressed under 100-150 Kg/Cm2 of air pressure and 60 degree of temperature on front side and backing formica underneath with solid Oak wood edging in N.C lacquer polish finish. Including non-magnetic stainless steel vanity panel with supported S.S brackets and 'H' shape pillar both sides with silver sparkle deco paint. Completed in all respect</p>	2.00	Each		
3	<p>CREDENZA FOR MANAGER (CR-2) Size (5'-0" X 1'-6" X 2'-6") Supply of Credenza made of Chipboard with formica # 7419 (Formite) with approved Oak Veneer pressed under 100-150 Kg/ Cm2 of air pressure and 60 C of temperature and backing veneer on other side with Oak wood toothing. Finish with clear NC lacquer polish, Having storage and drawers with imported roller runner,hinges, complete in all respect as per specifications.</p>	2.00	Each		

JA



Supply of Standard Furniture at NBP Tench Bhatta Branch (1407), R.O Rawapindi**BILL OF QUANTITIES**

4	<u>DRAWER PEDESTAL (DP-1)</u> Size (1'-8" X 1'-6" X 2'-2") Supply of Drawer Pedestal made of Chipboard with formica # 7419 (Framite) pressed under 100-150 Kg/Cm2 air pressur and 60 C of temperature and backing formica underneath. Drawer pedestal having three drawer on imported roller runners including lokes, pull and footing / glide. Complete in all respect as per specifications.	2.00	Each		
5	<u>CPU TROLLEY (CPU-1)</u> Size (Standard Size) Supply of CPU Trolley made of mild steel sheet with deco black paint finish. Complete in all respect.	8.00	Each		
6	<u>OFFICER REVOLVING CHAIR (LOW BACK) C-1</u> Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (denisty 1.52 pound per cft), covered with approved Fabric,seat and back reclining. having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base, complete in all respect as per specifications.	6.00	Each		
7	<u>MANAGER REVOLVING CHAIR (HIGH Back) C-2</u> Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (denisty 1.52 pound per cft), covered with approved Fabric,seat and back reclining. having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base, complete in all respect as per specifications.	2.00	Each		



Supply of Standard Furniture at NBP TENCH BHATTA BRANCH (1407), R.O Rawapindi**BILL OF QUANTITIES**

8	<u>OFFICER VISITOR'S CHAIR (VC- 4)</u> Supply of officer Visitor's Chair, structure made of solid & seasoned Oak wood all joints made in epoxy and two sided screw, seat and back upholstered with foam and approved leatherite. Wood parts finished with NC lacquer polish. Complete in all respect as per specifications.	8.00	Each		
9	<u>WAITING BENCH THREE SEAT (VS-3)</u> Supply of 3 Seater Waiting Bench, structure and armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specifications.	3.00	Each		
10	<u>WAITING BENCH TWO SEAT (VS-2)</u> Supply of 2 Seater Waiting Bench, structure and armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specifications.	3.00	Each		
11	<u>SINGLE SEAT SOFA (S-10)</u> Supply of single seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good quality foam and approved Fabric. Complete in all respect as per Specification.	1.00	Each		
12	Supply of Planter (400mm Ø), made with 16 swg mild steel perforated sheet finish with silver sparkle deco paint with 25mm wide chrome plated strips, 9mm mild steel chrome plated spacers. Complete in all respect.	5.00	No		
13	Supply of Trash Bin made of mild steel sheet with deco black paint finish. Complete in all respects as per specifications.	5.00	No		
14	<u>TWO SEAT SOFA (S-10)</u> Supply of Two seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good quality foam and approved Fabric. Complete in all respect as per Specification.	1.00	Each		

JA



Supply of Standard Furniture at NBP TENCH BHATTA BRANCH (1407), R.O Rawapindi**BILL OF QUANTITIES**

15	CENTER TABLE (CT-5A-A8) Size: W 3'-6" X D 2'-0" X H 1'-6" Supply of Center Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm2 of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. Complete in all respect as per specification.	1.00	Each		
16	SIDE TABLE (CT-5A-A9) Size: W 1'-6" X D 1'-6" X H 1'-6" Supply of Side Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm2 of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. Complete in all respect as per specifications.	1.00	Each		
17	WRITTING DESK (WD-1) Size: (W) 6'-0" X (D) 2'-0" X (H) 4'-0" Structure made of solid & seasoned Oak wood with wood stopper. Upper partition & shelf made of MDF board with oak veneer pressed under 100-150 Kg/cm2 of air pressure and 60 degree of Temperature with solid & seasoned Oak wood lipping. NC laquor polish finish. Top in approved Corian complete in all respect as per specifications	1.00	Each		
				Sub Total	
				GST 18%	
				Amount Including GST	
				Transportation	
				Grand Total Rs.	
				Say Rs.	

Note: All furniture items as per approved sample/design available at NBP G-5/1 building Islamabad.

National Bank Of Pakistan

JQ

Contractor



LOT NO.12-N: NBP F-10 BRANCH FEDC REGION ISLAMABAD**Supply of Standard Furniture at NBP F-10 Markaz Branch(1933), FEDC Region
Islamabad****Rough Cost Estimate**

S.NO	DESCRIPTION/SPECIFICATION	QTY	UNIT	RATE (Rs)	AMOUNT (Rs)
1	<u>BRANCH MANAGER TABLE (BMT-1)</u> Table Size: L 5'-0" X D 3'-0" X H 2'-6". Return Table size: L 5'-0" X D 1'-6" X H 2'-0" Supply of Branch Manager Table made of chipboard with formica # 7419 (Formite) pressed under 100-150 Kg/Cm2 of air pressure and 60 C of temperature and backing formica underneath, with approved color leatherite writing pad on top. Having solid and seasoned Oak wood toothing joint between top & Sides with NC lacure polish finish. Top fixed with return (Side) table with stainless steel spacers, including return table with two drawers. Drawers run on imported roller. Complete in all respect as per Drawing & specification	2.00	Each		
2	<u>OFFICER TABLE (T-30)</u> Size: L 4'-6" X D 6'-0" X H 2'-6" Supply of Office Wooden Table. Table top made of Chipboard with farmica #7419 (Farmite) pressed under 100-150 Kg/Cm2 of air pressure and 60 degree of temprature on front side and backing formica underneath with solid Oak wood edging in N.C lacquer polish finish. Including non-megnetic stainless steel vanity panel with supported S.S brackets and 'H' shape pillar both sides with silver sparkle deco paint. Completed in all respect	4.00	Each		
3	<u>CREDENZA FOR MANAGER (CR-2)</u> Size (5'-0" X 1'-6" X 2'-6") Supply of Credenza made of Chipboard with formica # 7419 (Formite) with approved Oak Veneer pressed under 100-150 Kg/ Cm2 of air pressure and 60 C of temprature and backing veneer on other side with Oak wood toothing. Finish with clear NC lacquer polish, Having storage and drawers with imported roller runner,hinges, complete in all respect as per specification and drawing.	1.00	Each		
4	<u>DRAWER PEDESTAL (DP-1)</u> Size (1'-8" X 1'-6" X 2'-2") Suppy of Drawer Pedestal made of Chipboard with formica # 7419 (Framite) pressed under 100-150 Kg/Cm2 air pressur and 60 C of temperature and backing formica underneath. Drawer pedestal having three drawer on imported roller runners including lokes, pull and footing / glide. Complete in all respect as per specification and drawings.	4.00	Each		



**Supply of Standard Furniture at NBP F-10 Markaz Branch(1933), FEDC Region
Islamabad**

Rough Cost Estimate

S.NO	DESCRIPTION/SPECIFICATION	QTY	UNIT	RATE (Rs)	AMOUNT (Rs)
5	<u>CPU TROLLEY (CPU-1)</u> Size (Standard Size) Supply of CPU Trolley made of mild steel sheet with deco black paint finish. Complete in all respect and drawing	9.00	Each		
6	<u>OFFICER REVOLVING CHAIR (LOW BACK) C-1</u> Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (denisty 1.52 pound per cft), covered with approved Fabric,seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base, complete in all respect as per specification & drawings.	7.00	Each		
7	<u>MANAGER REVOLVING CHAIR (HIGH Back) C-2</u> Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (denisty 1.52 pound per cft), covered with approved Fabric,seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base, complete in all respect as per specification & drawings.	2.00	Each		
8	<u>OFFICER VISITOR'S CHAIR (VC- 4)</u> Supply of officer Visitor's Chair, structure made of solid & seasoned Oak wood all joints made in epoxy and two sided screw, seat and back upholstered with foam and approved leatherite. Wood parts finished with NC lacquer polish. Complete in all respect as	10.00	Each		
9	<u>WAITING BENCH THREE SEAT (VS-3)</u> Supply of 3 Seater Waiting Bench, structure and armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specification and drawings.	2.00	Each		

J.A.



**Supply of Standard Furniture at NBP F-10 Markaz Branch(1933), FEDC Region
Islamabad**

Rough Cost Estimate

S.NO	DESCRIPTION/SPECIFICATION	QTY	UNIT	RATE (Rs)	AMOUNT (Rs)
10	<u>TWO SEAT SOFA (S-10)</u> Supply of Two seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good quality foam and approved Fabric. Complete in all respect as per drawing and Specification.	2.00	Each		
11	<u>SIDE TABLE (CT-5A-A9)</u> Size: W 1'-6" X D 1'-6" X H 1'-6" Supply of Side Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm ² of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. Complete in all respect as per specification and drawings.	1.00	Each		
12	<u>WRITTING DESK (WD-1)</u> Size: (W) 6'-0" X (D) 2'-0" X (H) 4'-0" Structure made of solid & seasoned Oak wood with wood stopper. Upper partition & shelf made of MDF board with oak veneer pressed under 100-150 Kg/cm ² of air pressure and 60 degree of Temperature with solid & seasoned Oak wood lipping. NC laquor polish finish. Top in approved Corian complete in all respect as per specification & drawing.	1.00	Each		
<p align="center">Note: All furniture items as per approved sample/design available at NBP G-5/1 building Islamabad.</p>				Sub Total	
				GST 18%	
				Amount Including GST	
				Transportation	
				Grand Total Rs.	
				Say Rs.	

National Bank Of Pakistan



Contractor



LOT NO.13-N: NBP G.T. ROAD GUJJAR KHAN BRANCH, R.O. JHELUM**MANUFACTURING & SUPPLYING OF FURNITURE ITEMS AT NBP G.T ROAD GUJJAR KHAN
BRANCH (0332) R.O JHELUM****(BILL OF QUANTITIES)**

Sr	DESCRIPTIONS	Qty	Unit	Rate (PKR)	Amount(PKR)
1	Executive Table Supply of Executive Table at site, made of chipboard with approved oak veneer pressed under 100-150 kg/cm ² of air pressure and 60 C ^o of temperature and backing veneer underneath. Table having solid and seasoned Oak wood tothing joint between top & sides with NC lacquer polish finish. Top fixed with return table with SS spacers. Including return table with two drawers. Drawers run on imported roller. Complete in all respects as per specifications. Table Size (mm): (L) 1525 x (D) 838 x (H) 762 Return Table Size (mm): (L)1830 x(D)457x(H)660	1.00	No.		
2	Two Seat Sofa Supply of Two Seat Sofa , base made of solid & seasoned oak wood with NC lacquer finish, internal structure made of Acacia wood. Seat & back upholstered with good quality of foam and approved Fabric/Leatherite . Complete in all respects as per specifications.	3.00	Nos.		
3	Three Seat Sofa Supply of Three Seat Sofa , base made of solid & seasoned oak wood with NC lacquer finish, internal structure made of Acacia wood. Seat & back upholstered with good quality of foam and approved Fabric/Leatherite . Complete in all respects as per specifications.	2.00	Each		
4	WAITING BENCH THREE SEAT (VS-3) WAITING BENCH THREE SEAT (VS-3) Supply of 3 Seater Waiting Bench, structure and armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specification and drawings.	16.00	Each		
5	WAITING BENCH TWO SEATER (VS-2) Supply of 2 Seater Waiting Bench, structure and armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specification and drawings.	9.00	Each		
6	Centre Table CENTER TABLE (CT-5A-A8) Size: W 3'-6" X D 2'-0" X H 1'-6" Supply of Center Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm ² of air pressure and 60 C of temperature. with approved colour leather on top & solid and seasoned Oak wood tothing joint between top & sides. Finish with NC lacquer polish. Complete in all respect as per specification and drawings.	3.00	Nos.		
7	Side Table Supply of Side Table , sides made with 50mm thick chipboard with oak veneer pressed on both sides under 100-150 kg/cm ² of air pressure and 60 Co of temperature, having approved colour leather on top, having solid and seasoned Oak wood tothing joint between top & sides. Finish with NC lacquer polish. Complete in all respects as per specifications. Size (mm): W: 600 x D: 600 x H: 457	3.00	Nos.		



**MANUFACTURING & SUPPLYING OF FURNITURE ITEMS AT NBP G.T ROAD GUJJAR KHAN
BRANCH (0332) R.O JHELUM**

(BILL OF QUANTITIES)

Sr	DESCRIPTIONS	Qty	Unit	Rate (PKR)	Amount(PKR)
8	Credenza for Manager Supply of Credenza , made of chipboard with approved oak veneer pressed under 100 - 150 kg/cm ² of air pressure and 60 C ^o of temperature and backing veneer on other side with oak wood toothing. Finish with clear NC lacquer polish. Having storage and drawers with imported roller runner, hinges. Complete in all respects as per specifications. Size (mm): (L) 1830 x (D) 457 x (H) 762	1.00	Nos.		
9	Revolving Chair Manager/Executives with High Back Supply of Officer Revolving Chair with polished Oak wood arms made in 4 piece joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12mm thick malaysian imported commercial ply pasted over different size of foam (density 1.52 pound per cft), covered with approved Leather/Fabric . seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base. Complete in all respects as per specifications.	2.00	Nos.		
10	OFFICER TABLE (T-30) Supply of Office Wooden Table. Table top made of Chipboard with formica #7419 (Farmite) pressed under 100-150 Kg/Cm2 of air pressure and 60 degree of temperature on front side and backing formica underneath with solid Oak wood edging in N.C lacquer polish finish. Including non-magnetic stainless steel vanity panel with supported S.S brackets and 'H' shape pillar both sides with silver sparkle deco paint. Completed in all respect including drawer pedestal. Size: L 4'-6" X D 6'-0" X H 2'-6"	11.00	Each		
11	Credenza For Officers Supply of C-redenza , made of 36 mm thick chipboard with formica # 7419 pressed under 100-150 kg/cm ² of air pressure and 60 C ^o of temperature and backing veneer under neath. Table having solid and seasoned oak wood edging, including two H shape pillar with vanity panel in powder coated finish . complete in all respects as per specifications. Size (mm): (L) 1525 x (D) 457 x (H) 762	4.00	Nos.		
12	Officer Revolving Chair with medium back Supply of Officer Revolving Chair with polished Oak wood arms made in 4 piece joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12mm thick malaysian imported commercial ply pasted over different size of foam (density 1.52 pound per cft), covered with approved Fabric , seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base. Complete in all respects as per specifications.	27.00	Nos.		
13	Visitor Chair Supply of Visitor Chair with seat and back upholstered in approved Fabric . Legs made of solid & seasoned oak wood finish with NC lacquer polish with softwood structure. Complete in all respects as per specification.	24.00	Nos.		

Q



**MANUFACTURING & SUPPLYING OF FURNITURE ITEMS AT NBP G.T ROAD GUJJAR KHAN
BRANCH (0332) R.O JHELUM**

(BILL OF QUANTITIES)

Sr	DESCRIPTIONS	Qty	Unit	Rate (PKR)	Amount(PKR)
14	Conference Table For 22 Persons Supply of Conference Table 22-Seator , twelve legs and top frame made of solid and seasoned Oak wood with NC lacquer polish finish and stainless steel fitting. Top made of 12mm thick clear tempered glass with sand blasted and polished edges, including vacum rubber spacer. Complete in all respects as per specifications. Size : 22'-00 x 5'-00	1.00	Nos.		
15	CONFERENCE ROOM CHAIRS Supply of officer revolving chair with polishes oak wood arms made in 4 piece joinery (all joints are made in epoxy and two sided screws), seat and back in one piece 12mm thick malaysian imported commercial ply pasted over different size of foam (density 1.52) pound per cft) covered with approved leatherite, seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base. Complete in all respects as per specification. (Leatherite/fabric)	21.00	Nos.		
16	Mini Conference Table Supply of Mini Conference Table 6-Seator , four legs and top frame made of solid and seasoned Oak wood with NC lacquer polish finish and stainless steel fitting. Top made of 12mm thick clear tempered glass with sand blasted and polished edges. Including vacum rubber spacer. Complete in all respects as per specifications. Size (mm): Dia 1372 x 762	1.00	No		
17	Writing Desk Supply of Writing Desk , structure made of solid and seasoned oak wood with upper box made of chipboard with oak veneer pressed under 100-150 kg/cm ² of air pressure and 60 degree of temperature with solid & seasoned Oak wood lipping. NC lacquer polish finish. Top in approved Corian. Complete in all respect as per specifications and drawing. Size (mm): (W) 1830 x (D) 600 x (H) 1295	1.00	Nos.		
18	Reception Chair Supply of Reception Chair , with adjustable PU arms, seat and back made of 12mm thick imported malaysian commercial ply, upholstered with approved Fabric , adjustable height with gas lift, spring loaded back, nylon base with twin caster wheels. Complete in all respects as per specification.	1.00	Nos.		
19	REVOLING HIGH BACK CHAIR FOR CONFERENCE Supply of revolving high back chair for GM with polished oak wood arms made in 4 piece joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick malaysian imported commercial ply pasted over different size of foam (density 1.52 pound per cft), covered with approved fabric/ leatherite, seat and back reclining having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base complete in all respects as per specification Leatherite /fabric	1.00	No.		
20	CPU Trolley Supply of CPU Trolley made of mild steel sheet with deco black paint finish. Complete in all respects as per specifications and drawings.	20.00	No		

Q



**MANUFACTURING & SUPPLYING OF FURNITURE ITEMS AT NBP G.T ROAD GUJJAR KHAN
BRANCH (0332) R.O JHELUM**

(BILL OF QUANTITIES)

Sr	DESCRIPTIONS	Qty	Unit	Rate (PKR)	Amount(PKR)
21	Trash Bin Supply of Trash Bin made of mild steel sheet with deco black paint finish. Complete in all respects as per specifications and drawings.	10.00	No		
22	Planter Supply of Planter (400mm O), made with 16 swg mild steel perforated sheet finish with silver sparkle deco paint with 25mm wide chrome plated strips, 9mm mild steel chrome plated spacers. Complete in all respect as per specifications.	20.00	No		
Note: All furniture items as per approved sample/design available at NBP G-5/1 building Islamabad.				<i>Total(Rs.)</i>	
				Adding GST @ 18%	
				Amount I/e GST	
				CARRIAGE CHARGES	
				G. Total	

FOR NATIONAL BANK OF PAKISTAN



CONTRACTOR



LOT NO.14-N: NBP MAIN BRANCH CHAKWAL, R.O. JHELUM**MANUFACTURING & SUPPLYING OF FURNITURE ITEMS AT NBP CHAKWAL BRANCH (0421), R.O JH****(BILL OF QUANTITIES)**

Sr	DESCRIPTIONS	Qty	Unit	Rate (PKR)	Amount(PKR)
1	Executive Table Supply of Executive Table at site, made of chipboard with approved oak veneer pressed under 100-150 kg/cm ² of air pressure and 60 C ^o of temperature and backing veneer underneath, Table having solid and seasoned Oak wood tothing joint between top & sides with NC lacquer polish finish. Top fixed with return table with SS spacers. Including return table with two drawers. Drawers run on imported roller. Complete in all respects as per specifications. Table Size (mm): (L) 1525 x (D) 838 x (H) 762 Return Table Size (mm): (L)1830 x(D)457x(H)660	1.00	No.		
2	Two Seat Sofa Supply of Two Seat Sofa , base made of solid & seasoned oak wood with NC lacquer finish, internal structure made of Acacia wood. Seat & back upholstered with good quality of foam and approved Fabric/Leatherite . Complete in all respects as per specifications.	5.00	Nos.		
3	WAITING BENCH THREE SEAT (VS-3) WAITING BENCH THREE SEAT (VS-3) Supply of 3 Seater Waiting Bench, structure and armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specification and drawings.	4.00	Each		
4	WAITING BENCH TWO SEATER (VS-2) Supply of 2 Seater Waiting Bench, structure and armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specification and drawings.	18.00	Each		
5	Centre Table CENTER TABLE (CT-5A-A8) Size: W 3'-6" X D 2'-0" X H 1'-6" Supply of Center Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm ² of air pressure and 60 C ^o of temperature, with approved colour leather on top & solid and seasoned Oak wood tothing joint between top & sides. Finish with NC lacquer polish. Complete in all respect as per specification and drawings.	3.00	Nos.		
6	Side Table Supply of Side Table , sides made with 50mm thick chipboard with oak veneer pressed on both sides under 100-150 kg/cm ² of air pressure and 60 Co of temperature, having approved colour leather on top, having solid and seasoned Oak wood tothing joint between top & sides. Finish with NC lacquer polish. Complete in all respects as per specifications. Size (mm): W: 600 x D: 600 x H: 457	4.00	Nos.		
7	Credenza for Manager Supply of Credenza , made of chipboard with approved oak veneer pressed under 100 - 150 kg/cm ² of air pressure and 60 C ^o of temperature and backing veneer on other side with oak wood tothing. Finish with clear NC lacquer polish. Having storage and drawers with imported roller runner, hinges. Complete in all respects as per specifications. Size (mm): (L) 1830 x (D) 457 x (H) 762	1.00	Nos.		



MANUFACTURING & SUPPLYING OF FURNITURE ITEMS AT NBP CHAKWAL BRANCH (0421), R.O JH**(BILL OF QUANTITIES)**

Sr	DESCRIPTIONS	Qty	Unit	Rate (PKR)	Amount(PKR)
8	Revolving Chair Manager/Executives with High Back Supply of Officer Revolving Chair with polished Oak wood arms made in 4 piece joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12mm thick malaysian imported commercial ply pasted over different size of foam (density 1.52 pound per cft), covered with approved Leather/Fabric , seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base. Complete in all respects as per specifications.	2.00	Nos.		
9	OFFICER TABLE (T-30) Supply of Office Wooden Table. Table top made of Chipboard with formica #7419 (Farmite) pressed under 100-150 Kg/Cm2 of air pressure and 60 degree of temperature on front side and backing formica underneath with solid Oak wood edging in N.C lacquer polish finish. Including non-magnetic stainless steel vanity panel with supported S.S brackets and 'H' shape pillar both sides with silver sparkle deco paint. Completed in all respect including drawer pedestal. Size: L 4'-6" X D 6'-0" X H 2'-6"	11.00	Each		
10	Credenza For Officers Supply of Credenza , made of 36 mm thick chipboard with formica # 7419 pressed under 100-150 kg/cm of air pressure and 60 C of temperature and backing veneer under neath. Table having solid and seasoned oak wood edging including two H shape pillar with vanity panel in powder coated finish . complete in all respects as per specifications. Size (mm): (L) 1525 x (D) 457 x (H) 762	8.00	Nos.		
11	Officer Revolving Chair with medium back Supply of Officer Revolving Chair with polished Oak wood arms made in 4 piece joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12mm thick malaysian imported commercial ply pasted over different size of foam (density 1.52 pound per cft), covered with approved Fabric , seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base. Complete in all respects as per specifications.	26.00	Nos.		
12	WORKSTATION Staff Table for four person table top made of chipboard with formica # 7419 (Formite) press under 100-150 kg / cm2 of air pressure and 60 degree of temperture and backing formica under neath with solid oak wood edging. Including Drawer Pedestal, CPU Rack etc. complete in all respect as per specification & drawing.	1.00	No.		
13	Visitor Chair Supply of Visitor Chair with seat and back upholstered in approved Fabric , Legs made of solid & seasoned oak wood finish with NC lacquer polish with softwood structure. Complete in all respects as per specification.	24.00	Nos.		
14	Conference Table For 22 Persons Supply of Conference Table 22-Seator , twelve legs and top frame made of solid and seasoned Oak wood with NC lacquer polish finish and stainless steel fitting. Top made of 12mm thick clear tempered glass with sand blasted and polished edges. Including vacuum rubber spacer. Complete in all respects as per specifications. Size : 22'-00 x 5'-00	1.00	Nos.		



MANUFACTURING & SUPPLYING OF FURNITURE ITEMS AT NBP CHAKWAL BRANCH (0421), R.O JH**(BILL OF QUANTITIES)**

Sr	DESCRIPTIONS	Qty	Unit	Rate (PKR)	Amount(PKR)
15	CONFERENCE ROOM CHAIRS Supply of officer revolving chair with polishes oak wood arms made in 4 piece joinery (all joints are made in epoxy and two sided screws), seat and back in one piece 12mm thick malaysian imported commercial ply pasted over different size of foam (density 1.52) pound per cft) covered with approved leatherite , seat and back reciefling , having five spoke nylon base with twin caster wheel , adjustable hieght with hydraulic base . Complete in all respects as per specification . (Leatherite/fabric)	21.00	Nos.		
16	Writing Desk Supply of Writing Desk , structure made of solid and seasoned oak wood with upper box made of chipboard with oak veneer pressed under 100-150 kg/cm2 of air pressure and 60 degree of temperature with solid & seasoned Oak wood lipping, NC lacquer polish finish, Top in approved Corian, Complete in all respect as per specifications and drawing. Size (mm): (W) 1830 x (D) 600 x (H) 1295	1.00	Nos.		
17	Reception Chair Supply of Reception Chair , with adjustable PU arms, seat and back made of 12mm thick imported malaysian commercial ply, upholstered with approved Fabric , adjustable height with gas lift, spring loaded back, nylon base with twin caster wheels, Complete in all respects as per specification.	2.00	Nos.		
18	REVOLING HIGH BACK CHAIR FOR CONFERENCE Supply of revolving high back chair for GM with polished oak wood arms made in 4 piece joinery (all joints made in epoxy and and two sided screws), seat and back in one piece 12 mm thick malaysian imported commercail ply pasted over different size of foam (density 1.52 pound per cft), covered with approved fabric/ leatherite, seat and back reciefling having , five spoke nylone base with twin caster wheel , adjustable hieght with hydraulic base complete in all respects as per specification Leatherite /fabric	1.00	No.		
19	CPU Trolley Supply of CPU Trolley made of mild steel sheet with deco black paint finish, Complete in all respects as per specifications and drawings.	20.00	No		
20	Trash Bin Supply of Trash Bin made of mild steel sheet with deco black paint finish. Complete in all respects as per specifications and drawings.	5.00	No		
21	Planter Supply of Planter (400mm Ø), made with 16 swg mild steel perforated sheet finish with silver sparkle deco paint with 25mm wide chrome plated strips, 9mm mild steel chrome plated spacers. Complete in all respect as per specifications.	20.00	No		
Note: All furniture items as per approved sample/design available at NBP G-5/1 building Islamabad.				Total(Rs.)	
				Adding GST @ 18%	
				Amount I/c GST	
				CARRIAGE CHARGES	
				G. Total	

FOR NATIONAL BANK OF PAKISTAN

CONTRACTOR



LOT NO.15-N: NBP BALL KHAN MONG BRANCH, R.O. RAWALAKOT (AK)**TENDER****Supply of Standard Furniture at NBP Ball Khan Mong Branch (1835), R.O Rawalakot (A.K)****BOQ**

S.NO	DESCRIPTION/SPECIFICATION	QTY	UNIT	RATE (Rs)	AMOUNT (Rs)
1	BRANCH MANAGER TABLE (BMT-1) Table Size: L: 5'-0" X D: 3'-0" X H: 2'-6" Return Table size: L: 5'-0" X D: 1'-6" X H: 2'-0" Supply of Branch Manager Table made of chipboard with formica = 7419 (Formite) pressed under 100-150 Kg/Cm2 of air pressure and 60 C of temperature and backing formica underneath, with approved color leatherite writing pad on top. Having solid and approved Oak wood toothing joint between top & Sides with NC lacquer polish finish. Top fixed with return (Side) table with stainless steel spacers, including return table with two drawers. Drawers run on imported roller. Complete in all respect as per Drawing & specification	1.00	Each		
2	OFFICER TABLE (I-30) Size: L: 4'-0" X D: 0'-0" X H: 2'-6" Supply of Office Wooden Table. Table top made of Chipboard with Formica = 7419 (Formite) pressed under 100-150 Kg/Cm2 of air pressure and 60 degree of temperature on front side and backing formica underneath with solid Oak wood edging in NC lacquer polish finish. Including non-magnetic stainless steel vanity panel with supported S.S brackets and T shape pillar both sides with silver sparkle deco paint. Completed in all respect	2.00	Each		
3	CREDENZA FOR MANAGER (CR-2) Size: (5'-0" X 1'-6" X 2'-6") Supply of Credenza made of Chipboard with formica = 7419 (Formite) with approved Oak Veneer pressed under 100-150 Kg/Cm2 of air pressure and 60 C of temperature and backing veneer on other side with Oak wood toothing. Finish with clear NC lacquer polish. Having storage and drawers with imported roller runner/hinges, complete in all respect as per specification and drawing.	1.00	Each		
4	CPU TROLLEY (CPU-1) Size: Standard Size Supply of CPU Trolley made of mild steel sheet with deco black paint finish. Complete in all respect and drawing	4.00	Each		
5	OFFICER REVOLVING CHAIR (LOW BACK) (C-1) Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (density 1.52 pound per cft), covered with approved Fabric, seat and back reclining, having five spoke nylon base with twin castor wheel, adjustable height with hydraulic base, complete in all respect as per specification & drawings.	3.00	Each		



TENDER

6	MANAGER REVOLVING CHAIR (HIGH BACK) C-2 Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery + all joints made in epoxy and two sided screws, seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (1.37" pound per city) covered with approved Fabric-seat (3.50) reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base, complete in all respect as per specification & drawings.	1.00	Each		
7	OFFICER VISITOR'S CHAIR (VC-4) Supply of officer Visitor's Chair, structure made of solid & seasoned Oak wood all joints made in epoxy and two sided screw, seat and back upholstered with foam and approved leatherite, Wood parts finished with NC lacquer polish, Complete in all respect as per specification and drawings.	6.00	Each		
8	WAITING BENCH TWO SEAT (VS-3) Supply of 2 Seater Waiting Bench, structure and armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite, Complete in all respect as per specification and drawings.	4.00	Each		
9	WAITING BENCH THREE SEAT (VS-3) Supply of 3 Seater Waiting Bench, structure and armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite, Complete in all respect as per specification and drawings.	1.00	Each		
10	SINGLE SEAT SOFA (S-10) Supply of single seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood, Seat and back upholstered with good quality foam and approved Fabric, Complete in all respect as per drawing and Specification.	2.00	Each		
11	TWO SEAT SOFA (S-10) Supply of two seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood, Seat and back upholstered with good quality foam and approved Fabric, Complete in all respect as per drawing and Specification.	1.00	Each		
12	CENTER TABLE (CT-SA-38) Size: W 3'-6" X D 2'-0" X H 1'-6" Supply of Center Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm2 of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood toothing joint between top & sides, Finish with NC lacquer polish, Complete in all respect as per specification and drawings.	1.00	Nos.		



TENDER

L3	<p>Side Table Supply of Side Table, sides made with 50mm thick chipboard with oak veneer pressed on both sides under 100-150 kg/cm² of air pressure and 60 Co of temperature, having approved colour leather on top, having solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. Complete in all respects as per specifications. Size (mm): W: 600 x D: 600 x H: 457</p>	L00	None			
	<p>Note: All furniture items as per approved sample/design available at NBP G-5/1 building Islamabad.</p>					
					Total Rs.	
					GST 18%	
					Transportation	
					Grand Total Rs.	



 For National Bank Of Pakistan

Contractor

LOT NO.16-N: NBP KAILER BRANCH, R.O. RAWALAKOT (AK)**TENDER****Supply of Standard Furniture at NBP Kailer Branch (1806), R.O Rawalakot (A.K)****BOQ**

S.NO	DESCRIPTION/SPECIFICATION	QTY	UNIT	RATE (Rs)	AMOUNT (Rs)
1	BRANCH MANAGER TABLE (BMT-1) Table Size: L: 5'-0" X D: 3'-0" X H: 2'-6" Return Table size: L: 5'-0" X D: 1'-6" X H: 2'-0" Supply of Branch Manager Table made of chipboard with formica (7419 (ornite) pressed under 100-150 Kg/Cm ² of air pressure and 60°C of temperature and backing formica underneath, with 1/4" thick leatherite writing pad on top. Having solid and seamless oak wood tooling joint between top & Sides with N.C lacquer polish finish. Top fixed with return (Side) table with stainless steel spacers, including return table with two drawers. Drawers run on imported roller. Complete in all respect as per Drawing & specification	1.00	Each		
2	OFFICER TABLE (1-30) Size: L: 4'-0" X D: 6'-0" X H: 2'-6" Supply of Office Wooden Table. Table top made of Chipboard with formica (7419 (ornite) pressed under 100-150 Kg/Cm ² of air pressure and 60 degree of temperature on front side and backing formica underneath with solid Oak wood edging in N.C lacquer polish finish. Including non-magnetic stainless steel vanity panel with supported S.S brackets and 1" shape pillar both sides with silver sparkle deco paint. Completed in all respect	1.00	Each		
3	CREDENZA FOR MANAGER (CR-2) Size: 4'-0" X 1'-6" X 2'-6" Supply of Credenza made of Chipboard with formica (7419 (ornite) with approved Oak Veneer pressed under 100-150 Kg/Cm ² of air pressure and 60°C of temperature and backing veneer on other side with Oak wood tooling. Finish with clear N.C lacquer polish. Having storage and drawers with imported roller runner, hinges, complete in all respect as per specification and drawing.	2.00	Each		
4	CPU TROLLEY (CPU-1) Size (Standard Size) Supply of CPU Trolley made of mild steel sheet with deco black paint finish. Complete in all respect and drawing	4.00	Each		
5	OFFICER REVOLVING CHAIR (LOW BACK) (C-1) Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (density 1.52 pound per cft), covered with approved fabric, seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base, complete in all respect as per specification & drawings.	3.00	Each		



TENDER					
6	<p><u>MANAGER REVOLVING CHAIR (HIGH BACK) C-2</u> Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (density 1.52 pound per cft), covered with approved Fabric, seat and back reclining, having five spoke nylon base with twin casters for adjustable height with hydraulic base, complete in all respect as per specification and drawings.</p>	1.00	Each		
7	<p><u>OFFICER VISITOR'S CHAIR (VC-4)</u> Supply of officer Visitor's Chair, structure made of solid & seasoned Oak wood all joints made in epoxy and two sided screw, seat and back upholstered with foam and approved leatherite, Wood parts finished with NC lacquer polish. Complete in all respect as per specification and drawings.</p>	4.00	Each		
8	<p><u>WAITING BENCH TWO SEAT (VS-3)</u> Supply of 2 Seater Waiting Bench, structure and armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric - Leatherite. Complete in all respect as per specification and drawings.</p>	3.00	Each		
9	<p><u>WAITING BENCH THREE SEAT (VS-3)</u> Supply of 3 Seater Waiting Bench, structure and armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric - Leatherite. Complete in all respect as per specification and drawings.</p>	2.00	Each		
10	<p><u>SINGLE SEAT SOFA (S-10)</u> Supply of single seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood, Seat and back upholstered with good quality foam and approved fabric. Complete in all respect as per drawing and Specification.</p>	2.00	Each		
11	<p><u>TWO SEAT SOFA (S-10)</u> Supply of Two seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood, Seat and back upholstered with good quality foam and approved fabric. Complete in all respect as per drawing and Specification.</p>	1.00	Each		
12	<p><u>CENTER TABLE (CJ 5X A8)</u> Size: W 3'-6" X D 2'-0" X H 1'-6" Supply of Center Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm2 of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. Complete in all respect as per specification and drawings.</p>	1.00	Nos.		



TENDER

11	<p>Side Table Supply of Side Table, sides made with 50mm thick chipboard with oak veneer pressed on both sides under 100-150 kg/cm² of air pressure and 60 C^o of temperature, having approved colour leather on top, having solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. Complete in all respects as per specifications. Size (mm): W: 600 x D: 600 x H: 457</p>	2.00	Nos.	
<p>Note: All furniture items as per approved sample/design available at NBP G-5/1 building Islamabad.</p>				<p>Total Rs.</p>
				<p>GST 18%</p>
				<p>Transportation</p>
				<p>Grand Total Rs.</p>


 For National Bank of Pakistan


Contractor

LOT NO.17-N: NBP KOT JAMEL BRANCH MIRPUR A.K. REGION**SUPPLY OF STANDARD FURNITURE AT NBP KOT JAMEL BRANCH MIRPUR A.K REGION,****BOQ**

S.NO	DESCRIPTION/SPECIFICATION	QTY	UNIT	RATE (Rs)	AMOUNT (Rs)
1	BRANCH MANAGER TABLE (BMT-1) Table Size: L 5'-0" X D 3'-0" X H 2'-6" Return Table size: L 5'-0" X D 1'-6" X H 2'-0" Supply of Branch Manager Table made of chipboard with formica # 7419 (Formite) pressed unde 100-150 Kg/Cm2 of air pressure and 60 C of temperature and backing formica underneath, with approved color leatherite writing pad on top. Having solid and seasoned Oak wood toothing joint between top & Sides with NC lacure polish finish. Top fixed with return (Side) table with stainless steel spacers, including return table with two drawers. Drawers run on imported roller. Complete in all respect as per Drawing & specification	1	Each		
2	OFFICER TABLE (T-30) Size: L 4'-6" X D 6'-0" X H 2'-6" Supply of Office Wooden Table. Table top made of Chipboard with farmica #7419 (Farmite) pressed under 100-150 Kg/Cm2 of air pressure and 60 degree of temprature on front side and backing formica underneath wtk solid Oak wood edging in N.C lacquer polish finish. Including non-megnetic stainless steel vanity panel with supported S.S brackets and 'H' shape pillar both sides with silver sparkle deco paint. Completed in all respect	2	Each		
3	CPU TROLLEY (CPU-1) Size (Standard Size) Supply of CPU Trolley made of mild steel sheet with deco black paint finish. Complete in all respect and drawing	2	Each		
4	OFFICER REVOLVING CHAIR (LOW BACK) C-1 Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (denisty 1.52 pound per cft), covered with approved Fabric,seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base, complete in all respect as per specification & drawings.	4	Each		
5	MANAGER REVOLVING CHAIR (HIGH Back) C-2 Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (denisty 1.52 pound per cft), covered with approved Fabric,seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base, complete in all respect as per specification & drawings.	1	Each		
6	OFFICER VISITOR'S CHAIR (VC- 4) Supply of officer Visitor's Chair, structure made of solid & seasoned Oak wood all joints made in epoxy and two sided screw, seat and back upholstered with foam and approved leatherite. Wood parts finished with NC lacquer polish. Complete in all respect as per specification and drawings.	4	Each		



7	WAITING BENCH THREE SEAT (VS-3) Supply of 3 Seater Waiting Bench, structure and armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specification and drawings.	2	Each		
8	WAITING BENCH TWO SEAT (VS-2) Supply of 2 Seater Waiting Bench, structure and armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specification and drawings.	2	Each		
9	SINGLE SEAT SOFA (S-10) Supply of single seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good quality foam and approved Fabric. Complete in all respect as per drawing and Specification.	2	Each		
10	TWO SEAT SOFA (S-10) Supply of Two seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good quality foam and approved Fabric. Complete in all respect as per drawing and Specification.	1	Each		
11	CENTER TABLE (CT-5A-AB) Size: W 3'-6" X D 2'-0" X H 1'-6" Supply of Center Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm2 of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood tothing joint between top & sides. Finish with NC lacquer polish. Complete in all respect as per specification and drawings.	1	Each		
12	SIDE TABLE (CT-5A-A9) Size: W 1'-6" X D 1'-6" X H 1'-6" Supply of Side Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm2 of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood tothing joint between top & sides. Finish with NC lacquer polish. Complete in all respect as per specification and drawings.	2	Each		
13	PLANTER (PL-1) Planter (400mm Ø), made with 16 swg mild steel perforated sheet finish with silver sparkle deco paint with 25mm wide chrome plated strips, 9mm mild steel chrome plated spacers. Complete in all respect as per specifications.	6	Each		
				Total Rs.	-
				GST	-
				Transportation	
				Grand Total Rs.	-



7	MANAGER REVOLVING CHAIR (HIGH Back) C-2 Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (denisty 1.52 pound per cft), covered with approved Fabric, seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base, complete in all respect as per specification & drawings.	4	Each		
8	MANAGER VISITOR'S CHAIR (VC- 2) Supply of officer Visitor's Chair, structure made of solid & seasoned Oak wood all joints made in epoxy and two sided screw, seat and back upholstered with foam and approved leatherite/Fabric. Wood parts finished with NC lacquer polish. Complete in all respect as per specification and drawings.	0	Each		
9	OFFICER VISITOR'S CHAIR (VC- 4) Supply of officer Visitor's Chair, structure made of solid & seasoned Oak wood all joints made in epoxy and two sided screw, seat and back upholstered with foam and approved leatherite. Wood parts finished with NC lacquer polish. Complete in all respect as per specification and drawings.	4	Each		
10	WAITING BENCH THREE SEAT (VS-3) Supply of 3 Seater Waiting Bench, structure amd armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specification and drawings.	0	Each		
11	WAITING BENCH TWO SEAT (VS-2) Supply of 2 Seater Waiting Bench, structure amd armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leatherite. Complete in all respect as per specification and drawings.	0	Each		
12	RECEPTION CHAIR C-3 Supply of Reception Chair with adjustable PU arm, seat and back made of 12mm thick imported commercial ply, upholstered with approved Fabric,, adjustable height with gas lift, spring loaded back, nylon base with twin caster wheels, complete in all respect as per drawing and specification.	0	Each		
13	SINGLE SEAT SOFA (S-10) Supply of single seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good qulaity foam and approved Fabric. Complete in all respect as per drawing and Specification.	0	Each		
14	TWO SEAT SOFA (S-10) Supply of Two seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good qulaity foam and approved Fabric. Complete in all respect as per drawing and Specification.	0	Each		
15	THREE SEAT SOFA (S-10) Supply of three seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back uphoistered with good qulaity foam and approved Fabric. Complete in all respect as per drawing and Specification.	3	Each		
16	CENTER TABLE (CT-5A-A8) Size: W 3'-6" X D 2'-0" X H 1'-6" Supply of Center Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm2 of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. Complete in all respect as per specification and drawings.	0	Each		



17	SIDE TABLE (CT-5A-A9) Size: W 1'-6" X D1'-6" X H 1'-6" Supply of Side Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm2 of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. Complete in all respect as per specification and drawings.	3	Each		
18	WRITTING DESK (WD-1) Size: (W) 6'-0"X (D) 2'-0"X (H) 4'-0" Structure made of solid & seasoned Oak wood with wood stopper. Upper partition & shelf made of MDF board with oak veneer pressed under 100-150 Kg/cm2 of air pressure and 60 degree of Temperature with solid & seasoned Oak wood lipping. NC laquor polish finish. Top in approved Corian complete in all respect as per specification & drawing.	0	Each		
				Total Rs.	
				GST	
				Transportation	
				Grand Total Rs.	


 FOR NATIONAL BANK OF PAKISTAN

CONTRACTOR



LOT NO.19-N: NBP BATTAGRAM BR RO MANSEHRA

National Bank of Pakistan


**SUPPLY OF STANDARD FURNITURE AT NBP BATTAGRAM BRANCH, R.O MANSEHRA
AGAINST TICKET NO 66803**

Estimate

Composite Schedule rate Ref No.	DESCRIPTION/SPECIFICATION	QTY	UNIT	RATE (Rs)	AMOUNT (Rs)
1	BRANCH MANAGER TABLE (BMT-1) Table Size: L 5'-0" X D 3'-0" X H 2'-6" Return Table size: L 5'-0" X D 1'-6" X H 2'-0" Supply of Branch Manager Table made of chipboard with formica # 7419 (Formite) pressed under 100-150 Kg/Cm2 of air pressure and 60 C of temperature and backing formica underneath, with approved color leatherite writing pad on top. Having solid and seasoned Oak wood toothing joint between top & Sides with NC lacquer polish finish. Top fixed with return (Side) table with stainless steel spacers, including return table with two drawers. Drawers run on imported roller. Complete in all respect as per Drawing & specification	1	Each		-
2	OFFICER TABLE (T-30) Size: L 4'-0" X D 2'-6" X H 2'-6" Return Table size: L 4'-6" X D 1'-6" X H 2'-0" Supply of Office Wooden Table. Table top made of Chipboard with formica #7419 (Formite) pressed under 100-150 Kg/Cm2 of air pressure and 60 degree of temperature on front side and backing formica underneath with solid Oak wood edging in N.C lacquer polish finish. Including non-magnetic stainless steel vanity panel with supported S.S brackets and 'H' shape pillar both sides with silver sparkle deco paint. Completed in all respect	3	Each		-
3	CREDENZA FOR MANAGER (CR-2) Size (5'-0" X 1'-6" X 2'-6") Supply of Credenza made of Chipboard with formica # 7419 (Formite) with approved Oak Veneer pressed under 100-150 Kg/ Cm2 of air pressure and 60 C of temperature and backing veneer on other side with Oak wood toothing. Finish with clear NC lacquer polish. Having storage and drawers with imported roller runner, hinges, complete in all respect as per specification and drawing.	1	Each		-
4	DRAWER PEDESTAL (DP-1) Size (1'-8" X 1'-6" X 2'-2") Supply of Drawer Pedestal made of Chipboard with formica # 7419 (Formite) pressed under 100-150 Kg/Cm2 air pressure and 60 C of temperature and backing formica underneath. Drawer pedestal having three drawer on imported roller runners including lokcs, pull and footing / glide. Complete in all respect as per specification and drawings.	1	Each		-
5	OFFICER REVOLVING CHAIR (LOW BACK) C-1 Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (denisty 1.52 pound per cft). covered with approved Fabric, seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base, complete in all respect as per specification & drawings.	6	Each		-
6	MANAGER REVOLVING CHAIR (HIGH Back) C-2 Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (denisty 1.52 pound per cft). covered with approved Fabric, seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base, complete in all respect as per specification & drawings.	2	Each		-




7	OFFICER VISITOR'S CHAIR (VC-4) Supply of officer Visitor's Chair, structure made of solid & seasoned Oak wood all joints made in epoxy and two sided screw, seat and back upholstered with foam and approved leathente. Wood parts finished with NC lacquer polish. Complete in all respect as per specification and drawings.	6	Each	-
8	WAITING BENCH THREE SEAT (VS-3) Supply of 3 Seater Waiting Bench, structure and armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leathente. Complete in all respect as per specification and drawings.	6	Each	-
9	WAITING BENCH TWO SEAT (VS-2) Supply of 2 Seater Waiting Bench, structure and armrest made of Stainless steel pipe, seat & Back upholstered with good quality of foam and approved Fabric / Leathente. Complete in all respect as per specification and drawings.	6	Each	-
10	SINGLE SEAT SOFA (S-10) Supply of single seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good quality foam and approved Fabric. Complete in all respect as per drawing and Specification.	1	Each	-
11	TWO SEAT SOFA (S-10) Supply of Two seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good quality foam and approved Fabric. Complete in all respect as per drawing and Specification.	1	Each	-
12	THREE SEAT SOFA (S-10) Supply of three seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good quality foam and approved Fabric. Complete in all respect as per drawing and Specification.	1	Each	-
13	CENTER TABLE (CT-5A-A8) Size W 3'-6" X D 2'-0" X H 1'-6" Supply of Center Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm ² of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. Complete in all respect as per specification and drawings.	2	Each	-
14	SIDE TABLE (CT-5A-A9) Size W 1'-6" X D 1'-6" X H 1'-6" Supply of Side Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm ² of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. Complete in all respect as per specification and drawings.	2	Each	-
Total Rs.				-
GST 18%				-
Transportation				-
Grand Total Rs.				-


 ENGR. M. AMIR SHAD
 SR. RESIDENT ENGINEER PESHAWAR

LOT NO.20-N: NBP DARBAND TOWNSHIP BR RO MANSEHRA

National Bank of Pakistan

SUPPLY OF STANDARD FURNITURE AT NBP NEW DARBAND T/SHIP BRANCH R.O MANSEHRA AGAINST

TICKET NO 66666

Estimate

Composite Schedule rate Ref No.	DESCRIPTION/SPECIFICATION	QTY	UNIT	RATE (Rs)	AMOUNT (Rs)
1	BRANCH MANAGER TABLE (BMT-1) Table Size: L 5'-0" X D 3'-0" X H 2'-6" Return Table size: L 5'-0" X D 1'-6" X H 2'-0" Supply of Branch Manager Table made of chipboard with formica # 7419 (Formite) pressed unde 100-150 Kg/Cm2 of air pressure and 60 C of temperature and backing formica underneath, with approved color leatherite writing pad on top. Having solid and seasoned Oak wood toothing joint between top & Sides with NC lacure polish finish. Top fixed with return (Side) table with stainless steel spacers, including return table with two drawers. Drawers run on imported roller. CComplete in all respect as per Drawing & specification	1	Each		-
2	CENTER TABLE (CT-5A-A8) Size: W 3'-6" X D 2'-0" X H 1'-6" Supply of Center Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm2 of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. Complete in all respect as per specification and drawings.	2	Each		-
3	OFFICER REVOLVING CHAIR (HIGH Back) C-2 Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (denisty 1.52 pound per cft), covered with approved Fabric, seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydraulic base, complete in all respect as per specification & drawings.	3	Each		-
4	CPU TROLLEY (CPU-1) Size (Standard Size) Supply of CPU Trolley made of mild steel sheet with deco black paint finish. Complete in all respect and drawing	2	Each		-
5	THREE SEAT SOFA (S-10) Supply of three seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good qulaity foam and approved Fabric. Complete in all respect as per drawing and Specification.	4	Each		-
6	SINGLE SEAT SOFA (S-10) Supply of single seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back upholstered with good qulaity foam and approved Fabric. Complete in all respect as per drawing and Specification.	4	Each		-
Total Rs.					
GST 18%					
Transportation					
Grand Total Rs.					-


 ENGR. M. AKHTAR SHAD
 SR. RESIDENT ENGINEER PESHAWAR



LOT NO.21-N: NBP GULPUR BR RO MIRPUR AK**SUPPLYING OF FURNITURE ITEMS AT NBP, GULPUR BRANCH (0817) R.O MIRPUR (A.K).****TICKET NO. 66668**

No	SPECIFICATION	QTY	UNIT	RATE	AMOUNT
1	<p>BRANCH MANAGER TABLE</p> <p>Manager Table made of chipboard with approved formica # 7419 pressed under 100-150 kg/cm² of air pressure and 60 Co of temperature and backing formica underneath. Table having solid and seasoned Oak wood toothing joint between top & sides with NC lacquer polish finish. Top fixed with return table with SS spacers. Including return table with two drawers. Drawers run on imported roller. Complete in all respects as per specifications.</p> <p>Table Size (mm): (L) 1525 x (D) 838 x (H) 762 Return Table Size (mm): (L) 1830 x (D) 457 x (H) 660</p>	1.00	Each		
2	<p>OFFICER REVOLVING CHAIR (HIGH BACK)</p> <p>Supply of High Back Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (denisty 1.52 pound per cft), covered with approved Fabric,seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydralic base, complete in all respect</p>	1.00	Each		
3	<p>OFFICER REVOLVING CHAIR (LOW BACK)</p> <p>Supply of Officer Revolving Chair with polish Oak wood arms made in 4 pieces joinery (all joints made in epoxy and two sided screws), seat and back in one piece 12 mm thick Malaysian imported commercial ply pasted over different size of foam (denisty 1.52 pound per cft), covered with approved Fabric,seat and back reclining, having five spoke nylon base with twin caster wheel, adjustable height with hydralic base, complete in all respect</p>	2.00	Each		



SUPPLYING OF FURNITURE ITEMS AT NBP, GULPUR BRANCH (0817) R.O MIRPUR (A.K).**TICKET NO. 66668**

No	SPECIFICATION	QTY	UNIT	RATE	AMOUNT
4	OFFICER TABLE (T-30) Supply of Office Wooden Table. Table top made of Chipboard with farmica #7419 (Farmite) pressed under 100-150 Kg/Cm2 of air pressure and 60 degree of temprature on front side and backing formica underneath with solid Oak wood edging in N.C lacquer polish finish. Including non-megnetic stainless steel vanity panel with supported S.S brackets and 'H' shape pillar both sides with silver sparkle deco paint. Completed in all respect including drawer pedestal. Size: L 4'-6" X D 6'-0" X H 2'-6"	1.00	Each		
5	VISITOR CHAIR VC-9 Visitor's Chair Structure made of solid & seasoned Oak wood, all joints made in epoxy and two sided screws. seat and back upholstered with foam and approved Fabric/Leatherite. Wood parts finished with NC lacquer. Complete in all respects	4.00	Each		
6	WAITING BENCH THREE SEATER Structure and armrest made of Stainless steel pipes. Seat & back upholstered with good quality of foam and approved Fabric/Leatherite. Complete in all respects as per specifications.	2.00	Each		
7	WAITING BENCH TWO SEATER Structure and armrest made of Stainless steel pipes. Seat & back upholstered with good quality of foam and approved Fabric/Leatherite. Complete in all respects as per specifications.	2.00	Each		
8	SIDE TABLE (ST-10) Side Table: structure made of solid and seasoned oak wood finished with clear NC lacquer polish. Including 8mm thick clear tempered glass. Complete in all respects as per specification. Size (mm): (W) 508 x (D) 508 x (H) 460	1.00	Each		
9	THREE SEAT SOFA (S-10) Supply of three seat sofa, base made of solid & seasoned Oak Wood with NC lacquer finish, internal structure made of Acacia wood. Seat and back uphoistered with good qulaity foam and approved Fabric. Complete in all respect.	2.00	Each		



SUPPLYING OF FURNITURE ITEMS AT NBP, GULPUR BRANCH (0817) R.O MIRPUR (A.K).**TICKET NO. 66668**

No	SPECIFICATION	QTY	UNIT	RATE	AMOUNT
10	CENTER TABLE Size (mm): (W) 1067 x (D)1067 x (H)460 Supply of Center Table, sides made with 50 mm thick Chipboard with Oak veneer pressed on both sides under 100-150 Kg/Cm ² of air pressure and 60 C of temperature, with approved colour leather on top & solid and seasoned Oak wood toothing joint between top & sides. Finish with NC lacquer polish. Complete in all respect as per specification.	2.00	Each		
				Sub Total	
				GST 18%	
				Carriage Rs.	
				Total Rs.	

Note: All furniture items as per approved sample/design available at NBP G-5/1 building Islamabad.

FOR NATIONAL BANK OF PAKISTAN



CONTRACTOR



Form 3: Letter of Acceptance

[Letter head paper of National Bank of Pakistan]

[date]

To: *[name and address of the Supplier]*

This is to notify you that your Bid dated *[date]* for execution of the *[name of the Contract and identification number, as given in the Special Conditions of Contract]* for the Contract Price of the equivalent of *[amount in numbers and words] [name of currency]*, as corrected and modified in accordance with the Instructions to Bidders is hereby accepted by us.

We hereby confirm *[insert the name of the Appointing Authority]*, to be the Appointing Authority, to appoint the Arbitrator in case of any arisen disputes in accordance with **ITB 45.1**.

You are hereby informed that after you have read and return the attached draft Contract the parties to the contract shall sign the vetted contract within fourteen (14) working days.

You are hereby required to furnish the Performance Guarantee/Security in the form and the amount stipulated in the Special Conditions of the Contract within a period of fourteen (14) days after the receipt of Letter of Acceptance.

Authorized Signature:

Name and Title of Signatory:

Name of Agency:

Attachment: Contract

Copy: Appointing Authority and Supplier



Form 4: Bid Security Form

To: [name of the Procuring Agency]

Whereas [name of the Bidder] (hereinafter called "the Bidder") has submitted its Bid dated [date of submission of Bid] for the delivery of [name and/or description of the goods] (hereinafter called "the Bid").

KNOW ALL PEOPLE by these presents that WE [name of Financial Institution] of [name of country], having our registered office at [address of Financial Institution] (hereinafter called "the Bank"), are bound unto [name of PA] (hereinafter called "the Procuring Agency") in the sum of [amount] for which payment well and truly to be made to the said Procuring Agency, the Bank binds itself, its successors, and assigns by these presents.

Sealed with the Common Seal of the said Bank this _____ day of _____ 20_ _____.

THE CONDITIONS of this obligation are:

1. If the Bid
 - (a) have withdrawn or modified our Bid during the period of Bid Validity specified in the Form of Bid;
 - (b) Disagreement to arithmetical correction made to the Bid price; or
 - (c) having been notified of the acceptance of our Bid by the Procuring Agency during the period of Bid Validity, (i) failure to sign the contract if required by Procuring Agency to do so or (ii) fail or refuse to furnish the Performance Security or to comply with any other condition precedent to signing the contract specified in the Bidding Documents.

2. We undertake to pay to the Procuring Agency up to the above amount upon receipt of its first written demand, without the Procuring Agency having to substantiate its demand, provided that in its demand the Procuring Agency states the amount claimed by it is due to it, owing to the occurrence of one or both of the conditions, specifying the occurred condition or conditions.

This guarantee shall remain in force up to and including twenty-eight (28) days after the period of Bid Validity, and any demand in respect thereof should reach the Bank not later than the above date.

Name:..... in the capacity of signed

[Signature of the Bank]

Dated on day of 20

Form 5: Bid Securing Declaration

[The Bidder shall fill in this Form in accordance with the instructions indicated.]

Date: [date (as day, month and year)]

No.: [number of Bidding process]

Alternative No.: [insert identification No if this is a Bid for an alternative]

To: [complete name of Procuring Agency]

We, the undersigned, declare that:

We understand that, according to your conditions, Bids must be supported by a Bid- Securing Declaration.

We accept that we will be blacklisted and henceforth cross debarred for participating in respective category of public procurement proceedings for a period of (not more than) six months, if fail to abide with a bid securing declaration, however without indulging in corrupt and fraudulent practices, if we are in breach of our obligation(s) under the Bid conditions, because we:

- (a) have withdrawn our Bid during the period of Bid validity specified in the Letter of Bid; or
- (b) Disagreement to arithmetical correction made to the Bid price; or
- (c) having been notified of the acceptance of our Bid by the Procuring Agency during the period of Bid validity, (i) fail or refuse to sign the Contract; or (ii) fail or refuse to furnish the Performance Security (or guarantee), if required, in accordance with the ITB.

We understand this Bid Securing Declaration shall expire if we are not the successful Bidder, upon the earlier of (i) our receipt of your notification to us of the name of the successful Bidder; or (ii) twenty-eight days after the expiration of our Bid.

Name of the Bidder* _____

Name of the person duly authorized to sign the Bid on behalf of the Bidder** _____

Title of the person signing the Bid _____

Signature of the person named above _____

Date signed _____ day of _____, _____

** : Person signing the Bid shall have the power of attorney given by the Bidder attached to the Bid



Letter of Bid - Financial Proposal (Prepare on letter head)

Date of this Bid submission:

No.: *[insert number of bidding process/lot number]*

Name of Project:

To: National Bank of Pakistan

We, the undersigned Bidder, hereby submit the second part of our Bid, the Financial Proposal

In submitting our Financial Proposal we make the following additional declarations:

- (a) **Bid Validity Period:** Our Bid shall be valid for the period specified in ——— (as amended, if applicable) from the date fixed for the bid submission deadline specified in BDS ——— (as amended, if applicable), and it shall remain binding upon us and may be accepted at any time before the expiration of that period;
- (b) The total price of the Bid is *[insert the total price of the bid in words and figures]*
- (c) **Discounts (if applicable):** The discounts offered and the methodology for their application are:
- (i) The discounts offered are: *[Specify in detail each discount offered]*

The exact method of calculations to determine the net price after application of discounts is shown below: *[Specify in detail the method that shall be used to apply the discounts];*

- (d) **Binding Contract:** We understand that this Bid, together with your written acceptance thereof included in your Letter of Acceptance, shall constitute a binding contract between us, until a formal contract is prepared and executed.

Breakdown of prices for each lot is as follows:



Bidder Information Form

[The Bidder shall fill in this Form in accordance with the instructions indicated below. No alterations to its format shall be permitted and no substitutions shall be accepted.]

Date: *[insert date (as day, month and year) of Bid submission]*

No.: *[insert number of Bidding process]*

Alternative No.: *[insert identification No if this is a Bid for an alternative]*

Page _____ of _____ pages

1. Bidder's Name <i>[insert Bidder's legal name]</i>
2. In case of JV, legal name of each member : <i>JV not permitted</i>
3. Bidder's actual or intended country of registration: <i>[insert actual or intended country of registration]</i>
4. Bidder's year of registration: <i>[insert Bidder's year of registration]</i>
5. Bidder's Address in country of registration: <i>[insert Bidder's legal address in country of registration]</i>
6. Bidder's Authorized Representative Information Name: <i>[insert Authorized Representative's name]</i> Address: <i>[insert Authorized Representative's Address]</i> Telephone/Fax numbers: <i>[insert Authorized Representative's telephone/fax numbers]</i> Email Address: <i>[insert Authorized Representative's email address]</i>
7. Attached are copies of original documents of <i>[check the box(es) of the attached original documents]</i> <input type="checkbox"/> Articles of Incorporation (or equivalent documents of constitution or association), and/or documents of registration of the legal entity named above. <input type="checkbox"/> In case of JV, letter of intent to form JV or JV agreement, in accordance with ITB 3.4. <input type="checkbox"/> Establishing that the Bidder is not under the supervision of the Procuring Agency 8. Included are the organizational chart, a list of Board of Directors, and the beneficial ownership.



SECTION-VII: GENERAL CONDITIONS OF CONTRACT



GENERAL CONDITIONS OF CONTRACT (GCC)

1. Definitions	<p>1. In this Contract, the following terms shall be interpreted as indicated:</p> <p>a) "Authority" means Public Procurement Regulatory Authority.</p> <p>b) The "Arbitrator" is the person appointed with mutual consent of both the parties, to resolve contractual disputes as provided for in the General Conditions of the Contract GCC Clause 31 hereunder.</p> <p>c) "The Contract" means the agreement entered into between the National Bank of Pakistan and the Supplier, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.</p> <p>d) The "Commencement Date" is the date when the Supplier shall commence execution of the contract as specified in the SCC</p> <p>e) "Completion" means the fulfillment of the related services by the Supplier in accordance with the terms and conditions set forth in the contract.</p> <p>f) "Country of Origin" means the countries and territories eligible under the PPRA Rules 2004 and its corresponding Regulations as further elaborated in the SCC.</p> <p>g) "The Contract Price" means the price payable to the Supplier under the Contract for the full and proper performance of its contractual obligations.</p> <p>h) "Defective Goods" are those goods which are below standards, requirements or specifications stated by the Contract.</p> <p>i) "Delivery" means the transfer of the goods from the supplier equipment, machinery, and /or other materials which the Supplier is required to supply to the National Bank of Pakistan under Contract.</p> <p>j) "Effective Contract date" is the date shown in the Certificate of Contract Commencement issued by the National Bank of Pakistan upon fulfillment of the conditions precedent stipulated in GCC Clause 3.</p> <p>k) "National Bank of Pakistan" means the person named as National Bank of Pakistan in the SCC and the legal successors in title to this person, procuring the Goods and related service, as named in SCC.</p> <p>l) "Related Services" means those services ancillary to the delivery of the Goods, such as transportation anti insurance, and any other incidental services, such as installation commissioning, provision of technical assistance, training, initial maintenance and other such obligations of the Supplier covered under the Contract.</p> <p>m) "GCC" means the General Conditions of Contract contained in this section.</p> <p>n) "Intended Delivery Date" is the date on which it is intended that the Supplier shall effect deliver as specified in the SCC.</p> <p>o) "SCC" means the Special Conditions of Contract.</p> <p>p) "Supplier" means the individual private or government entity or a combination of the above whose Bid to perform the contract has been accepted by the National Bank of Pakistan and is named as such in the Contract Agreement, and includes the legal successors or permitted assigns of the supplier and shall be named in the SCC.</p> <p>q) "Project Name" means the name of the project stated in SCC.</p>
-----------------------	--



	<p>r) "Day" means calendar day.</p> <p>s) "Eligible Country" means the countries and territories eligible for participation in accordance with the policies of the Federal Government.</p> <p>t) "End User" means the organization(s) where the goods will be used as named in the SCC.</p> <p>u) "Origin" means the place where the Goods were mined, grown, or produced or from which the Services are supplied. Goods are produced when through manufacturing, processing, or substantial and major assembly of components, a commercially recognized new produce results that is substantially different in basic characteristics in purpose or utility from its components.</p> <p>v)"Force Majeure" means an unforeseeable event which is beyond reasonable control of either Party and which makes a Party's performance of its obligations under the Contract impossible or so impractical as to be considered impossible under the circumstances. For the purposes of this Contract, "Force Majeure" means an event which is beyond the reasonable control of a Party, is not foreseeable, is unavoidable, and its origin is not due to negligence or lack of care on the part of a Party which makes a party's performance of its obligations hereunder impossible: or so impractical as reasonably to be considered impossible in the circumstances. and includes, but is not limited to, war, riots, civil disorder, earthquake, fire, explosion, storm, flood, epidemics, or other adverse weather conditions, strikes, lockouts or other industrial action (except where such strikes, lockouts or other industrial action are within the power of the Party invoking Force Majeure to prevent), confiscation ' or any other action by Government agencies.</p> <p>w)"Origin" means the place where the Goods were mined, grown, or produced or from which the Services are supplied. Goods are produced when through manufacturing, processing, or substantial and major assembly of components, a commercially recognized new produce results that is substantially different in basic characteristics in purpose or utility from its components.</p> <p>x)The Supplier's Bid is the completed Bid document submitted by the Supplier to the National Bank of Pakistan.</p>
<p>2. Application and interpretation</p>	<p>2.1. These General Conditions shall apply to the extent that they are not superseded by provisions of other parts of the Contract.</p> <p>2.2. The documents forming the Contract shall be interpreted in the following order of priority:</p> <ol style="list-style-type: none"> 1)Form of Contract, 2)Special Conditions of Contract, 3)General Conditions of Contract, 4)Letter of Acceptance, 5)Certificate of Contract Commencement 6)Specifications 7)Contractor's Bid, 8)Any other document listed in the Special Conditions of Contract as forming part of the Contract.



<p>3. Conditions Precedent</p> <p>4. Governing Language</p> <p>5. Applicable Law</p> <p>6. Country of Origin</p>	<p>3.1. Having signed the Contract, it shall come into effect on the date on which the following conditions have been satisfied:-</p> <p>a) Submission of performance Security (or guarantee in the form specified in the SCC;</p> <p>4.1. The Contract as all correspondence and documents relating to the contract exchanged by the Supplier and the National Bank of Pakistan shall be written in the language specified in SCC.</p> <p>5.1. The contract shall be governed and interpreted in accordance with the laws of Pakistan.</p> <p>6.1. The origin of Goods and Services may be distinct from the nationality of the Supplier</p>
<p>7. Standards</p>	<p>7.1. Supplies under this Contract shall conform to the standards mentioned in the Technical Specifications, and, when no applicable standard is mentioned, the American Standards (such as ACI, IEEE, ASME, etc.) or the Pakistani standards such as PSQCA Such standards shall be the latest issued by the concerned institution.</p>
<p>8. Use of Contract Documents and Information; Inspection and Audit by the National Bank of Pakistan.</p>	<p>8.1. The Supplier shall not, without the National Bank of Pakistan's prior written consent, disclose the Contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the National Bank of Pakistan in connection therewith, to any person other than a person employed by the Supplier in the performance of the Contract. Disclosure to any such employed person shall be made in confidence and shall extend only so far as may be necessary for purposes of such performance.</p> <p>8.2. The Supplier shall not, without the National Bank of Pakistan's prior written consent, make use of any document or information enumerated in GCC Clause 7.1 except for purposes of executing the Contract.</p> <p>8.3. Any document, other than the Contract itself, enumerated in GCC Clause 7.1 shall remain the property of the National Bank of Pakistan and shall be returned (all copies) to the National Bank of Pakistan on completion of the Supplier's performance under the Contract, if so required by the National Bank of Pakistan.</p> <p>8.4. The Supplier shall permit National Bank of Pakistan to inspect the Supplier's accounts and records relating to the performance of the Supplier and to have them audited by auditors appointed by the National Bank of Pakistan if so required.</p>
<p>9. Patent and Copy Rights</p>	<p>9.1. The Supplier shall indemnify the National Bank of Pakistan against all third party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof in Pakistan.</p>



<p>10. Performance Guarantee</p>	<p>10.1. The Performance Security (or Guarantee) shall be provided to the National Bank of Pakistan no later than the date specified in the Letter of Acceptance and shall be issued in an amount and form and by a bank or surety acceptable to the National Bank of Pakistan, and denominated in the types proportions of the currencies in which the Contract Price is payable as specified in the SCC.</p> <p>10.2. The proceeds of the Performance Guarantee shall be payable to the National Bank of Pakistan as compensation for any loss resulting from the Supplier's failure to complete its obligations under the Contract.</p> <p>10.3. The performance guarantee shall be in one of the following forms: (a) a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in the National Bank of Pakistan's country, in the form provided in the Bidding documents or another form acceptable to the National Bank of Pakistan; or</p> <p>10.4. The performance guarantee will be discharged by National Bank of Pakistan and returned to the Supplier not later than thirty (30) days following the date of completion of the Supplier's performance obligations under the Contract, including any warranty obligations, unless specified otherwise in SCC.</p>
<p>11. Inspections and Tests</p>	<p>11.1. The National Bank of Pakistan or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the contract specifications at no extra cost to the National Bank of Pakistan. SCC and the technical specifications shall specify what inspections and tests the National Bank of Pakistan requires and where they are to be conducted. The National Bank of Pakistan shall notify the supplier in writing, in a timely manner, of the identity of any representatives nominated for these purposes.</p> <p>11.2. The inspections and tests may be conducted on the premises of the supplier or its subcontractor(s), at point of delivery, and/or at the Goods' final destination. If conducted on the premises of the Supplier or its subcontractor(s) (if so allowed by the National Bank of Pakistan), all reasonable facilities and assistance, including access to drawings and production data, shall be furnished to the inspectors at no charge to the National Bank of Pakistan.</p> <p>11.3. Should any inspected or tested Goods fail to conform to the Specifications, the National Bank of Pakistan may reject the Goods, and the Supplier shall either replace the rejected Goods or make alterations necessary to meet specification requirements free of cost to the National Bank of Pakistan.</p>



	<p>11.4. The National Bank of Pakistan's right to inspect, test and, where necessary, reject the Goods after the Goods' arrival in the National Bank of Pakistan's country shall in no way be limited or waived by reason of the Goods having previously been inspected, tested, and passed by the National Bank of Pakistan or its representative prior to the Goods' shipment from the country of origin.</p> <p>11.5. Nothing in GCC Clause 10, shall in any way release the Supplier from any warranty or other obligations under this Contract.</p>
<p>12. Packing</p>	<p>12.1. The Supplier shall provide such packing of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the Contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packing case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.</p> <p>12.2. The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified in SCC, and in any subsequent instructions ordered by the National Bank of Pakistan.</p>
<p>13. Delivery and Documents</p>	<p>13.1. Delivery of the Goods shall be made by the supplier in accordance with the terms specified in the Schedule of Requirements. The details of shipping and/or other documents to be furnished by the Supplier are specified in SCC.</p> <p>13.2. Documents to be submitted by the Supplier are specified in SCC.</p>
<p>14. Transportation</p>	<p>14.1. The Supplier is required under the Contract to transport the Goods to a specified place of destination indicated by National Bank of Pakistan.</p>
<p>15. Spare Parts</p>	<p>15.1. As specified in SCC, the Supplier may be required to provide any or all of the following materials, notifications, and information pertaining to parts manufactured or distributed by the Supplier:</p> <p>(a) such parts as the National Bank of Pakistan may choose to purchase from the Supplier, provided that this choice shall not relieve the Supplier of any warranty obligations under the Contract; and</p> <p>(b) in the event of termination of production of the parts:</p> <p>(i) advance notification to the National Bank of Pakistan of the pending termination, in sufficient time to permit the National Bank of Pakistan to procure needed requirements; and</p> <p>(ii) following such termination, furnishing at no cost to the National Bank of Pakistan, the blueprints, drawings, and specifications of the spare parts, if requested.</p>



<p>16. Warranty/ Defect Liability Period</p>	<p>16.1. Supplier warrants that the Goods supplied under the Contract are new, unused, of the most recent or current models selected by the National Bank of Pakistan, and that they incorporate all recent improvements in design and materials unless provided otherwise in the Contract. The Supplier further warrants that all Goods supplied under this Contract shall have no defect, arising from design, materials, or workmanship (except when the design and/or material is required by the National Bank of Pakistan's specifications) or from any act or omission of the Supplier, that may develop under normal use of the supplied Goods in the conditions prevailing in Pakistan.</p> <p>16.2. This warranty shall remain valid for 1 year after the goods have been delivered and accepted by National Bank of Pakistan.</p> <p>16.3. The National Bank of Pakistan shall promptly notify the Supplier in writing or in electronic forms that provide record of the content of communication of any claims arising under this warranty.</p> <p>16.4. Upon receipt of such notice, the Supplier shall, within the period specified in SCC and with all reasonable speed, repair or replace the defective Goods or parts thereof, without costs to the National Bank of Pakistan.</p> <p>16.5. If the Supplier, having been notified, fails to rectify the defect(s) within the period specified in SCC, within a reasonable period, the National Bank of Pakistan may proceed to take such remedial action as may be necessary, at the Supplier's risk and expense and without prejudice to any other rights which the National Bank of Pakistan may have against the Supplier under the Contract.</p>
<p>17. Payment</p>	<p>17.1. The method and conditions of payment to be made to the Supplier under this Contract shall be specified in SCC.</p> <p>17.2. The Supplier's request(s) for payment shall be made to the National Bank of Pakistan in writing, accompanied by an invoice describing, as appropriate, the Goods delivered and Services performed, and by documents submitted pursuant to GCC Clause 13, and upon fulfillment of other obligations stipulated in the Contract.</p> <p>17.3. Payments shall be made promptly by the National Bank of Pakistan, but in no case later than sixty (60) days after submission of an invoice or claim by the Supplier.</p> <p>17.4. The currency of payment is Pak Rupee.</p>
<p>18. Prices</p>	<p>18.1. The contract price shall be as specified in the Contract Agreement.</p> <p>18.2. Prices charged by the Supplier for Goods delivered and Services performed under the Contract shall not vary from the prices quoted by the Supplier in its Bid.</p>



19. Change Orders	<p>19.1. The National Bank of Pakistan may at any time, by a written order given to the Supplier, make changes within the general scope of the Contract, only if required for the successful completion of the job, in any one or more of the following:</p> <ul style="list-style-type: none"> (a) the place of delivery; and/or b) Delivery schedule (c) the Services to be provided by the Supplier.
20. Contract Amendments	<p>20.1. No variation in or modification of the terms of the Contract shall be made except by written amendment signed by the parties.</p>
21. Assignment	<p>21.1. Neither the National Bank of Pakistan nor the Supplier shall assign the whole or part, obligation under contract, except with the prior written consent of other party.</p>
22. Sub-contracts	<p>22.1. Subcontracting under this contract is not permitted.</p>
23. Delays in the Supplier's Performance	<p>23.1. Delivery of the Goods and performance of Services shall be made by the Supplier in accordance with the time schedule prescribed by the National Bank of Pakistan in the Schedule of Requirements-</p> <p>23.2. If at any time during performance of the Contract, the Supplier should encounter conditions impeding timely delivery of the Goods and performance of Services, the Supplier shall promptly notify the National Bank of Pakistan in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the Supplier's notice, the National Bank of Pakistan shall evaluate the situation and may at its discretion extend the Supplier's time for performance, with or without liquidated damages, in which case the extension shall be ratified by the parties by amendment of Contract.</p>
25. Termination for Default	<p>25.1. The National Bank of Pakistan, without prejudice to any other remedy for breach of Contract, by written notice of default sent to the concerned party may terminate this Contract if the other party causes a fundamental breach of the contract.</p> <p>25.2. Fundamental breaches of Contract shall include, but shall not be limited to the following;</p> <ul style="list-style-type: none"> a) the Supplier fails to deliver any or all of the Goods within the period(s) specified in the Contract, or within any extension thereof granted by the National Bank of Pakistan b) the Supplier fails to perform any other obligation(s) under the Contract; c) Supplier's failure to submit performance security (or guarantee) within the time stipulated in the SCC; the supplier has abandoned or repudiated the contract. d) the National Bank of Pakistan or the Supplier is declared bankrupt or goes into liquidation other than for a reconstruction or amalgamation e) National Bank of Pakistan gives Notice delivered with a defect is a fundamental breach of Contract and the Supplier fails to correct



	<p>it within a reasonable period of time determined by the National Bank of Pakistan; and</p> <p>f) If the National Bank of Pakistan determines, based on the reasonable evidence, that the Supplier has engaged in corrupt, coercive, collusive, obstructive or fraudulent practices, in competing for or in executing the Contract</p> <p>25.3. In the event the National Bank of Pakistan terminates the Contract in whole or in part, the National Bank of Pakistan may procure, upon such terms and in such manner as it deems appropriate, Goods or Services similar to those undelivered, and the Supplier shall be liable to the National Bank of Pakistan for any excess costs for such similar Goods or Services. However, the Supplier shall continue performance of the Contract to the extent not terminated.</p>
<p>26. Termination for Force Majeure</p>	<p>26.1. Notwithstanding the provisions of the contract, neither party shall have any liability or be deemed to be in breach of the Contract for any delay nor is other failure in performance of its obligations under the Contract, if such delay or failure is a result of an event of Force Majeure.</p> <p>26.2. If a Party (hereinafter referred to as "the Affected Party ") is or will be prevented from performing its substantial obligation under the contract by Force Majeure, it shall give a Notice to the other Party giving full particulars of the event and circumstance of Force Majeure in writing or in electronic forms that provide record of the content of communication of such condition and the cause thereof. Unless otherwise: directed by the National Bank of Pakistan in writing or in electronic forms that provide record of the content of communication, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance , not prevented by the Force Majeure event.</p>
<p>27. Termination for Insolvency</p>	<p>27.1. The National Bank of Pakistan may at any time terminate the Contract by giving written notice to the Supplier if the Supplier becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the Supplier, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the National Bank of Pakistan.</p>
<p>28. Termination for Convenience</p>	<p>28.1. The National Bank of Pakistan, by written notice sent to the Supplier, may terminate the Contract, in whole or in part, at any time for its convenience. The notice of termination shall specify that termination is for the National Bank of Pakistan's convenience, the extent to which performance of the Supplier under the Contract is terminated, and the date upon which such termination becomes effective.</p> <p>28.2. The Goods that are complete and ready for shipment (if applicable) within thirty (30) days after the Supplier's receipt of notice of termination shall be accepted by the National Bank of Pakistan on the Contract terms and prices. For the remaining Goods, the National Bank of Pakistan may choose:</p> <p>(a) to have any portion completed and delivered at the Contract terms and prices; and/or</p>



	(b) to cancel the remainder and pay to the Supplier an agreed amount for partially completed Goods and Services and for materials and parts previously procured by the Supplier.
29. Resolution of Disputes	<p>29.1. In the event of any dispute arising out of this contract, either party shall issue a notice of dispute to settle the dispute, amicably. The parties hereto shall, within twenty-eight (28) days from the notice date, use their best efforts to settle the dispute amicably through mutual consultations and negotiation. Any unsolved dispute may be referred by either party to an arbitrator that shall be appointed by mutual consent of the both parties.</p> <p>29.2. After the dispute has been referred to the arbitrator, within 30 days, or within such other period as may be proposed by the Parties, the Arbitrator shall give its decision. The rendered decision shall be binding to the Parties.</p>
30. Procedure for Disputes Resolutions	<p>30.1. The arbitration shall be conducted in accordance with the arbitration procedure published by the Institution name and in the place shown in the SCC.</p> <p>30.2. The rate of the Arbitrator's fee and administrative costs of arbitration shall be borne equally by the Parties. The rates and costs shall be in accordance with the rules of the Appointing Authority. In conducting arbitration to its finality each party shall bear its incurred costs and expenses.</p>
31. Replacement of Arbitrator	31.1. Should the Arbitrator resign or die, or should the National Bank of Pakistan and the Supplier agree that the Arbitrator is not functioning in accordance with the provisions of the contract; a new Arbitrator shall be appointed by mutual consent of the both parties.
32. Limitation of Liability	<p>32.1. Except in cases of criminal negligence or willful conduct and in the case of infringement pursuant to GCC Clause 8,</p> <p>a)The supplier shall not be liable to the National Bank of Pakistan, whether in contract, tort, or otherwise, for any indirect or consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided that this exclusion shall not apply to any obligation of the Supplier to pay liquidated damages to the National Bank of Pakistan; and</p> <p>b)The aggregate liability of the Supplier to the National Bank of Pakistan, whether under the Contract, in tort or otherwise, shall not exceed the total Contract price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment or to any obligation of the Supplier to indemnify the National Bank of Pakistan, with respect to patent infringement.</p>



<p>33. Notices</p>	<p>33.1. Any notice given by one party to the other pursuant to this Contract shall be sent to the other party in writing or by any information technology mean for the time being in use and acceptable in ordinary course of business to the other party's address specified in SCC.</p> <p>33.2. A notice shall be effective when delivered or on the notice's effective date, whichever is later</p>
<p>34. Taxes and Duties</p>	<p>34.2. If any tax exemptions, reductions, allowances or privileges may be available to the Supplier in Pakistan the National Bank of Pakistan shall use its best efforts to enable the Supplier to benefit from any such tax savings to the maximum allowable extent.</p> <p>34.3. A Supplier be entirely responsible for all taxes, duties, license fees, etc., incurred until delivery of the contracted Goods to the National Bank of Pakistan.</p>



SECTION-VIII. SPECIAL CONDITIONS OF CONTRACT (SCC)

SPECIAL CONDITIONS OF CONTRACT (SCC)

The following Special Conditions of Contract shall supplement the General Conditions of Contract. Whenever there is a conflict, the provisions herein shall prevail over those in the General Conditions of Contract. The corresponding clause number of the GCC is indicated in parentheses.

1. Definitions (GCC Clause 1)

GCC 1.1 —The Procuring Agency is: National Bank of Pakistan

GCC 1.1 (p)—The Supplier is:

GCC 1.1 (q)—The title of subject procurement is: Procurement of Office Furniture

2. Governing Language (GCC Clause 4)

GCC 4.1—The Governing Language shall be: English

3. Applicable Law (GCC Clause 5)

GCC 5.1-The applicable laws shall be Laws of: Pakistan

4. Country of Origin (GCC Clause 6)

GCC 6.1—Country of Origin is

5. Performance Guarantee (GCC Clause 10)

GCC 10.1—The amount of Performance Guarantee, as a percentage of the Contract Price, shall be: 5% of the Contract price (excluding taxes, duties)

GCC 10.4—the Performance Guarantee shall be retained for 30 days beyond the delivery period stipulated in the contract.

6. Inspections and Tests (GCC Clause 11)

GCC11.1— National Bank of Pakistan will inspect the deliverables to ascertain the quantity and specification aspects of deliverables and validate the documents / literature provided with Office Furniture.

7. Packing (GCC Clause 12)

GCC 12.2—The following SCC shall supplement GCC Clause 12.2:

The Goods shall be packed properly to withstand rough handling during transit and exposure to extreme temperatures during transit, and storage. Packing case size and weights shall take into account final destination of the Office Furniture.

8. Delivery



Office Furniture are to be delivered within 4 weeks of the signing of the contract. Part payment against part delivery is allowed.

Delivery locations (within Pakistan) will be provided by NBP at the time of delivery.

9. Documents (GCC Clause 13)

Upon delivery of the Goods, Supplier shall notify National Bank of Pakistan and mail the following documents to the National Bank of Pakistan:

- i. One original plus four copies of the Supplier's invoice showing Goods' description, quantity, unit price, and total amount;
- ii. Delivery Challan
- iii. Warranty certificate;

The above documents shall be received by National Bank of Pakistan before the delivery of Office Furniture.

11. Payment (GCC Clause 17)

Payment for Goods and Services supplied shall be made in Pakistani Rupees, as follows: **On Delivery & Acceptance:** 100% of the delivered stock or Contract Price (as agreed in contract) shall be paid to the Supplier within thirty (30) days after the date of the acceptance certificate for the delivery issued by National Bank of Pakistan. Partial payment against part delivery is allowed.

12. Prices (GCC Clause 18)

GCC 18.1.1—Prices shall be fixed and shall not be adjusted.

13. Liquidated Damages (GCC Clause 25)

14. Resolution of Disputes (GCC Clause 29)

In the case of a dispute between the National Bank of Pakistan and the Supplier, the dispute shall be referred for arbitration in accordance with the Arbitration Act 1940.

1. If any dispute of any kind whatsoever shall arise between the National Bank of Pakistan and the Supplier in connection with or arising out of the Contract, including without prejudice to the generality of foregoing, any question regarding its existence, validity, termination and the execution of the Contract- whether during developing phase or after their completion and whether before or after the termination, abandonment or breach of the Contract - the parties shall seek to resolve any such dispute or difference by mutual diligent negotiations in good faith within 7 (seven) days following a notice sent by one Party to the other Party in this regard.
2. At future of negotiation the dispute shall be resolved through mediation and mediator shall be appointed with the mutual consent of the both parties.
3. At the event of failure of mediation to resolve the dispute relating to this contract such dispute shall finally be resolved through binding Arbitration by sole arbitrator in accordance with Arbitration Act 1940. The arbitrator shall be appointed by mutual consent of the both parties. The Arbitration shall take place in Lahore and proceedings will be conducted in English language.



4. The cost of the mediation and arbitration shall be shared by the parties in equal proportion however both parties shall bear their own costs and lawyer's fees regarding their own participation in the mediation and arbitration. However, the Arbitrator may make an award of costs upon the conclusion of the arbitration making any party to the dispute liable to pay the costs of another party to the dispute.
5. Arbitration proceedings as mentioned in the above clause regarding resolution of disputes may be commenced prior to, during or after delivery of goods.
6. Notwithstanding any reference to the arbitration herein, the parties shall continue to perform their respective obligations under the Contract unless they otherwise agree that the National Bank of Pakistan shall pay the Supplier any monies due to the Supplier.

15. Notices (GCC Clause 33)

National Bank of Pakistan's address for notice purposes:

Wing Head Procurement, LCMG, 26 Mclagon Road Regional Head Quarters National Bank of Pakistan, Lahore.

Supplier's address for notice purposes:.....

16. Effective Contract Date (GCC Clause 3)

After having signed the contract, it shall come into force on the date of submission of Performance Security by the successful bidder.

17. NBP Terms & Conditions



GENERAL TERMS & CONDITIONS

FURNITURE WORKS

1. The contractor will be responsible to obtain approval of samples of all materials, fittings, fixtures, MDF, lamination sheet, fabric/leatherite/buff neubic leather. locks, key board try etc. to be used in furniture works and furniture items before executing of works.
2. It is the responsibility of the vendor to visit NBP Corporate centers situated at M. M. Alam Road Lahore /G-5 building Islamabad to check the model furniture in terms of quality & specifications regarding all types of material, workmanship, polish including hard ware, etc.
3. The work will be strictly executed as per terms, conditions & specifications outlined in the tender documents except as may be subsequently amended by the Chief Engineer (North).
4. The contractor will be responsible for carrying out the works in true and excellence workmanship.
5. Substandard and poor quality works shall not be accepted at any cost & under any circumstances.
6. During the execution of work, no minor / major discrepancies should be left otherwise no payment shall be release against respective items.
7. The work will be completed in specified stipulated time period. In case of delay a penalty of 0.10% per day will be imposed by the Bank upto 10% of contract value and the Bank reserve the right to recover the penalty from contractor running bills.
8. No escalation in rates shall be paid by the Bank at any case.
9. All tools require for works will be arranged by the contractor.
10. No bill of the contractor will be paid without proper standards works. The decision of the Chief Engineer / Engineer In charge will be final and binding.
11. The contractor will be responsible to carry out the works during working hours and beyond working hours





12. The security measures will be managed by the contractor while execution of work, during working hours or beyond working hours.
13. The rates for works should be inclusive all kind of taxes like sale tax, income tax, import duties / insurance, bank guarantee etc.
14. The payment shall be made as per actual measurements of works to be done / supplied at site.
15. Rates should be quoted on item rate basis as detail given in the BOQ.
16. In case of any dispute arising during the execution of this contract the decision of the Chief Engineer / Divisional Head will be final and binding upon the Contract without appeal.
17. During execution of work contractor is responsible for the branch/office fixture, fittings, furniture and any damage to them is the responsibility of Contractor to be indemnified to Bank at actual cost.
18. Any change in govt. taxes/duties and currency devaluation will be on contractor account. Bank shall not entertain any claim what so ever.
19. No previous tender / quotation reference will be considered and accepted.
20. No escalation in tender amount on any account what so ever shall be claimed by the contractor / supplier.
21. The payment shall be released as per actual scope of work done and satisfactory supply and after providing photographs (Hard Copy) of all furniture items along with receiving from respective branch/office.
22. Bank reserves the right to reject any tender or part thereof without assigning any reason.
23. Completion time of whole works with free of defects will be 30 days.

For NATIONAL BANK OF PAKISTAN



CONTRACTOR



SECTION IX: CONTRACT FORMS



Form of Contract

THIS AGREEMENT made the _____ day of 2023 _____ between National Bank of Pakistan Lahore (hereinafter called "the Procuring Agency") of the one part and [name of Supplier] of [city (hereinafter called "the Supplier/")] of the other part:

WHEREAS the Procuring Agency invited Bids for Procurement of Office Furniture and has accepted a Bid by the Supplier for the supply of Office Furniture in the sum of [contract price in words and figures] (hereinafter called "the Contract Price").

NOW THIS CONTRACT WITNESSETH AS FOLLOWS:

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
2. The following documents shall be deemed to form and be read and construed as part of this Agreement, viz.:
 - (a) the Bid Form and the Price Schedule submitted by the Bidder;
 - (b) the Schedule of Requirements;
 - (c) the Technical Specifications;
 - (d) the General Conditions of Contract;
 - (e) the Special Conditions of Contract; and
 - (f) the National Bank of Pakistan's Notification of Award.
 - (g) Contract agreement
 - (h) Complete Bidding document
3. In consideration of the payments to be made by the National Bank of Pakistan to the Supplier as hereinafter mentioned, the Supplier hereby covenants with the National Bank of Pakistan to provide the goods and services and to rectify defects therein in conformity with all respects in accordance with the provisions of the Contract.
4. The National Bank of Pakistan hereby covenants to pay the Supplier in consideration of the provision of the goods and services and the rectification of defects therein, the Contract Price or such other sum as may become payable under the provisions of the contract at the times and in the manner prescribed by the contract.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with their respective laws the day and year mentioned above.

Signed, sealed, delivered by _____ the _____ (for the National Bank of Pakistan)

Signed, sealed, delivered by _____ the _____ (for the Supplier)



Performance Security or Guarantee Form

*[To be signed & stamped by the Bidder and reproduced on the letter head. To be attached with
Technical Bid]*

To,

[National Bank of Pakistan Lahore]

WHEREAS (Name _____ of _____ the Contractor/ Supplier) _____ hereinafter called "the Contractor" has undertaken, in pursuance of "Invitation To Bid For The Supply Of Office Furniture"

AND WHEREAS it has been stipulated by you in the Contract that the Contractor shall furnish you with a bank guarantee by a scheduled bank for the sum specified therein as security for compliance with the Contractor's performance obligations in accordance with the Contract;

AND WHEREAS we have agreed to give the Contractor a Guarantee;

THEREFORE WE hereby affirm that we are Guarantor and responsible to you, on behalf of the Contractor, up to a total of _____ (Amount of the guarantee in words and figures), and we undertake to pay you, upon your first written demand declaring the Contractor to be in default under the Contract, and without cavil or argument, any sum or sums as specified by you, within the limits of _____ (Amount of Guarantee) as aforesaid without your needing to prove or to show grounds or reasons for your demand or the sum specified therein.

This guarantee is valid until _____ day of _____, 20__, or _____ [insert number of days] after the rectification of the Defects, whichever is later.

[NAME OF GUARANTOR]

Signature _____

Name _____

Title _____

Address _____

Seal _____

Date _____



(INTEGRITY PACT)**DECLARATION OF FEES, COMMISSION AND BROKERAGE ETC.
PAYABLE BY THE SUPPLIERS OF GOODS, SERVICES & WORKS IN CONTRACTS**

Contract No. _____ Dated _____

Contract Value: _____

Contract Title: _____

..... [name of Supplier] hereby declares that it has not obtained or induced the procurement of any contract, right, interest, privilege or other obligation or benefit from National Bank of Pakistan or any administrative subdivision or Division thereof or any other entity owned or controlled by National Bank of Pakistan through any corrupt business practice.

Without limiting the generality of the foregoing, [name of Supplier] represents and warrants that it has fully declared the brokerage, commission, fees etc. paid or payable to anyone and not given or agreed to give and shall not give or agree to give to anyone within or outside Pakistan either directly or indirectly through any natural or juridical person, including its affiliate, agent, associate, broker, consultant, director, promoter, shareholder, sponsor or subsidiary, any commission, gratification, bribe, finder's fee or kickback, whether described as consultation fee or otherwise, with the object of obtaining or inducing the procurement of a contract, right, interest, privilege or other obligation or benefit in whatsoever form from National Bank of Pakistan, except that which has been expressly declared pursuant hereto.

[name of Supplier] certifies that it has made and will make full disclosure of all agreements and arrangements with all persons in respect of or related to the transaction with National Bank of Pakistan and has not taken any action or will not take any action to circumvent the above declaration, representation or warranty.

[name of Supplier] accepts full responsibility and strict liability for making any false declaration, not making full disclosure, misrepresenting facts or taking any action likely to defeat the purpose of this declaration, representation and warranty. It agrees that any contract, right, interest, privilege or other obligation or benefit obtained or procured as aforesaid shall, without prejudice to any other rights and remedies available to National Bank of Pakistan under any law, contract or other instrument, be voidable at the option of National Bank of Pakistan.

Notwithstanding any rights and remedies exercised by National Bank of Pakistan in this regard, [name of Supplier] agrees to indemnify National Bank of Pakistan for any loss or damage incurred by it on account of its corrupt business practices and further pay compensation to National Bank of Pakistan in an amount equivalent to ten times the sum of any commission, gratification, bribe, finder's fee or kickback given by [name of Supplier] as aforesaid for the purpose of obtaining or inducing the procurement of any contract, right, interest, privilege or other obligation or benefit in whatsoever form from National Bank of Pakistan

National Bank of Pakistan

Name of Supplier :

Signature:

[Seal]

Signature:

[Seal]



CHECK LIST

(This checked list must be attached with each technical offer of each separate lot, duly filled and signed)

No _____

Date _____

1	Bid Security	a. Bid Security ref no – b. Bank –		
2	Documents signed by Authorized Signatory		Yes	No
3	Offering specification of items as per Invitation to Tender		Yes	No
4	Quoted Currency as per Invitation to Tender		Yes	No
5	Quantity as per Invitation to Tender		Yes	No
6	Delivery Schedule as per Invitation to Tender		Yes	No
7	Original Performa invoice/Bid Form (Mandatory)		Yes	No
8	Certified that there is no Deviation from Invitation to Tender conditions		Yes	No
9	Blacklisting certificate.		Yes	No

Signature of Firm Authorized Signatory

