

No: HYBD/OPS/TSD/090120

 Tel
 #
 022-9201277

 Tel
 #
 022-9200563

 Fax
 #
 022-9200578

 Fax
 #
 022-9200710

 January
 20, 2009

INVITATION FOR BID

National Bank of Pakistan is inviting bids for supply and installation of CCTV (SECURITY SURVEILLANCE SYSTEM) for various 12 (Twelve) Branches of Hyderabad Region. All (Prequalified/enlisted firms (GST Registered, Income Tax Paid) are invited to provide quotations on their letter head for supply and installation of CCTV (SECURITY SURVEILLANCE SYSTEM) for various Branches/Offices of Hyderabad Region, with the facility to connect and check the system from Regional Office, Hyderabad in future, who meet the following conditions.

- a) Should have completed at least three similar type of project in medium or large scale of companies, with list of clients, recent order in last 3 years.
- b) Ability to provide satisfactory after sale service. (List of Engineers, Technical Staff and nearest service workshop submitted with quotation). At least 3 recommendations are required, from the previous clients regarding the work done by the vendors.

Quotations documents must be accompanied with a Call Deposit/Demand Draft/Payment Order @ 5% of the total price offered for one set (One Branch) on at least (04) Channel DVR System. (security by other means will not be accepted) drawn in favor of M/S. National Bank of Pakistan Regional Office Hyderabad. The National Bank of Pakistan reserves the right to forfeit the security amount if the firm fails or denies supplying the items on the offered rates or within stipulated time period.

The Bank reserves the right to increase/decrease the quantity of required items. The quotations should be condition free and contain item wise comprehensive details along with actual price + GST = Total price. **The Firm must provide free after sale services for a period of three years (03 Years)** after supplying and installing the equipments. The quotations offering sub standard product can be screened out to ensure procurement of high quality equipment. The rates will be valid for 90 Days from the date of opening the tender.

Details of specifications and other terms & conditions may be obtained from NBP Regional Office, Hyderabad up to 07-02-2009 during office hours (or download from NBP Official website <u>www.nbp.com.pk</u> or PPRA website <u>www.ppra.org.pk</u>. Successful bidder will be required to deliver the items at the respective Branches of the Hyderabad Region at his own cost. Engineering Department, Regional Office, Hyderabad will recommend / verify for the payment on satisfactory supply/quantity/quality as per the specification.

The firm must attach its complete profile with quotation; otherwise quotation will not be accepted. Last date for the receipt of complete tender is 09-02-2009 till 11:00a.m. The tender will be opened at 11:30 a.m. on same date in the presence of Regional Procurement Committee and bidders.

IRSHAD ALI ZARDARI REGIONAL OPERATIONS CHIEF NATIONAL BANK OF PAKISTAN REGIONAL OFFICE, HYDERABAD



Technology Support Department Operations Group Regional Office Shahrah-e-Fatima Jinnah Hyderabad
 Tel
 #
 022-9201277

 Tel
 #
 022-9200563

 Fax
 #
 022-9200558

 Fax
 #
 022-9200710

Bid Details

Documents to be submitted with Bid:	
1. Company profile.	
2. Copy of NTN Certificate.	
3. Copy of Sales Tax Certificate.	
4. Quotation.	
 CDR/PO/DD @ 5% of the total price offered (security by other means will not be accepted) drawn in favor of M/S. National Bank of Pakistan Regional Office Hyderabad. 	

Enclosure:

Details/specifications of items to be purchased.
 Copy of Tender (as advertised on website of NBP and PPRA)

Conditions:

- 8. National Bank of Pakistan reserves the right to forfeit the security @2% if the firm fails or denies supplying the items on the offered rates or within stipulated time period.
- 9. The Bank reserves the right to reject all or part of the quotation without assigning any reason and may increase/decrease the quantity of required items.
- 10. The quotations should be **condition free** and contain item wise comprehensive details along with price (GST should be charged @ 16%) and installation charges at the Branches.
- 11. Income Tax deduction will be done admissible by Income Tax Rules and Regulations.
- 12. The Firm must provide at site free after sale services for a period of **3 years** after supplying the equipments.
- 13. The quotations offering sub standard product can be screened out to ensure procurement of high quality equipment.
- 14. The rates will be valid up for 90 Days from the date of opening the tender.

15. Successful bidder will be required to deliver the items at the respective Offices/branches of the Regional Office, Hyderabad at their own cost.

16. Technology Support Officer with the coordination of Operations Wing, Regional Office, Hyderabad and Engineering Department,, Regional Office Hyderabad will recommend / verify for the payment on satisfactory supply / quantity/ quality as per the specification.



Technology Support Department Operations Group Regional Office Shahrah-e-Fatima Jinnah Hyderabad
 Tel
 #
 022-9201277

 Tel
 #
 022-9200563

 Fax
 #
 022-9200558

 Fax
 #
 022-9200710

SPECIFICATION OF CCTV (SECURITY SURVEILLANCE SYSTEMS) COMPANY (INTERNATIONAL STANDARDS) FOR VARIOUS 12 (Twelve) BRANCHES OF HYDERABAD REGION

Camera, International Standard 1/3", Day/night, Zoom Lenses, Color Camera, with minimum 410,000 Pixel, Resolution 480 TLV minimum, Gain Control Auto, Voltage (12-24 volts) Min: Illumination 0.5 Lux, High Speed Shutter along with mounting Bracket, 50° Plug & Play Cable with One Year Warranty. DVR (Digital Video Recorder) International Standard Expandable PC Based Surveillance System Digital Video Recorder Expandable 4 to 16 Channel with simultaneous monitoring, recording, playback and back-up facilities. Processing speed upgradeable to 240/480 FPS (Frames per Second) Display – Brightness, Contrast, Color Adjustments, Hidden/Convert per channel Per Channel Recording Title – 8 Character Manual, Schedule, Alarm, Motion Motion Detection Per Channel – Custom Made Grids Search Modes – Time & Date, Camera, Alarn, Motion Playback Modes – Forward & Reverse: Pause, Field by Field, normal Speed, 2X, 4X, 6X, 16X Multi-tasking/Full Triplex – Simultaneous Live Display, Record, Playback, Back-up Remote System Transmission Power Failure Recovery – Auto Reboot w/ Maintaining Previous Record Settings Alarm Notification – Automatic E-mail, External Alarm, Video Loss, Power Loss, HDD Failure Back-up – Ethernet : UTP Cross Cable, Remote PC, External Recording Devices, VCR External Recording Devices – USB2.0: External CDRW, DVD-RW Remote Client Software – Plug-In for Internet Explorer 7.0 or Dedicated Multi Site/Enterprise Client Software Dynamic IP Support over Cable – Dedicated Host ID per Unit, DVR will automatically self reconfigure every time IP address changes IR Remote Dimensions – 17.5 (W) X 21 (L) X 7 (H) inches PTZ Control – Internal / Remote over Internet Recording Data – minimum for 1 month System : International Standard Company O/S : Windows XP CPU : Core 2 Duo 2.53 GHZ or higher Memory : 1GB Hard Drive : 500 GB / Depending on DVR Recording (minimum for 1 month) Camera Input : 4, 8, or 16 (Depending on system)	FOR VARI	OUS 12 (Twelve) BRANCHES OF HYDERABAD REGION
DVR (Digital VideoDigital Video Recorder Expandable 4 to 16 Channel with simultaneous monitoring, recording, playback and back-up facilities. Processing speed upgradeable to 240/480 FPS (Frames per Second)Display – Brightness, Contrast, Color Adjustments, Hidden/Convert per channel Per Channel Recording Title – 8 Character Manual, Schedule, Alarm, Motion Motion Detection Per Channel – Custom Made Grids Search Modes – Time & Date, Camera, Alarm, Motion Playback Modes – Forward & Reverse: Pause, Field by Field, normal Speed, 2X, 4X, 6X, 16X Multi-tasking/Full Triplex – Simultaneous Live Display, Record, Playback, Back-up Remote System Transmission Power Failure Recording Devices, VCR External Recording Devices, VCR External Recording Devices – USB2.0: External CDRW, DVD-RW Remote Client Software – Plug-In for Internet Explorer 7.0 or Dedicated Multi Site/Enterprise Client Software Dynamic IP Support over Cable – Dedicated Host ID per Unit, DVR will automatically self reconfigure every time IP address changes IR Remote Dimensions – 17.5 (W) X 21 (L) X 7 (H) inches PTZ Control – Internal / Remote Company O/S : Windows XP CPU : Core 2 Duo 2.53 GHZ or higher Memory : 1GBSystemSystem : International Standard Company O/S : Windows XP CPU : Core 2 Duo 2.53 GHZ or higher Memory : 1GBSystemHard Drive : 500 GB / Depending on DVR Recording (minimum for 1 month) Camera Input : 4,8, or 16 (Depending on system) Audio Input : 4 Frames/Sec : 120 Standard (240/480 available) Resolution : 1024 X 760	Camera	Color Camera, with minimum 410,000 Pixel, Resolution 480 TLV minimum, Gain Control Auto, Voltage (12-24 volts) Min: Illumination 0.5 Lux, High Speed Shutter along with mounting Bracket, 50" Plug & Play Cable with One Year Warranty.
System Display – Brightness, Contrast, Color Adjustments, Hidden/Convert per channel Per Channel Recording Title – 8 Character Manual, Schedule, Alarm, Motion Motion Detection Per Channel – Custom Made Grids Search Modes – Time & Date, Camera, Alarm, Motion Playback Modes – Forward & Reverse: Pause, Field by Field, normal Speed, 2X, 4X, 6X, 16X Multi-tasking/Full Triplex – Simultaneous Live Display, Record, Playback, Back-up Remote System Transmission Power Failure Recovery – Auto Reboot w/ Maintaining Previous Record Settings Alarm Notification – Automatic E-mail, External Alarm, Video Loss, Power Loss, HDD Failure Back-up – Ethernet : UTP Cross Cable, Remote PC, External Recording Devices, VCR External Recording Devices – USB2.0: External CDRW, DVD-RW Remote Client Software – Plug-In for Internet Explorer 7.0 or Dedicated Multi Site/Enterprise Client Software Dynamic IP Support over Cable – Dedicated Host ID per Unit, DVR will automatically self reconfigure every time IP address changes IR Remote Dimensions – 17.5 (W) X 21 (L) X 7 (H) inches PTZ Control – Internal / Remote over Internet Recording Data – minimum for 1 month System : International Standard Company O/S : Windows XP CPU : Core 2 Duo 2.53 GHZ or higher Memory : 1GB Hard Drive : 500 GB / Depending on DVR Recording (minimum for 1 month) Camera Input : 4,8, or 16 (Depending on system) Audio Input : 4		Digital Video Recorder Expandable 4 to 16 Channel with simultaneous monitoring, recording, playback and back-up facilities. Processing speed upgradeable to 240/480 FPS (Frames per
System : International Standard Company O/S : Windows XP CPU : Core 2 Duo 2.53 GHZ or higher Memory : 1GB Hard Drive : 500 GB / Depending on DVR Recording (minimum for 1 month) Camera Input : 4,8, or 16 (Depending on system) Audio Input : 4 Frames/Sec : 120 Standard (240/480 available) Resolution : 1024 X 760	Specification	Display – Brightness, Contrast, Color Adjustments, Hidden/Convert per channel Per Channel Recording Title – 8 Character Manual, Schedule, Alarm, Motion Motion Detection Per Channel – Custom Made Grids Search Modes – Time & Date, Camera, Alarm, Motion Playback Modes – Forward & Reverse: Pause, Field by Field, normal Speed, 2X, 4X, 6X, 16X Multi-tasking/Full Triplex – Simultaneous Live Display, Record, Playback, Back-up Remote System Transmission Power Failure Recovery – Auto Reboot w/ Maintaining Previous Record Settings Alarm Notification – Automatic E-mail, External Alarm, Video Loss, Power Loss, HDD Failure Back-up – Ethernet : UTP Cross Cable, Remote PC, External Recording Devices, VCR External Recording Devices – USB2.0: External CDRW, DVD-RW Remote Client Software – Plug-In for Internet Explorer 7.0 or Dedicated Multi Site/Enterprise Client Software Dynamic IP Support over Cable – Dedicated Host ID per Unit, DVR will automatically self reconfigure every time IP address changes IR Remote Dimensions – 17.5 (W) X 21 (L) X 7 (H) inches PTZ Control – Internal / Remote over Internet
Display 17" LCD Monitor (Flat) International Standard Company	System	System : International Standard Company O/S : Windows XP CPU : Core 2 Duo 2.53 GHZ or higher Memory : 1GB Hard Drive : 500 GB / Depending on DVR Recording (minimum for 1 month) Camera Input : 4,8, or 16 (Depending on system) Audio Input : 4 Frames/Sec : 120 Standard (240/480 available)
	Display	